



# Laboratory identification and tracking solutions

Product catalog

# Laboratory identification and tracking solutions



When it comes to reducing errors in your lab to improve productivity and efficiency, you need durable labels and an inventory management system you can trust. That's where we can help. With Brady, you get a reliable partner with full solutions in lab identification and specimen tracking, so you can maintain the integrity of your work while improving efficiencies.

## **Experience and support you can trust**

Brady has been offering identification solutions to the global laboratory market for more than 15 years. Our experience is enhanced by the dedication of our highly qualified support team. This group is on hand to help you find a stock or customized labeling solution that aligns with your needs.

## **Proven lab products**

Our identification solutions are backed by proven laboratory label materials, printers, software and scanners designed specifically for the needs and challenges of your laboratory environment, including harsh chemicals, autoclaves, liquid nitrogen and more.

▶ **Let us show you what we have to offer**



# Table of contents

<b>Laboratory overview.....</b>	<b>4</b>
<b>Printers, software and scanners.....</b>	<b>8</b>
Printer comparison .....	8
Printers .....	10
Software .....	18
Barcode scanners.....	20
Label dispenser.....	21
<b>Label material guide.....</b>	<b>22</b>
<b>Microbiology labels.....</b>	<b>26</b>
Cell culture flasks.....	26
Petri dishes .....	28
<b>Histology labels.....</b>	<b>30</b>
Microscope slides .....	30
Tissue cassettes.....	31
<b>Cryogenic labels.....</b>	<b>32</b>
Cryo boxes and freezer racks .....	32
Cryo canes.....	33
Straws and rods.....	33
Cryo tubes.....	34
<b>Sample collection and processing labels.....</b>	<b>40</b>
Blood tubes.....	40
Specimen cups .....	40
Tamper-resistant seals .....	41
Sample bags .....	41
Wells and microplates.....	42
Centrifuge and conical tubes .....	43
Microcentrifuge and PCR tubes.....	46
<b>General labels.....</b>	<b>52</b>
Bottles, flasks and dishes .....	52
Water dissolvable .....	55
Autoclave indicating.....	55
Lean lab / visual workflow .....	56
GHS HazCom.....	58
Biohazard identification.....	60
Lab signs .....	61
<b>Absorbents and spill kits.....</b>	<b>62</b>
<b>Index.....</b>	<b>64</b>
Labels by size index.....	64
Part number index.....	70
Product index.....	74

# Laboratory overview

## Laboratory identification challenges

Loss means different things across various types of labs, from a minor inconvenience to major devastation:

- In clinical settings, sample loss can lead to misdiagnoses, delays in diagnoses or even fatalities and lawsuits
- In pharmaceutical environments, it can postpone or halt drug development and production
- In academic laboratories, it can impair or even void your findings
- In biotechnology settings, it can compromise your quality control, data integrity or drug safety. It also opens the door for the possibility of intellectual property loss or a delay in technology and product development

**In any of these situations, a single sample loss can mean critical data or information will have to be reproduced — putting millions of dollars at risk.**



## Handwritten labels vs. printed labels



### Handwritten labels

- Difficult to read
- Smears when handled
- Limited writing space
- Fades over time when stored
- Erased by chemicals
- Results in lost or misinterpreted information



### Printed Brady labels

- Clear, crisp and readable
- Will not smear or fade
- Barcodes hold large amounts of information
- Durable and chemical resistant

## Stunning stats

We surveyed 350 scientists about their sample management processes. Nearly **60% reported** having lost samples due to label failure and almost **50% reported** the loss impacted more than **2% of their samples**.

### Sample management regulators

Numerous regulators, funders and agencies have expanded their policies on sample management. The new regulations are centered on one primary goal — to help your lab mitigate or eliminate sample loss.

Regulatory Agency	Policy
The Joint Commission	National Patient Safety Goals (NPSG 01.01.01)
College of American Pathologists	Quality Management Plan
Clinical and Laboratory Standards Institute (CLSI)	AUTO12-A
Clinical Laboratory Improvement Amendment (CLIA)	42 ISC 263A
Centers for Disease Control (CDC)	Laboratory Best Practices ISBN 1-56238-748-0
National Cancer Institute (NCI)	Best Practices for Biospecimen (ID B.6.2)
Food and Drug Administration (FDA)	GLP 21, CFR Part 56

## Brady solutions for today's leading labs

Brady is trusted throughout the industry for reliable, first-rate identification and chain-of-custody tracking systems. No matter what your laboratory studies, Brady labeling solutions can help you maintain effective laboratory practices.

- Label materials that endure freezer storage, liquid nitrogen, autoclave, hot water baths and solvents including xylene, DMSO and ethanol
- Continuous and die-cut labels that match existing sizes of vials, slides, well plates and more
- Printed labels that remain legible throughout sample processing and storage
- Label software and printers that allow barcoding for extensive information storage on even the smallest samples
- Easy-to-use printers and software that save valuable time during training and printing processes
- Ability to seamlessly integrate with your Laboratory Information Management System (LIMS) through Brady's Application Engineering Team

## Improve productivity with color

Color helps to create a visual language that employees are able to process before they are even aware of it. When color is used as part of a standardized process, it improves efficiency and reduces errors. Brady provides a variety of color solutions that:

- Differentiate samples — find what you're looking for and move through your work faster
- Reduce errors — get context that can help reduce errors and help enhance memory performance
- Labels for every environment — protect your research with colors and labels that survive the harshest lab environments



Label printers, software and scanners



Materials that withstand extreme lab conditions without smearing, fading or falling off



Color makes it easier to visually process multiple objects at once

### Try Brady labels with a free sample pack

Brady's labels are designed for harsh lab environments — test them for yourself.

Request your sample pack at [BradyID.com/lab](https://www.BradyID.com/lab)



# Laboratory overview

Laboratory overview

## The best lab is one that's custom built

You love that your lab is growing. But you also need to stay on top of your growing volume by designing a better workspace. With Brady, it's possible. From label printers and scanners to signs and floor marking tape, Brady offers many ways to design a space that is effective, safe and 100% your own.


General identification

Absorbent spill kits

Microbiology labels

Portable printers and software

Benchtop printers and scanners



# Laboratory overview



# Printers, software and scanners

## Printer comparison

Your labeling solution starts with clear and readable print, and Brady has the easy-to-use printers that give you just that. Create custom labels on-site and on demand for lab applications such as cryo tubes, tissue cassettes, slides and more.

				
	<b>BMP®21-LAB Label Printer</b> Page 10	<b>BMP®51 Label Printer</b> Page 11	<b>BradyPrinter M611 Mobile Label Printer</b> Page 12	<b>BBP®12 Label Printer</b> Page 13
<b>Description</b>	Handheld printer for low volume lab labeling where die-cut labels are not needed.	Entry-level printer with the added versatility of die-cut labels.	Peripheral printer, powered by Brady Workstation mobile or desktop software, allows you to stay connected to your data.	A compact entry-level desktop label printer designed to combine efficiency, versatility and performance.
<b>Applications</b>	Tubes and vials, slides, bottles, conicals, lab storage and general purpose	Cryo samples, tubes and vials, bottles, conicals, slides, tissue cassettes and general purpose	Cryo samples, tubes and vials, bottles, conicals, petri dishes, slides and general purpose	Cryo samples, tubes and vials, bottles, conicals, petri dishes and slides
<b>Max labels per day</b>	100 labels per day	500 labels per day	750 labels per day	1,000 labels per day
<b>Print resolution</b>	203 dpi	300 dpi	300 dpi	300 dpi
<b>Print technology</b>	Thermal transfer	Thermal transfer	Thermal transfer	Thermal transfer and direct thermal
<b>Memory</b>	16 MB, 10 labels (2 MB available for storage)	48 MB / up to 25,000 labels	512 MB RAM / 256 MB flash	2 MB flash memory
<b>Standalone printing</b>	Yes	Yes	No	No
<b>PC connectivity</b>	No	Yes	Yes	PC-connect only
<b>Connectivity options</b>	Not applicable	USB, Wi-Fi, LAN	Bluetooth, Wi-Fi, USB 2.0	USB, ethernet, serial, parallel
<b>Software compatibility</b>	Not applicable	Brady Workstation	Brady Workstation Express Labels Mobile App (IOS / Android) or Brady Workstation Desktop	Brady Workstation
<b>File transfer from PC to printer</b>	Not applicable	Yes, with software	Yes	Yes
<b>Wireless connectivity</b>	No	Yes	Yes	No
<b>Color capability</b>	Single print color on a label	Single print color on a label	Single print color on a label	Single print color on a label
<b>Keyboard</b>	ABC or Cyrillic	QWERTY	Not applicable	Not applicable
<b>Display</b>	2 in. x 1 in., user adjustable backlight	2.7 in. x 1.7 in., backlight	3.5 in. (88.9 mm) color, user adjustable backlight	Not applicable
<b>Text sizes</b>	6-40 pt with autosizing	4 to 103 pt + autosizing	Yes, via label creation software	Yes, via label creation software
<b>Multi-line print</b>	Yes	Yes	Yes, via label creation software	Yes, via label creation software
<b>Print rotation</b>	No	Yes	Yes, via label creation software	Yes, via label creation software
<b>Serialization</b>	Yes	Yes	Yes, via label creation software	Yes, via label creation software
<b>Barcode</b>	39 and 128	39 and 128	Yes, via label creation software	Yes, via label creation software
<b>Symbols</b>	104	450	Yes, via label creation software	Yes, via label creation software
<b>Portability</b>	Yes	Yes	Yes	No
<b>Power supply</b>	6 AA batteries, AC adapters, or Li-Ion battery	8 AA Alkaline batteries, AC power, or Li-Ion battery	Rechargeable Li-Ion, AC power / battery charger / car charger	AC power
<b>Weight</b>	1.66 lbs. (0.75 kg)	2.6 lbs. (1.2 kg)	3.52 lbs. (1.6 kg)	5.51 lbs. (2.5 kg)
<b>Warranty</b>	2 years	2 years	2 years	5 years
<b>Material and ribbons</b>				
<b>Continuous or die-cut labels</b>	Continuous labels only	Continuous and die cut	Continuous and die cut	Continuous and die cut
<b>Tape widths</b>	0.250 to 0.750 in. (6.4 to 19.1 mm)	0.235 to 1.500 in. (6.4 to 38.1 mm)	0.812 to 2.000 in. (20.6 to 50.8 mm)	1.000 to 4.250 in. (25.4 to 108 mm)
<b>Max label width</b>	0.750 in. (19.1 mm)	1.500 in. (38.1 mm)	2.000 in. (50.8 mm)	4.250 in. (108 mm)
<b>Materials supported</b>	M21-series cartridges (Label and ribbon in one cartridge)	M-, MC-, MC1-series cartridges (Label and ribbon in one cartridge)	BPTL, PTL, PSHT, PTLEP, PTS, PTLFP, PSPT, PTPSL, PSFR, PTPS, PTLSL, BM71, M61, M61C, BM61C labels and ribbon cartridges	1-in. small core label rolls with 0.5-in. core ribbon 3-in. core label rolls with use of an external media holder



# Printers, software and scanners



**BradyPrinter i3300  
Industrial Label Printer**  
Page 14

**BradyJet J2000  
Color Label Printer**  
Page 15

**BradyPrinter i5100  
Industrial Label Printer**  
Page 16

**BradyPrinter i7100  
Industrial Label Printer**  
Page 17

<b>Description</b>	Small footprint desktop printer featuring hassle-free printing where smart-chip supplies automatically set up the label, eliminating calibration and label waste.	Full-color, high-resolution inkjet printer for creating photo-quality color labels while reducing inventory of labeling supplies.	High-performance printing with smart-cell supplies allowing for printer, materials and ribbon to communicate. Makes set up and changeovers significantly faster, easier and less wasteful.	Reliable and heavy-duty label printer designed to print thousands of labels per day, every day. High-accuracy printing on the widest range of materials, including labels as small as 0.125-in. wide.
<b>Applications</b>	Cryo samples, tubes and vials, bottles, conicals, petri dishes, slides, GHS and general purpose	Cryo samples, tubes and vials, bottles, conicals, petri dishes, slides, GHS and general purpose	Cryo samples, tubes and vials, bottles, conicals, slides, tissue cassettes and general purpose	Cryo samples, tubes and vials, bottles, conicals, slides, tissue cassettes and general purpose
<b>Max labels per day</b>	3,000 labels per day	3,000 labels per day	5,000 labels per day	7,000 labels per day
<b>Print resolution</b>	300 dpi	Up to 4,800 dpi	300 dpi or 600 dpi	300 dpi or 600 dpi
<b>Print technology</b>	Thermal transfer	Thermal inkjet CMY	Thermal transfer and direct thermal	Thermal transfer and direct thermal
<b>Memory</b>	512 MB	Not applicable	256 MB	256 MB
<b>Standalone printing</b>	No	No	No	No
<b>PC connectivity</b>	PC connect only	PC connect only	PC connect only	PC connect only
<b>Connectivity options</b>	USB, ethernet, Wi-Fi	USB, ethernet	USB, ethernet, serial	USB, ethernet, serial
<b>Software compatibility</b>	Brady Workstation	Brady Workstation	Brady Workstation	Brady Workstation
<b>File transfer from PC to printer</b>	Yes	Yes	Yes	Yes
<b>Wireless connectivity</b>	Yes	No	No	No
<b>Color capability</b>	Single print color on a label	Full color CMY — 16 million color combinations	Single print color on a label	Single print color on a label
<b>Keyboard</b>	Not applicable	Not applicable	Not applicable	Not applicable
<b>Display</b>	Touchscreen color LCD	Not applicable	Touchscreen color LCD	Touchscreen color LCD
<b>Text sizes</b>	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software
<b>Multi-line print</b>	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software
<b>Print rotation</b>	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software
<b>Serialization</b>	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software
<b>Barcode</b>	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software
<b>Symbols</b>	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software	Yes, via label creation software
<b>Portability</b>	No	No	No	No
<b>Power supply</b>	AC power	AC power	AC power	AC power
<b>Weight</b>	11.5 lbs. (5.2 kg)	7 lbs. (3.2 kg)	14.6 lbs. (6.6 kg)	22.05 lbs. (10.0 kg)
<b>Warranty</b>	5 years	1 year	5 years	5 years
<b>Material and ribbons</b>				
<b>Continuous or die-cut labels</b>	Continuous and die cut	Continuous and die cut	Continuous and die cut	Continuous and die cut
<b>Tape widths</b>	0.710 to 4.250 in. (18.03 to 108.0 mm)	1.000 to 4.250 in. (25.4 to 107.95 mm)	0.360 to 4.400 in. (9.14 to 111.8 mm)	0.360 to 4.490 in. (9.14 to 114.0 mm)
<b>Max label width</b>	4.250 in. (108.0 mm)	4.250 in. (108 mm)	4.330 in. (109.9 mm)	4.160 in. (105.7 mm)
<b>Materials supported</b>	B30-, B33-series labels and ribbons	J20-series labels and ink cartridges	3-in. core label rolls with IP-enabled ribbon	3-in. core label rolls with ribbon

# Printers, software and scanners



BRADY 360  
**2** YEAR  
WARRANTY

## BMP<sup>®</sup>21-LAB LABEL PRINTER

### Where pens fail, printers succeed

Once you experience the power of the BMP21-LAB printer, you'll never use a pen again.

- Vial label shortcut key automatically fits labels to vial and tube sizes
- Greek symbols and time and date stamps for enhanced sample tracking
- Built-in serialization and barcode symbologies provide more information in a smaller footprint
- Drop-lock-and-print cartridges for quick printing with no set up required
- Easy to use and train others to use
- Variety of power options (rechargeable battery, AA batteries or AC power supply — all sold separately)

Learn more at  
[BradyID.com/bmp21lab](http://BradyID.com/bmp21lab)



### Printer and accessories

Catalog #	Description
BMP21-LAB	BMP21-LAB Label Printer*
BMP21-LAB-KIT1	BMP21-LAB Label Printer Kit**
M-AC-110937	AC Power Adapter / Charger
BMP21-PLUS-BATT	Li-Ion Battery Pack
BMP21-LAB-BATTCOV	Spare Battery Cover
BMP21-MAGNET	Magnet Accessory
BMP21-PLUS-HC	Hard Carrying Case

\*Printer includes M21-750-7425 label cartridge and Quick Start Guide (batteries not included).

\*\*Printer kit includes printer, M21-750-7425 label cartridge, Li-Ion battery, AC power / charger and Quick Start Guide.

### An affordable laboratory printer designed for all your lab stations




Vial labels



Cryo tube labels



Slide labels



Petri dishes



General lab ID



Lean lab / visual workflow

# Printers, software and scanners



BRADY 360  
**2** YEAR  
WARRANTY

## BMP<sup>®</sup>51 LABEL PRINTER

### Made to get the job done

A powerful tool at your fingertips! Produce legible, professional-looking labels for your lab samples while drastically reducing the time it takes to label.

- Continuous and die-cut label styles, including round tops, self-laminating labels and two-label combos
- Ribbon and labels in one easy-to-load cartridge
- Fast print speed — prints 1 in. per second
- 1.5-in. wide continuous output
- Material recognition and automatic label formatting
- Large, backlit graphical display
- Durable built-in cutter with label retention
- Advanced label creation capabilities with Brady Workstation software
- Tough, durable label materials that won't fade, smear or fall off

Learn more at  
[BradyID.com/bmp51](http://BradyID.com/bmp51)



### Printer and accessories

Catalog #	Description
BMP51	BMP51 Printer with AC Adapter / Battery Charger and Li-Ion Battery*
BMP51-KIT-AC	BMP51 Printer with AC Adapter / Battery Charger*
BMP51-KIT-LS	BMP51 Laboratory Starter Kit**
BMP-UBP-AC	Li-Ion Battery Pack with AC Adapter / Battery Charger
BMP-UBP	Li-Ion Battery Pack
M-AC-143110	AC Adapter / Battery Charger
M50-BATT-TRAY	Spare AA Battery Tray
142267	Brady Network Card — Ethernet only
142268	Brady Network Card — Wi-Fi + Ethernet
M50-CABLE	USB Cable
M50-HC	Hard Carrying Case
BMP-SC-1	Soft Carrying Case

\*Printer ships with hard case, Quick Start Guide, USB cable, Brady Workstation Basic Design Suite and one MC-1500-595-WT-BK cartridge. (Network card sold separately.)

\*\*Printer kit ships with Li-Ion battery, AC adapter / battery charger, hard case, Quick Start Guide, USB cable, Brady Workstation Basic Design Suite, and one each of M-103-498, M-120-492, M-156-492, M-81-488 and MC-1500-595-WT-BK cartridges. (Network card sold separately.)

U.S. Patent Nos. 6,732,619; 7,070,347; 8,542,155

### Get the job done faster, easier and with confidence



Tube and vial labels



Cryo canister labels



Slide labels



Well and microplate labels



Lean lab / visual workflow



And more

# Printers, software and scanners



Learn more at  
[BradyID.com/m611](http://BradyID.com/m611)



## Your durable print-from-everywhere solution



Tube and vial labels



Cryo tube labels



Slide labels



Petri dishes



General lab ID



Lean lab / visual workflow

## BradyPrinter M611

MOBILE LABEL PRINTER

### Keep your data traceable

Your sample is only as valuable as the data behind it. Don't lose data integrity with poor identification — stay connected to your systems with the BradyPrinter M611 Mobile Label Printer and Brady Workstation Mobile or Desktop Software.

- Seamlessly get your data from your LIMS using data automation and the Brady Workstation Express Labels Mobile App
- High-performance printing in a small footprint when bench space is a premium
- Long-lasting identification with materials designed to survive your harsh lab conditions
- Print from your mobile devices via Bluetooth or Wi-Fi connectivity
- Edit your label data on the go with the Express Labels Mobile App
- Enter data through a form entry window or by scanning barcodes using the device's camera
- Use with Brady Workstation Lab Suite for streamlined template creation

### Printer and accessories

Catalog #	Description
M611-AM-BT-W	BradyPrinter M611 Bluetooth / Wi-Fi AC*
M611-BC-KIT1	BradyPrinter M611 with (1) M61-R6010 ribbon and (2) rolls of B-432 1-in. x 2-in. labels*
M-AC-143110	AC adapter and battery charger
BMP-MAGNET-2	Magnet for BradyPrinter M611
BMP-HC-2	Hard case for BradyPrinter M611
BMP-SC-2	Soft case for BradyPrinter M611
BMP-STRAP-1	Carrying strap†
PCK-5	Cleaning kit 5-pack

\*Printer ships with AC adapter / battery charger, 2.0 cable, utility strap, PTL-97-488 label material, M61-R4310 ribbon and USB flash drive with product information.

### Print ribbons

For best print performance, use the ribbon that corresponds to your material. All ribbons are 2.0 in. x 75 ft.

Catalog #	Color	For use with label materials
M61-R4310	Black	B-403, B-461, B-488, B-490, B-7425
M61-R6010	Black	B-439
M61-R6210	Black	B-499
M61-R6410	Black	B-481, B-492, B-494,

† **WARNING:** Cancer [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# Printers, software and scanners



## BBP<sup>®</sup>12 LABEL PRINTER

### Efficiency, versatility and performance packed into one multi-use printer

With high-speed printing and a simple, user-friendly design, the BBP<sup>®</sup>12 Label Printer packs a lot of punch into one compact tool.

From slide labels to cryo tube labels, the BBP<sup>®</sup>12 Label Printer gives you the versatility to print many of your labels from one machine — saving costs and reducing downtime.

- Equipped with an Ethernet connection and three communication ports (USB, LPT and serial)
- Label materials up to 4-in. wide
- Prints up to 1,000 labels per day

Learn more at  
[BradyID.com/bbp12](http://BradyID.com/bbp12)



#### Printer and accessories

Catalog #	Description
BBP12-NA-PWID	BBP12 with Brady Workstation Product and Wire ID Software Suite*
BBP12-US	BBP12 Printer*
BBP12-U	BBP12 External Media Holder for 3-in. core label rolls**

\*Printer ships with drivers CD, power cord, printer, Quick Start Guide, ribbon paper core, USB cable.

\*\*While the BBP12 Printer primarily uses 1-in. core materials, the external media holder (#BBP12-U) is available for printing 3-in. core rolls in limited quantities.

#### Print ribbons

For best print performance, use the ribbon that corresponds to your material. Ribbons below are also compatible with the BBP<sup>®</sup>11 Label Printer. All ribbons are 4.0 in. x 242 ft.

Catalog #	Color	For use with materials
R4313	Black	B-424, B-449, B-461, B-488, B-490
R4913	Black	B-499
R6013	Black	B-533
R6213	Black	B-498
R6413	Black	B-481, B-482, B-492, B-7425

#### Versatility to print all your labels



Tube and vial labels



Slide labels



Cryogenic labels



Sample bag labels



Freezer rack labels



And much more labels

# Printers, software and scanners



BRADY 360  
**5 YEAR**  
WARRANTY

Learn more at  
[BradyID.com/i3300](http://BradyID.com/i3300)



## BradyPrinter i3300

INDUSTRIAL LABEL PRINTER

### No waste. More labels. Less effort.

Get your ideal label printing scenario with the BradyPrinter i3300 Industrial Label Printer — labels and ribbons that snap into place with no calibration and no wasted blank labels.

- Print smart technology allows the printer to print on the first label — even small labels
- Changeover in a flash — foolproof drop-in label rolls and ribbons snap into place in 20 seconds
- Talk about options, this printer prints on a variety of lab-specific materials
- Expand the possibilities — add Brady Workstation Software to your solution and make label creation even easier
- Get auto calibration in the printer and auto setup in the software with print smart technology that allows the printer, label materials, ribbons and software to work together

### Printer and accessories

Catalog #	Description
150642	BradyPrinter i3300 with Brady Workstation Laboratory ID Suite*
149552	BradyPrinter i3300 with Brady Workstation Basic Suite*
150639	BradyPrinter i3300 with Brady Workstation Scan and Print and Scanner*
150645	BradyPrinter i3300 with Brady Workstation GHS App*
120994	Padded rolling case with handle and supply pockets
B31-WIPER	Extra media wipers (5 per pack)
B31-CCT	Cutting tool
PCK-6	IPA printer cleaning swabs 50/pk

\*Printer ships with cleaning kit, cutter cleaning tool, power cord, product CD, Quick Start Guide and USB cable.

### More than 300 label parts designed specifically for the laboratory



Tube and vial labels



Cryogenic labels



Well and microplate labels



Lean lab / visual workflow



GHS chemical labels



And much more

### Print ribbons

For best print performance, use the ribbon that corresponds to your material. Ribbons below are also compatible with the BBP®33 Printer. All ribbons are 4.330 in. x 200 ft.

Catalog #	Color	For use with materials
B30-R4300	Black	B-403, B-424, B-427, B-461, B-490, B-499, B-7425
B30-R6000	Black	B-430, B-481, B-499
B30-R6200	Black	B-498
B30-R6400	Black	B-481, B-482, B-492, B-494
B30-R10000	Black	B-595, B-7569

# Printers, software and scanners



Learn more at [BradyID.com/j2000](http://BradyID.com/j2000)



## BradyJet J2000

COLOR LABEL PRINTER

### Improve productivity with lab-durable color

Harsh environments and limited space can significantly narrow your identification options. With the BradyJet J2000, you get colorful identification that improves productivity and reduces errors while surviving even the harshest lab environments.

- Quickly and easily differentiate your samples with multiple color options
- Protect your research with colors and labels that survive the harshest lab environments
- Get clear identification without taking up too much bench space
- Take the guesswork out of label setup with Intelligent Printing (IP) enabled materials that communicate with the printer and software so you can get back to work faster

#### Printer and accessories

Catalog #	Description
J2000-BWSLAB	BradyJet J2000 with Brady Workstation Laboratory ID Suite*†
J2000	BradyJet J2000 Inkjet Label Printer**
J20-CUTTER	J20 Replacement Cutter Blade
J20-PAD	J20 Ink Pads

\*Printer ships with power cable, USB cable, inkjet cartridge and roll of print head calibration material.

#### Ink cartridge

Catalog #	Description
J20-CMY	J20 Ink Cartridge

### Colorful identification in harsh environments



Tube and vial labels



Cryogenic labels



Slide labels



Boxes, plates and glassware



GHS chemical labels



Lab equipment labels and more

† **WARNING:** Cancer and Reproductive Harm [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# Printers, software and scanners



Learn more at [BradyID.com/i5100](http://BradyID.com/i5100)



## BradyPrinter i5100

INDUSTRIAL LABEL PRINTER

### The perfect mix of performance and smarts

When you're looking for a printer with the fundamental printing capabilities for the work you need to get done every day, look to the BradyPrinter i5100 Industrial Label Printer. You'll get the perfect combination of high-volume performance and smart printing technology to make high-mix printing easier throughout your lab. The BradyPrinter i5100 makes printing easier with:

- An intuitive touchscreen that allows you to quickly and easily change settings on your printer
- Intelligent Printing (IP) takes the guesswork out of changeovers since materials and software communicate with the printer
- Changing out ribbons and label materials is easier than ever with the specially designed ribbon spindles, guides and roll holders that lock into place without any clumsy extra steps

#### Printer and accessories

Catalog #	Description
149452	BradyPrinter i5100, 300 dpi*
149455	BradyPrinter i5100, 600 dpi*
149453	BradyPrinter i5100, 300 dpi with auto cutter*
149456	BradyPrinter i5100, 600 dpi with auto cutter*
PCK-6	IPA printer cleaning swabs 50/pk


\*Printer ships with Brady Workstation Product and Wire ID Software Suite, one RFID-enabled media roll holder, one ribbon takeup core, power cord, USB cable and CD that contains drivers, user and configuration manuals.

#### Print ribbons

For best print performance, use the ribbon that corresponds to your material and roll width below. Ribbons below are also compatible with the Brady IP Printer. All ribbons are 984 ft. long.

Catalog #	Color	For use with materials	For use with label width
IP-R4306	Black	B-403, B-424, B-427,	Up to 1.57-in. width label
IP-R4302	Black	B-449, B-461, B-488,	Up to 2.36-in. width label
IP-R4300	Black	B-490, B-494, B-7425,	Up to 3.27-in. width label
IP-R4307	Black	B-7425-AC, B-813	Up to 4.33-in. width label
IP-R6002	Black		Up to 2.36-in. width label
IP-R6000	Black	B-430, B-499, B-533	Up to 3.27-in. width label
IP-R6200	Black		Up to 3.27-in. width label
IP-R6207	Black	B-351, B-498	Up to 4.33-in. width label
IP-R6402	Black		Up to 2.36-in. width label
IP-R6400	Black	B-481, B-482, B-492	Up to 3.27-in. width label

### High-performance labeling solutions



Tube and vial labels



Tamper-resistant seals



Tissue cassette and slide labels



Specimen cup labels



Cell culture flasks and dishes



And much more



# Printers, software and scanners



## BradyPrinter i7100

INDUSTRIAL LABEL PRINTER

### Heavy duty meets high tech

No matter the demands of your labeling jobs — from higher volumes to precise printing — this reliable, heavy-duty and high-accuracy label printer gets it done.

- Print on a wide range of materials with confidence
- Ultra-sharp, high-accuracy printing and center alignment allow you to print reliably on labels as small as 0.125 in.
- Adjust printer settings quickly with an intuitive color touchscreen
- With print speeds up to 11.8 inches per second and the "peel" configured printer, you save time by automatically peeling labels from the liner

Learn more at [BradyID.com/i7100](http://BradyID.com/i7100)



### Printer and accessories

Catalog #	Description
149050	BradyPrinter i7100, 300 dpi*
149056	BradyPrinter i7100, 600 dpi*
149045	BradyPrinter i7100, peel version 300 dpi*
149053	BradyPrinter i7100, peel version 600 dpi*
149048	Rubber-coated print roller for media widths up to 25 mm
149055	Rubber-coated print roller for media widths up to 50 mm
149054	Rubber-coated print roller for media widths up to 80 mm
149043	Rubber-coated print roller for media widths up to 120 mm
149044	Silicone-coated print roller for media widths up to 114 mm
149051	Rewind assist roller
PCK-6	IPA printer cleaning swabs 50/pk
149208	Spare hex key tool to change rollers and install accessories
149069	Auto cutter with tray

Additional cutter, label presentation and I/O interface accessories available at [BradyID.com](http://BradyID.com).

\*Printer ships with Brady Workstation Product and Wire ID Software Suite, two ribbon take-up cores, 120 mm rubber-coated print roller, hex key tool, USB cable, power cord, owners manual (English) and product CD with driver, configuration / settings manual and owners manual in multiple languages.

### Identification even on difficult-to-print materials



Tube and vial labels



Cryo labels



Slide labels



Dish, tray and well plate labels



Sample bag labels



General lab equipment labels

### Print ribbons

For best print performance, use the ribbon that corresponds to the material and label width below. All ribbons are 984 ft. long.

Catalog #	Color	For use with materials	For use with label width
R4306	Black	B-403, B-424, B-427,	Up to 1.57-in. width label
R4302	Black	B-449, B-461, B-488,	Up to 2.36-in. width label
R4300	Black	B-490, B-494, B-7425,	Up to 3.27-in. width label
R4307	Black	B-7425-AC, B-813	Up to 4.33-in. width label
R6002	Black	B-430, B-499, B-533	Up to 2.36-in. width label
R6000	Black		Up to 3.27-in. width label
R6200	Black		Up to 3.27-in. width label
R6207	Black	B-351, B-498	Up to 4.33-in. width label
R6402	Black		Up to 2.36-in. width label
R6400	Black	B-481, B-482, B-492	Up to 3.27-in. width label

# Printers, software and scanners



## Brady Workstation Laboratory ID Suite

This comprehensive software suite is specifically designed to help your lab run more efficiently. Advanced design features allow you to create custom labels that fit the needs of your laboratory. With this collection of apps, you can implement a new identification process that will help eliminate costs and errors and keep things running smoothly.

### Brady Workstation Laboratory ID Suite includes the following apps:



**Custom Designer**  
Complete, customized label creation and editing.



**Excel Import**  
Easily import Excel data right onto your labels.



**Advanced Import**  
Import data from sources beyond Excel onto your labels.



**Sequence**  
Labels based on numeric and alphanumeric sequences.



**Advanced Sequence**  
Create dependent and complex sequences for label creation.



**Template Editor**  
Set elements on labels to be editable or locked.



**Print Partner**  
Quickly create labels by filling in a template and printing.



**Batch Print**  
Group files to print together in a batch



**Label Settings**  
Set default horizontal and vertical printing adjustments for specific supplies and printers.



**Manage Files**  
Manage saved files from one screen, with options to preview, categorize and delete.



**Network Printers**  
Connect to your printers via IP address or DNS address.

Free 30-day trial at [Workstation.BradyID.com/lab](http://Workstation.BradyID.com/lab)

Catalog #	Description
BWS-LABS-EM	Email activation code

### Label design software for your entire lab



Tube and vial labels



Slide labels



Vial top labels



Tissue cassette labels



Equipment labels



And more

# Printers, software and scanners

## Additional software for your identification needs

The following suites are designed to improve and automate your printing and labeling process:



### Scan and Print Suite

This suite can solve your workflow needs by consuming data from a barcode scanner, keyboard or custom script to populate your label templates as part of a labeling workflow.

- Custom Designer
- Text Labels
- Template Editor
- Scan and Print
- Label Settings
- Manage Files
- Network Printers

Catalog #	Description
BWS-SPS-EM	Email activation
BWS-SPS-CD	CD*



### Print Partner Suite

This suite includes everything you need to fill in your templates and print, including importing data from a variety of supported data sources or automatically generating sequential data for your labels.

- Excel Import
- Advanced Import
- Sequence
- Advanced Sequence
- Print Partner
- Network Printers

Catalog #	Description
BWS-PPS-EM	Email activation
BWS-PPS-EM-VOL	Email with volume license activation
BWS-PPS-CD	CD*
BWS-PPS-CD-VOL	Volume license CD*



### Basic Label Design Suite

Use this free software option to get started designing your labels. You get basic formatting capabilities, graphics and simple barcode libraries.

- Custom Designer LITE
- Excel Import
- Sequence
- Batch Print
- Label Settings
- Manage Files
- Network Printers

Free download at [Workstation.BradyID.com/FREE](http://Workstation.BradyID.com/FREE)



### GHS Chemical Identification App

We've streamlined the label creation process so you can easily enter the data once from your SDS sheets, then create and print GHS labels. You can also auto-populate your GHS labels using the built-in chemical database.

Catalog #	Description
BWRK-GHS-DWN	Email activation



# Printers, software and scanners

## Barcode scanners

Brady has partnered with Code® Corp., a technology leader in image-based barcode systems, in order to offer several different barcode scanner solutions to meet your data collection and tracking needs. All of the scanners are capable of decoding both 1D (linear) and 2D (data matrix) barcodes, allowing flexibility in label design.



### Code Reader™ 950

- High-speed, omnidirectional imaging of 1D and 2D barcodes
- Manual or automatic triggering
- Wide area image sensor
- 2 programmable indicators: LED and tone
- IP54 housing


Catalog #	Description
149561	CR950 with 6-ft. USB cable and stand



### Code Reader™ 1500

- High-speed, omnidirectional reading of 1D and 2D barcodes
- Dual-field optics, high density and wide field
- Manual or automatic triggering
- Glare reduction technology for reading codes on shiny surfaces
- Data editing and parsing with JavaScript
- Disinfectant-ready housing

Catalog #	Description
150508	Light gray CR1500 with 6-ft. USB cable and stand
150507	Dark gray CR1500 with 6-ft. USB cable



### Code Reader™ 2600

- High-speed, omnidirectional reading of 1D and 2D barcodes
- Patented dual-field optics, high density and wide field
- Unequaled performance on rounded, curved and shiny surfaces
- Multiple programmable buttons for customized workflow processes
- Data management capability with JavaScript
- Disinfectant-ready housing

Catalog #	Description
<b>Scanner with handle</b>	
133080	CR2600 with handle, Bluetooth, battery, charging station with US power supply and M3 modem with USB cable
133081	CR2600 with handle, Bluetooth and battery
<b>Scanner in palm configuration</b>	
133082	CR2600 palm with Bluetooth, battery, charging station with US power supply and M3 modem with USB cable
133083	CR2600 palm with Bluetooth and battery
<b>Accessories for CR2600</b>	
133084	Charging station with US power supply
133085	Quad bay B5 battery charging station with US power supply
133086	B5 battery
133087	Weighted base / adapter plate
133088	6-ft. USB cable (USB to 10PIN RJ45)

## Simple tools for simple tasks

### Brady Material Dispenser with Liner Remover

Your one-off identification tasks are quick and uncomplicated — keep it that way with the Brady Material Dispenser.

Perfectly designed to fit your 3-in. core Brady materials, this material dispenser is easy to use with one hand. The narrow design means space is saved for your more important work projects. Get bonus green points by reusing your old material rolls as a liner take up roll. Other helpful features include:

- Sturdy weighted base and rubber feet keep the dispenser in place during your on-the-go labeling
- Minimal adhesive exposure to the elements so your labels last even in the harshest environments
- Brady's complete 3-in. core continuous material offering designed to stand up to your toughest conditions
- Options for custom-printed materials to fit your unique needs



Learn more at  
[BradyID.com](http://BradyID.com)

Catalog #	Description
DISPENSER	Material Dispenser
DSP-403KIT	Material Dispenser with five rolls of B-403 water-dissolvable paper (1 in. x 100 ft.)

Use with pre-printed labels or load with blank material for one-off identification



## Brady identification materials

### Products that perform. Quality that lasts.

At Brady, we have a steadfast commitment to providing our customers with unrivaled products and an unrivaled buying experience. We use customer feedback to continually design, improve and innovate our products to serve all of your needs, from general identification solutions to custom engineered labels.

With more than 20 label material patents, Brady works to provide customers with innovative products of the highest technological quality. Our Tobey Research Center material science team develops and rigorously tests all of our products to ensure high performance, industry compliance, durability and reliability.

Our world-class label series are engineered to be long-lasting and to withstand the harshest environments and work for a variety of applications. When it comes to identifying and tracking specimen samples, Brady is the company you can trust when performance matters most.



## Label materials for laboratories

Brady offers a variety of thermal transfer label materials engineered to survive and perform in the harsh chemicals and range of temperatures of the lab environment.

These durable labels remain legible and in place when put to the test making them ideal for the biotech, pharmaceutical, academic, industrial and health care industries.

## Custom lab labels

We understand that each lab is unique and you may need custom label solutions that are specifically designed and compatible with your existing equipment or print systems.

### Custom label solutions include:

- Blank labels in a variety of sizes and colors to easily organize and visualize batches of samples
- Custom text, graphics, colors and serialized barcodes
- Custom print and apply labels for automation equipment
- Pre-printed labels in the sizes and materials needed
- Fully printed custom labels or partially pre-printed labels so you can add additional text as needed



## Test Brady materials yourself with a free sample pack

Request a free sample pack of materials and put them to the test. Get your samples at [BradyID.com/lab](https://BradyID.com/lab)

View Technical Data Sheets for all materials at [BradyID.com/techdata](https://BradyID.com/techdata)



# Label material guide




## Microbiology labels

Page 26

In microbiology, cells are grown under controlled conditions to support the formulation of culture media or sera. Depending on the cell type, culture conditions and procedures may vary widely, from incubators and autoclaves to freezers, liquid nitrogen and more.

Labels used on flasks, petri dishes, tubes, centrifuge tubes and slides in microbiology should be designed with the durability to withstand these conditions in order to reduce lab errors and improve efficiency.



## Histology labels

Page 30

Histology labs require clear, accurate and reliable specimen identification and tracking to help reduce errors and improve productivity. Brady slide labels can be applied before staining, and they resist chemicals (including xylene and H&E), withstand most soaks and stains, and remain durable when faced with paraffin, processing, long-term storage and more.



## Cryogenic labels

Page 32

Brady offers cryo-specific label materials that survive in liquid nitrogen or ultra-low temperature freezers. Whether you're applying a label to a tube at room temperature or already frozen, your label material needs to withstand exposure to LN2, liquid or vapor phases, nitrogen freezers, thaw cycles, autoclaves, chemicals and solvents, such as DMSO, methanol or isopropyl alcohol.



## Sample collection and processing labels

Page 40

Proper sample management is critical to the reliability of testing, accuracy of data and patient safety. When it comes to effective sample handling, Brady labels remain intact and legible through sample collection, processing and storage.



## General labels

Page 52

Label options range from cost effective paper to more durable choices, such as nylon cloth that will last in harsh environments and cleanup. Removable and repositionable adhesives are available so you can easily reuse your glassware or container. Permanent adhesives are also available for rough surface applications.



## Biohazard identification

Page 60

The most essential step toward safety is the clear and instantly readable identification of all biohazard areas and waste products. Brady has the identification products you need, including biohazard tape, disposal bags and signs, in order to clearly communicate the presence of infectious substances.



# Label material guide

Label materials	Descriptions	Common applications					Common environments					
		Microbiology	Histology	Cryogenic	Sample collection	General lab ID	Liquid nitrogen (196° C)	Autoclave (121° C)	Hot water bath (100° C)	Freezer (-80° C)	Ambient temp only	Dissolves in water
B-351 vinyl	Tamper-resistant vinyl designed to fracture easily to prevent one-piece removal. Use caution when removing from the liner.				●						✓	
B-403 paper	Paper material completely dissolves in warm water within 30 seconds, leaving no adhesive residue behind.					●		✓				✓
B-424 paper	Economical paper material with good contrast and smear resistance.					●					✓	
B-427 vinyl	Durable vinyl with clear overlaminate is good for wrapping and conformability. Must be wrapped upon itself when used in liquid nitrogen.				●				✓	✓	✓	
B-430 polyester	Clear high-performance polyester material.	●			●	●	✓	✓	✓	✓		
B-432 polyester	Clear polyester withstands exposure to numerous solvents and exhibits good adhesion to metals and a variety of other surfaces.	●			●	●						
B-449 polypropylene	Removeable polypropylene for temporary labeling applications requiring clean removability. Also has write-on capabilities.				●	●		✓		✓		
B-461 polyester	Ultra-thin polyester with a clear overlaminate tail that protects the print and allows liquid levels to be visible. Also available in flat-white format without the clear overlaminate.				●	●	✓	✓	✓	✓		
B-481 polyester	StainerBondz™ polyester with extreme chemical resistance that withstands the rigors of typical deparaffinization, including ethanol, xylene and H&E staining process.	●	●					✓		✓		
B-488 polyester	Polyester with moderate chemical resistance and short-term exposure to xylene, DMSO and ethanol.	●	●		●	●		✓		✓		
B-490 polyester	FreezerBondz™ polyester ideal for flat, frozen surfaces. Adheres to frozen tubes and vials when wrapped around itself by at least 1/8 inch.				●	●	✓	✓	✓	✓		
B-492 polyester	FreezerBondz™ ultra-thin polyester for labeling frosted, frozen or room-temperature samples. Superior chemical and abrasion resistance.				●	●	✓			✓		
B-494 color polyester	Color polyester for quick differentiation between samples. Withstands harsh environments, including liquid nitrogen, chemicals and more.	●			●	●	✓		✓	✓		
B-498 vinyl cloth	Repositionable vinyl cloth for re-identification of post-process tissue cassettes or general lab applications. Can be applied directly onto the cassettes or on top of the previous label.		●		●	●				✓		
B-499 nylon cloth	Nylon cloth with permanent adhesive for easy handling and conformability.	●			●	●	✓	✓		✓		
B-533 polyester	Removable polyester for applications requiring clean removal.					●					✓	
B-595 vinyl	Vinyl with aggressive adhesive for drawers, shelves, cabinets and general lab labeling. Available in a variety of colors.					●					✓	
B-813 direct thermal paper	Paper material offering good adhesion to corrugated surfaces, glass and many plastics. For direct thermal printing.					●						
B-7425 polypropylene	Economical polypropylene with moderate chemical resistance, ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen.	●			●	●	✓	✓	✓	✓		
B-7425J polypropylene	Inkjet printable polypropylene ideal for full-color identification and barcodes where resistance to liquid nitrogen, autoclave conditions and harsh chemicals are required. Must be applied to containers prior to being frozen.	●			●	●	✓	✓	✓	✓		
B-7425-AC polypropylene	Steam sterilization indicating polypropylene with a pre-printed header that displays STERILIZED when exposed to autoclave conditions.	●			●	●	✓	✓	✓	✓		

Brady products are sold with the understanding that the buyers will test them in actual use and determine for themselves their adaptability to their intended uses. Brady warrants to the buyers that its products are free from defects in material and workmanship, but limits its obligation under this warranty to replacement of the product shown to Brady's satisfaction to have been defective at the time Brady sold it. This warranty does not extend to any persons obtaining the product from the buyers. This warranty is in lieu of any other warranty, express or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose and of any other obligations or liability on Brady's part. Under no circumstances will Brady be liable for any loss, damage, expense, or consequential damages of any kind arising in connection with the use, or inability to use, Brady's products.

# Microbiology labels

## Cell culture flask labels

Cell culture flask labels need to withstand varying storage conditions and thaw cycles while allowing an easy view of any growth in media. These labels are designed to withstand both temperature changes and chemicals so they stay intact and clearly legible throughout lab processes.

- B-430 – Clear high-performance polyester label
- B-432 – Clear polyester withstands exposure to solvents and exhibits good adhesion to metal and other surfaces
- B-488 – White polyester with moderate chemical resistance and short-term exposure to xylene, DMSO and ethanol
- B-494 – Glossy polyester with a printed color bar that allows for quick visual differentiation between samples. Withstands liquid nitrogen, a variety of chemicals and more. Label dimensions listed below include the color bar area. Vial tops are solid color
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen




Figure 1




Figure 2




Figure 24




Figure 25




Figure 33b

Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>									
Fig. 33b	M21-500-430	B-430	Black on clear	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-7425	B-7425	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-430	B-430	Black on clear	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-7425	B-7425	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>									
Fig. 2	M-17-432-CL-BK	B-432	Black on clear	1.000 (25.4)	0.500 (12.7)	-	1	280	In cartridge
Fig. 2	M-49-494-BL	B-494	Black on blue / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
Fig. 2	M-49-494-GN	B-494	Black on green / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
Fig. 2	M-49-494-OR	B-494	Black on orange / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
Fig. 2	M-49-494-PK	B-494	Black on pink / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
Fig. 2	M-49-494-RD	B-494	Black on red / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
Fig. 2	M-49-494-YL	B-494	Black on yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
Fig. 2	M-81-488	B-488	Black on white	1.900 (48.3)	0.250 (6.4)	-	1	160	In cartridge
<b>BradyPrinter M611 label rolls</b>									
Fig. 2	M61-18-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	1	250	M61-R4310
Fig. 2	M61-19-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
Fig. 2	M61-19-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
Fig. 2	M61-19-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
Fig. 2	M61-19-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
Fig. 2	M61-19-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
Fig. 2	M61-19-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410

Cell culture flask labels continue on next page.

## Cell culture flask labels (continued)

Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>									
Fig. 24	B33-251-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	B30-R4300
Fig. 25	B33-88-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	B30-R4300
Fig. 2	B33-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Fig. 2	B33-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Fig. 2	B33-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Fig. 2	B33-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Fig. 2	B33-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Fig. 2	B33-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R4300
Fig. 2	B33-256-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	1,500	B30-R4300
Fig. 2	B33-235-7425	B-7425	White	1.500 (38.1)	1.000 (25.4)	-	1	1,250	B30-R4300
Fig. 2	B33-17-430	B-430	Clear	2.000 (50.8)	1.000 (25.4)	-	1	1,500	B30-R6000
Fig. 2	B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	1,500	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>									
Fig. 24	J20-251-7425J	B-7425J	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	2	1,500	J20-CMY
Fig. 25	J20-88-7425J	B-7425J	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	J20-CMY
Fig. 2	J20-179-7425J	B-7425J	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	J20-CMY
Fig. 2	J20-256-7425J	B-7425J	White	1.300 (33.0)	0.600 (15.2)	-	1	1,500	J20-CMY
Fig. 2	J20-235-7425J	B-7425J	White	1.500 (38.1)	1.000 (25.4)	-	1	1,250	J20-CMY
Fig. 2	J20-137-7425J	B-7425J	White	2.000 (50.8)	1.000 (25.4)	-	1	1,500	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>									
Fig. 25	THT-140-488-1.5-SC	B-488	White	0.900 (22.9)	0.750 (19.1)	-	2	1,500	R4313
Fig. 25	THT-88-7425-2-SC	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R6413
Fig. 24	THT-251-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R6413
Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R6413
Fig. 2	THT-256-7425-2-SC	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R6413
Fig. 2	THT-235-7425-2-SC	B-7425	White	1.500 (38.1)	1.000 (25.4)	-	1	2,000	R6413
Fig. 2	THT-137-7425-2-SC	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	2,000	R6413
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>									
Fig. 25	THT-140-488-3	B-488	White	0.900 (22.9)	0.750 (19.1)	-	2	3,000	R4302 / IP-R4302
Fig. 1	THT-5-488-10	B-488	White	1.000 (25.4)	0.500 (12.7)	-	3	10,000	R4307 / IP-R4307
Fig. 24	THT-251-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R4302 / IP-R4302
Fig. 25	THT-88-7425-2	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R4302 / IP-R4302
Fig. 2	THT-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
Fig. 2	THT-256-7425-2	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R4302 / IP-R4302
Fig. 2	THT-235-7425-2	B-7425	White	1.500 (38.1)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
Fig. 2	THT-15-488-2.5	B-488	White	2.000 (50.8)	0.250 (6.4)	-	1	2,500	R4302 / IP-R4302
Fig. 2	THT-137-7425-2	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
Fig. 2	THT-17-430-3	B-430	Clear	2.000 (50.8)	1.000 (25.4)	-	1	3,000	R6000 / IP-R6000

# Microbiology labels

## Petri dish labels

When labeling petri dishes, label materials need to withstand long culture periods, have a low profile for lab automation processes and resist chemicals and varying temperatures.

- B-430 – Clear high-performance polyester label
- B-432 – Clear polyester withstands exposure to solvents and exhibits good adhesion to metal and other surfaces
- B-488 – White polyester with moderate chemical resistance and short-term exposure to xylene, DMSO and ethanol
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen





Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>								
Fig. 33b	M21-250-430	B-430	Black on clear	0.250 (6.4)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-430	B-430	Black on clear	0.375 (9.5)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-7425	B-7425	Black on white	0.375 (9.5)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-430	B-430	Black on clear	0.500 (12.7)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-7425	B-7425	Black on white	0.500 (12.7)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>								
Fig. 2	M-17-432-CL-BK	B-432	Black on clear	1.000 (25.4)	0.500 (12.7)	1	280	In cartridge
Fig. 2	M-81-488	B-488	Black on white	1.900 (48.3)	0.250 (6.4)	1	160	In cartridge
<b>BradyPrinter M611 label rolls</b>								
Fig. 82	M61-2-7425	B-7425	White	0.250 (6.4)	2.000 (50.8)	1	100	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 25	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1,500	B30-R6000
Fig. 2	B33-59-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	1	2,000	B30-R4300
Fig. 25	B33-37-7425	B-7425	White	1.500 (38.1)	0.500 (12.7)	2	1,500	B30-R4300
Fig. 2	B33-151-490	B-490	White	2.000 (50.8)	0.250 (6.4)	1	2,500	B30-R4300
Fig. 2	B33-151-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1,500	B30-R6000
Fig. 2	B33-151-7425	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	B30-R4300
Fig. 2	B33-53-7425	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	B30-R4300
Fig. 2	B33-17-430	B-430	Clear	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R6000

Petri dish labels continue on next page.

## Petri dish labels (continued)

Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyJet J2000 Printer label rolls</b>								
Fig. 2	J20-59-7425J	B-7425J	White	1.000 (25.4)	0.500 (12.7)	1	2,000	J20-CMY
Fig. 25	J20-37-7425J	B-7425J	White	1.500 (38.1)	0.500 (12.7)	2	1,500	J20-CMY
Fig. 2	J20-151-7425J	B-7425J	White	2.000 (50.8)	0.250 (6.4)	1	2,000	J20-CMY
Fig. 2	J20-53-7425J	B-7425J	White	2.000 (50.8)	0.500 (12.7)	1	2,000	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>								
Fig. 2	THT-59-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	1	2,000	R6413
Fig. 25	THT-37-7425-2-SC	B-7425	White	1.500 (38.1)	0.500 (12.7)	2	2,000	R6413
Fig. 2	THT-151-7425-2-SC	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	R6413
Fig. 2	THT-53-7425-2-SC	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	R6413
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 1	THT-5-488-10	B-488	White	1.000 (25.4)	0.500 (12.7)	3	10,000	R4307 / IP-R4307
Fig. 2	THT-59-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	1	2,000	R4302 / IP-R4302
Fig. 25	THT-37-7425-2	B-7425	White	1.500 (38.1)	0.500 (12.7)	2	2,000	R4307 / IP-R4307
Fig. 2	THT-15-488-2.5	B-488	White	2.000 (50.8)	0.250 (6.4)	1	2,500	R4302 / IP-R4302
Fig. 2	THT-151-7425-2	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-53-7425-2	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-17-430-3	B-430	Clear	2.000 (50.8)	1.000 (25.4)	1	3,000	R6000 / IP-R6000

### Custom lab labels

Brady understands that each lab is unique and may need custom labels that are specifically designed and compatible with your existing equipment or print systems.

#### Custom label solutions include:

- Blank labels in any size or color to easily organize and visualize batches of samples
- Custom text, graphics, colors and serialized barcodes
- Custom print and apply labels for automation equipment
- Pre-printed labels in the sizes and materials needed
- Fully printed custom labels or partially pre-printed labels so you can add additional text as needed

**Order your custom labels today by calling 1-888-272-3946.**

# Histology labels

## Microscope slide labels

Brady StainerBondz™ Labels are designed specifically to identify slides and to resist exposure to harsh chemicals during the slide staining process – including hematoxilin and eosin.

- B-481 – White polyester with extreme chemical resistance that withstands the rigors of typical deparaffinization, including ethanol, xylene and H&E staining process.
- B-488 – White polyester with moderate chemical resistance for short-term exposure to xylene, DMSO and ethanol




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>								
Fig. 33b	M21-375-488	B-488	Black on white	0.375 (9.5)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-488	B-488	Black on white	0.500 (12.7)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-488	B-488	Black on white	0.750 (19.1)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>								
Fig. 2	M-195-481	B-481	Black on white	0.900 (22.9)	0.375 (9.5)	1	320	In cartridge
Fig. 2	M-194-481	B-481	Black on white	0.900 (22.9)	0.750 (19.1)	1	320	In cartridge
Fig. 2	M-97-481	B-481	Black on white	0.900 (22.9)	0.900 (22.9)	1	280	In cartridge
Fig. 2	M-97-488	B-488	Black on white	0.900 (22.9)	0.900 (22.9)	1	280	In cartridge
<b>BradyPrinter M611 label rolls</b>								
Fig. 2	PTL-80-488	B-488	White	0.750 (19.1)	0.900 (22.9)	1	250	M61-R4310
Fig. 2	M61-195-481	B-481	White	0.900 (22.9)	0.375 (9.5)	1	500	M61-R6410
Fig. 2	M61-97-481	B-481	White	0.900 (22.9)	0.900 (22.9)	1	250	M61-R6410
Fig. 2	M61-194-481	B-481	White	0.750 (19.1)	0.750 (19.1)	1	250	M61-R4310
Fig. 2	PTL-97-488	B-488	White	0.900 (22.9)	0.900 (22.9)	1	250	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 2	B33-195-481	B-481	White	0.900 (22.9)	0.375 (9.5)	1	3,000	B30-R6000
Fig. 2	B33-194-481	B-481	White	0.900 (22.9)	0.750 (19.1)	1	2,000	B30-R6400
Fig. 25	B33-141-481	B-481	White	0.900 (22.9)	0.900 (22.9)	2	1,500	B30-R6400
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>								
Fig. 2	THT-194-481-2.5-SC	B-481	White	0.900 (22.9)	0.750 (19.1)	1	2,500	R6413
Fig. 25	THT-141-481-1.5-SC	B-481	White	0.900 (22.9)	0.900 (22.9)	2	1,500	R6413
Fig. 2	THT-164-481-2.5-SC	B-481	White	0.900 (22.9)	0.900 (22.9)	1	2,500	R6413
Fig. 1	THT-207-481-2.5-SC	B-481	White	0.900 (22.9)	0.900 (22.9)	4	2,500	R6413
Fig. 2	THT-164-488-1-SC	B-488	White	0.900 (22.9)	0.900 (22.9)	1	1,000	R4313
Fig. 2	THT-142-481-2.5-SC	B-481	White	2.500 (63.5)	0.200 (5.1)	1	2,500	R6413
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 2	THT-195-481-3	B-481	White	0.900 (22.9)	0.375 (9.5)	1	3,000	R6400 / IP-R6400
Fig. 2	THT-194-481-3	B-481	White	0.900 (22.9)	0.750 (19.1)	1	3,000	R6400 / IP-R6400
Fig. 2	THT-164-481-3	B-481	White	0.900 (22.9)	0.900 (22.9)	1	3,000	R6400 / IP-R6400
Fig. 25	THT-141-481-3	B-481	White	0.900 (22.9)	0.900 (22.9)	2	3,000	R6400 / IP-R6400
Fig. 2	THT-164-488-1	B-488	White	0.900 (22.9)	0.900 (22.9)	1	1,000	R4302 / IP-R4302
Fig. 25	THT-141-488-3	B-488	White	0.900 (22.9)	0.900 (22.9)	2	3,000	R4302 / IP-R4302
Fig. 2	THT-142-481-2.5	B-481	White	2.500 (63.5)	0.200 (5.1)	1	2,500	R6402 / IP-R6402

## Tissue cassette labels

Tissue cassette labels are designed for post-process identification. They have high durability and maintain print quality for accurate, identifiable specimen labeling.

- B-498 – Removable white vinyl cloth label for re-identification of post-process tissue cassettes or general lab applications




Figure 2



Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Label Printer cartridges</b>								
Fig. 2	M-11-498	B-498	Black on white	0.750 (19.1)	0.500 (12.7)	1	220	In cartridge
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 2	THT-252-498-3	B-498	White	0.750 (19.1)	0.250 (6.4)	1	3,000	R6200 / IP-R6200
Fig. 2	THT-254-498-3	B-498	White	0.750 (19.1)	0.750 (19.1)	1	3,000	R6200 / IP-R6200



## Test the materials yourself with a free sample pack

Request a free sample pack of materials and put them to the test. Get your samples at [BradyID.com/lab](https://www.BradyID.com/lab)

### View the Technical Data Sheets

Brady offers online access to Technical Data Sheets for all materials at [BradyID.com/techdata](https://www.BradyID.com/techdata)

# Cryogenic labels

## Cryo box and freezer rack labels

Brady labels adhere to either frozen or room-temperature boxes and racks and are designed to remain legible and intact when faced with harsh lab conditions.

- B-490 – FreezerBondz™ white polyester is ideal for flat, frozen surfaces. Must be applied to containers prior to being frozen
- B-492 – FreezerBondz ultra-thin white polyester with superior chemical and abrasion resistance for labeling frosted, frozen or room-temperature boxes and racks
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen




Figure 2




Figure 3




Figure 24




Figure 25




Figure 33b




Figure 82




Figure 83

Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>									
Fig. 33b	M21-500-499	B-499	Black on white	0.500 (12.7)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-7425	B-7425	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-7425	B-7425	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>									
Fig. 82	M-124-490	B-490	Black on white	0.500 (12.7)	1.650 (41.9)	-	1	180	In cartridge
Fig. 83	M-95-492	B-492	Black on white	0.600 (15.2)	1.625 (41.3)	0.375 (9.5) dia.	1	200	In cartridge
Fig. 2	M-132-499	B-499	Black on white	1.500 (38.1)	1.250 (31.7)	-	1	160	In cartridge
<b>BradyPrinter M611 label rolls</b>									
Fig. 82	M61-124-490	B-490	White	0.500 (12.7)	1.650 (41.9)	-	1	500	M61-R4310
Fig. 2	M61-132-499	B-499	White	1.500 (38.1)	1.250 (31.8)	-	1	250	M61-R6210
Fig. 2	PTL-76-490	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	250	M61-R4310
Fig. 2	M61-121-7425	B-7425	White	1.900 (48.3)	1.500 (38.1)	-	1	100	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>									
Fig. 2	B33-59-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	B30-R4300
Fig. 25	B33-37-7425	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	1,500	B30-R4300
Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	-	1	1,500	B30-R6000
Fig. 2	B33-235-7425	B-7425	White	1.500 (38.1)	1.000 (25.4)	-	1	1,250	B30-R4300
Fig. 2	B33-155-490	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	1,500	B30-R4300
Fig. 24	B33-190-492	B-492	White	1.625 (41.3)	0.600 (15.2)	0.375 (9.5) dia.	1	1,500	B30-R6400
Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	-	1	1,100	B30-R6000
<b>BradyJet J2000 Printer label rolls</b>									
Fig. 2	J20-59-7425J	B-7425J	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	J20-CMY
Fig. 3	J20C-1125-7425J	B-7425J	White	1.125 (28.6)	100 ft. (30.5 m)	-	1	1 roll (cont.)	J20-CMY
Fig. 25	J20-37-7425J	B-7425J	White	1.500 (38.1)	0.500 (12.7)	-	2	1,500	J20-CMY
Fig. 2	J20-235-7425J	B-7425J	White	1.500 (38.1)	1.000 (25.4)	-	1	1,250	J20-CMY
Fig. 3	J20C-2250-7425J	B-7425J	White	2.250 (57.2)	100 ft. (30.5 m)	-	1	1 roll (cont.)	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>									
Fig. 2	THT-59-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R6413
Fig. 25	THT-37-7425-2-SC	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	2,000	R6413
Fig. 2	THT-235-7425-2-SC	B-7425	White	1.500 (38.1)	1.000 (25.4)	-	1	2,000	R6413

Cryo box and freezer rack labels continue on next page.



## Cryo box and freezer rack labels (continued)

Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
Fig. 2	THT-155-490-1.5-SC	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	1,500	R4313
Fig. 2	THT-156-490-1.5-SC	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	R4313
Fig. 2	THT-156-492-1.5-SC	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	R6413
Fig. 2	THT-137-499-1.5-SC	B-499	White	2.000 (50.8)	1.000 (25.4)	-	1	1,500	R4913
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>									
Fig. 2	THT-125-499-3	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	3,000	R6000 / IP-R6000
Fig. 2	THT-59-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R4302 / IP-R4302
Fig. 25	THT-37-7425-2	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	2,000	R4307 / IP-R4307
Fig. 2	THT-235-7425-2	B-7425	White	1.500 (38.1)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
Fig. 2	THT-155-490-3	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	3,000	R4302 / IP-R4302
Fig. 2	THT-190-492-3	B-492	White	1.625 (41.3)	0.600 (15.2)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
Fig. 2	THT-185-499-3	B-499	White	1.750 (44.5)	1.000 (25.4)	-	1	3,000	R6000 / IP-R6000
Fig. 2	THT-156-490-3	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	3,000	R4302 / IP-R4302
Fig. 2	THT-156-492-3	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
Fig. 2	THT-137-499-3	B-499	White	2.000 (50.8)	1.000 (25.4)	-	1	3,000	R6000 / IP-R6000
Fig. 2	THT-19-499-1	B-499	White	3.000 (76.2)	2.000 (50.8)	-	1	1,000	R6000 / IP-R6000

## Cryo cane labels

Cryo canes typically have a tab on the top to hold a label that can be read while the vials are in cryo drawers or freezers. Brady labels are designed to adhere to the canes and withstand the ultra-low temperatures.

- B-492 – FreezerBondz™ ultra-thin white polyester label with superior chemical and abrasion resistance for labeling of frosted, frozen or room-temperature canes




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Cartridge</b>								
Fig. 66	M-155-492	B-492	Black on white	1.250 (31.8)	0.250 (6.4)	1	180	In cartridge

## Straw and rod labels

Brady labels are engineered to effectively wrap around 2-3 mm diameter straws and rods with an overlamine so that they withstand freezing temperatures.

- B-427 – Durable vinyl label with clear overlamine is good for wrapping and conformability. Must be wrapped upon itself when used in liquid nitrogen





Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Print-on area C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Label Printer cartridges</b>									
Fig. 2	M-135-427-AW	B-427	Black on white	0.250 (6.4)	1.100 (27.9)	-	1	240	In cartridge
Fig. 14	M-133-427	B-427	Black on white	1.750 (44.5)	1.000 (25.4)	0.375 (9.5)	1	140	In cartridge
Fig. 14	M-134-427	B-427	Black on white	1.750 (44.5)	1.500 (38.1)	0.500 (12.7)	1	140	In cartridge
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>									
Fig. 14	B33-120-427	B-427	White	1.750 (44.5)	1.000 (25.4)	0.375 (9.5)	1	1,250	B30-R4300
Fig. 14	B33-121-427	B-427	White	1.750 (44.5)	1.500 (38.1)	0.500 (12.7)	1	1,000	B30-R4300
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>									
Fig. 14c	THT-116-427-5	B-427	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	2	5,000	R4300 / IP-R4300

# Cryogenic labels

## Cryo tube labels

FreezerBondz™ labels are designed to remain legible and stick to the tubes during processing, even when immersed in liquid or vapor-phase nitrogen and ultra-low temperature freezer storage.

- B-461 – All white, ultra-thin polyester label. Also available in a self-laminating format
- B-490 – White polyester ideal for flat frozen surfaces. Adheres to frozen tube when wrapped around itself by at least 0.125 inch
- B-492 – Ultra-thin white polyester with superior chemical and abrasion resistance for labeling frosted, frozen or room-temperature tubes and vials. Must have small overlap if applied to already frozen containers
- B-494 – Glossy polyester with a printed color bar that allows for quick visual differentiation between samples. Withstands liquid nitrogen, a variety of chemicals and more. Label dimensions listed below include the color bar area. Vial tops are solid color
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>										
1.2 mL	Fig. 33b	M21-375-461	B-461	Black on white	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-7425	B-7425	Black on white	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-461	B-461	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-7425	B-7425	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
2 mL	Fig. 33b	M21-750-461	B-461	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-750-7425	B-7425	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>										
1.2 mL	Fig. 82	M-130-492	B-492	Black on white	0.375 (9.5)	0.825 (21.0)	-	1	220	In cartridge
	Fig. 82	M-130-499	B-499	Black on white	0.375 (9.5)	0.825 (21.0)	-	1	220	In cartridge
	Fig. 33	MC-375-499	B-499	Black on white	0.375 (9.5)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-375-461	B-461	Black on white	0.375 (9.5)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 82	M-131-492	B-492	Black on white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-BL	B-494	Black on blue / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-GN	B-494	Black on green / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-OR	B-494	Black on orange / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-PK	B-494	Black on pink / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-RD	B-494	Black on red / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-YL	B-494	Black on yellow / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-499	B-499	Black on white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-124-492	B-492	Black on white	0.500 (12.7)	1.650 (41.9)	-	1	180	In cartridge
	Fig. 33	MC-500-499	B-499	Black on white	0.500 (12.7)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-500-461	B-461	Black on white	0.500 (12.7)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge

Cryo tube labels continue on next page.

\*Tube sizes may vary by brand.

## Cryo tube labels (continued)


Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.2 mL	Fig. 24	M-118-492	B-492	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	240	In cartridge
	Fig. 24	M-118-494-BL	B-494	Black on blue / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-GN	B-494	Black on green / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-OR	B-494	Black on orange / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-PK	B-494	Black on pink / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-RD	B-494	Black on red / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	250	In cartridge
	Fig. 24	M-118-494-YL	B-494	Black on yellow / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-499	B-499	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	240	In cartridge
	Fig. 24	M-118-7425	B-7425	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-117-492	B-492	Black on white	1.000 (25.4)	0.500 (12.7)	0.438 (11.1) dia.	2	240	In cartridge
	Fig. 24	M-117-499	B-499	Black on white	1.000 (25.4)	0.500 (12.7)	0.438 (11.1) dia.	2	240	In cartridge
	Fig. 24	M-120-494-BL	B-494	Black on blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-GN	B-494	Black on green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-OR	B-494	Black on orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-PK	B-494	Black on pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-RD	B-494	Black on red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-YL	B-494	Black on yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-492	B-492	Black on white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-499	B-499	Black on white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 2	M-112-492	B-492	Black on white	1.250 (31.8)	0.375 (9.5)	-	1	360	In cartridge
1.2 mL top only	Fig. 8	M-82-492	B-492	Black on white	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-82-499	B-499	Black on white	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-82-499-OR-BK	B-499	Black on orange	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-82-499-RD-BK	B-499	Black on red	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-82-499-YL-BK	B-499	Black on yellow	0.375 (9.5) dia.	-	-	1	240	In cartridge
2 mL	Fig. 8	M-83-492	B-492	Black on white	0.500 (12.7) dia.	-	-	1	240	In cartridge
	Fig. 2	M-156-492	B-492	Black on white	1.000 (25.4)	0.900 (22.9)	-	1	180	In cartridge
Fig. 2	M-126-490	B-490	Black on white	1.800 (45.7)	0.600 (15.2)	-	1	180	In cartridge	
5 mL	Fig. 2	M-49-494-BL	B-494	Black on blue / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-GN	B-494	Black on green / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-OR	B-494	Black on orange / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-PK	B-494	Black on pink / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-RD	B-494	Black on red / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-YL	B-494	Black on yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 33	MC-1000-461	B-461	Black on white	1.000 (25.4)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-1250-461	B-461	Black on white	1.250 (31.8)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 2	M-31-7425	B-7425	Black on white	1.500 (38.1)	1.000 (25.4)	-	1	250	In cartridge
	Fig. 2	M-125-490	B-490	Black on white	1.750 (44.5)	1.000 (25.4)	-	1	180	In cartridge
Fig. 33	M-125-492	B-492	Black on white	1.750 (44.5)	1.000 (25.4)	-	1	180	In cartridge	
15 mL	Fig. 82	M-113-490	B-490	Black on white	1.500 (38.1)	2.200 (55.9)	-	1	140	In cartridge
<b>BradyPrinter M611 label rolls</b>										
1.2 mL	Fig. 33	M61C-375-499	B-499	White	0.375 (9.5)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-375-461	B-461	White	0.375 (9.5)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 82	M61-47-499	B-499	White	0.500 (12.7)	1.000 (25.4)	-	1	500	M61-R6210
	Fig. 82	M61-124-492	B-492	White	0.500 (12.7)	1.650 (41.9)	-	1	500	M61-R6410
	Fig. 33	M61C-500-499	B-499	White	0.500 (12.7)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-500-461	B-461	White	0.500 (12.7)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 33	M61C-750-499	B-499	White	0.750 (19.1)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 2	M61-130-492	B-492	White	0.825 (21.0)	0.375 (9.5)	-	1	500	M61-R6410
	Fig. 2	M61-130-499	B-499	White	0.825 (21.0)	0.375 (9.5)	-	1	500	M61-R6210
	Fig. 24	M61-117-492	B-492	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	500	M61-R6410
	Fig. 24	PTL-117-499	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	500	M61-R6210
	Fig. 24	M61-98-492	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	PTL-98-499	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6210
	Fig. 24	M61-98-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R4310

Cryo tube labels continue on next page.

\*Tube sizes may vary by brand.

# Cryogenic labels

## Cryo tube labels (continued)



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.2 mL	Fig. 2	M61-17-492	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	250	M61-R6410
	Fig. 2	M61-17-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R4310
	Fig. 24	M61-120-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	250	M61-R6410
Fig. 24	M61-120-499	B-499	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	250	M61-R6210	
Fig. 2	M61-199-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	250	M61-R4310	
1.2 mL top only	Fig. 8	PTL-82-499	B-499	White	0.375 (9.5) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-82-492	B-492	White	0.375 (9.5) dia.	-	-	1	500	M61-R6410
	Fig. 8	PTL-82-499-YL	B-499	Yellow	0.375 (9.5) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-82-499-OR	B-499	Orange	0.375 (9.5) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-82-499-RD	B-499	Red	0.375 (9.5) dia.	-	-	1	500	M61-R6210
	Fig. 8	PTL-83-499	B-499	White	0.500 (12.7) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-83-492	B-492	White	0.500 (12.7) dia.	-	-	1	500	M61-R6410
	Fig. 8	PTL-83-499-YL	B-499	Yellow	0.500 (12.7) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-83-499-OR	B-499	Orange	0.500 (12.7) dia.	-	-	1	500	M61-R6210
2 mL	Fig. 82	M61-156-492	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-18-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	1	250	M61-R4310
	Fig. 2	M61-126-490	B-490	White	1.800 (45.7)	0.600 (15.2)	-	1	250	M61-R4310
5 mL	Fig. 2	M61-19-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 82	M61-203-490	B-490	White	1.000 (25.4)	1.750 (44.5)	-	1	250	M61-R4310
	Fig. 33	M61C-1000-461	B-461	White	1.000 (25.4)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
15 mL	Fig. 2	M61-31-7425	B-7425	White	1.500 (38.1)	1.000 (25.4)	-	1	250	M61-R4310
	Fig. 83	M61-205-492	B-492	White	0.600 (15.2)	1.625 (41.3)	0.375 (9.5) dia.	1	250	M61-R6410
	Fig. 82	M61-203-492	B-492	White	1.000 (25.4)	1.750 (44.5)	-	1	250	M61-R6410
	Fig. 82	PTL-113-490	B-490	White	1.500 (38.1)	2.200 (55.9)	-	1	100	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>										
1.2 mL	Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	-	4	1,500	B30-R6000
	Fig. 2	B33-257-7425	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	1,500	B30-R4300
	Fig. 2	B33-125-499	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	1,500	B30-R6000
	Fig. 24	B33-126-499	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	2	1,500	B30-R4300
	Fig. 25	B33-152-492	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	2,500	B30-R6400
	Fig. 25	B33-152-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	B30-R4300
	Fig. 24	B33-249-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	B30-R4300
	Fig. 2	B33-59-492	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	2,500	B30-R6400
	Fig. 2	B33-59-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	B30-R4300

Cryo tube labels continue on next page.

\*Tube sizes may vary by brand.

## Cryo tube labels (continued)

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.2 mL	Fig. 24	B33-181-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-182-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	B30-R6400
1.2 mL top only	Fig. 24	B33-251-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	B30-R4300
	Fig. 2	B33-256-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	1,500	B30-R4300
	Fig. 5a	B33-144-490	B-490	White	0.500 (12.7) dia.	-	-	3	2,500	B30-R4300
2 mL	Fig. 5a	B33-144-492	B-492	White	0.500 (12.7) dia.	-	-	3	1,500	B30-R6400
	Fig. 5a	B33-144-499	B-499	White	0.500 (12.7) dia.	-	-	3	1,500	B30-R6000
2 mL	Fig. 2	B33-180-492	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 25	B33-88-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	B30-R4300
5 mL	Fig. 2	B33-179-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	1,900	B30-R6400
	Fig. 2	B33-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R4300
15 mL	Fig. 2	B33-156-490	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	B30-R4300
	Fig. 25	B33-37-7425	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	1,500	B30-R4300
	Fig. 2	B33-155-492	B-492	White	1.625 (41.3)	0.600 (15.2)	-	1	1,500	B30-R6400
	Fig. 2	B33-157-490	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	1,000	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>										
1.2 mL	Fig. 2	J20-257-7425J	B-7425J	White	0.825 (21.0)	0.250 (6.4)	-	1	1,500	J20-CMY
	Fig. 25	J20-152-7425J	B-7425J	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	J20-CMY
	Fig. 24	J20-249-7425J	B-7425J	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	1,500	J20-CMY
	Fig. 2	J20-59-7425J	B-7425J	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	J20-CMY
	Fig. 24	J20-251-7425J	B-7425J	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	2	1,500	J20-CMY
	Fig. 2	J20-256-7425J	B-7425J	White	1.300 (33.0)	0.600 (15.2)	-	1	1,500	J20-CMY
2 mL	Fig. 25	J20-88-7425J	B-7425J	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	J20-CMY
5 mL	Fig. 2	J20-179-7425J	B-7425J	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	J20-CMY
15 mL	Fig. 25	J20-37-7425J	B-7425J	White	1.500 (38.1)	0.500 (12.7)	-	2	1,500	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>										
1.2 mL	Fig. 2	THT-257-7425-2-SC	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	2,000	R6413
	Fig. 2	THT-125-499-1.5-SC	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	1,500	R4913
	Fig. 25	THT-152-492-2.5-SC	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	2,500	R6413
	Fig. 25	THT-152-499-1.5-SC	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	1,500	R4913
	Fig. 25	THT-152-7425-2-SC	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	R6413
	Fig. 24	THT-249-492-1.5-SC	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	R6413
	Fig. 24	THT-249-7425-2-SC	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	2,000	R6413
	Fig. 24	THT-249-499-1.5-SC	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	R4913
	Fig. 2	THT-59-492-2.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	2,500	R6413
	Fig. 2	THT-59-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R6413
	Fig. 24	THT-250-492-1.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	R6413
	Fig. 24	THT-251-492-1.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	R6413
	Fig. 24	THT-251-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R6413
	Fig. 2	THT-154-490-1.5-SC	B-490	White	1.250 (31.8)	0.375 (9.5)	-	1	1,500	R4313
	Fig. 2	THT-256-7425-2-SC	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R6413
1.2 mL top only	Fig. 5a	THT-144-492-1.5-SC	B-492	White	0.500 (12.7) dia.	-	-	3	1,500	R6413
	Fig. 5a	THT-144-499-1.5-SC	B-499	White	0.500 (12.7) dia.	-	-	3	1,500	R4913
2 mL	Fig. 25	THT-88-492-2.5-SC	B-492	White	1.000 (25.4)	0.750 (19.1)	-	2	2,500	R6413
	Fig. 25	THT-88-7425-2-SC	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R6413
5 mL	Fig. 2	THT-179-492-2.5-SC	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	2,500	R6413
	Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R6413
	Fig. 2	THT-156-490-1.5-SC	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	R4313
15 mL	Fig. 25	THT-37-7425-2-SC	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	2,000	R6413
	Fig. 2	THT-157-490-1.5-SC	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	1,500	R4313

Cryo tube labels continue on next page.

\*Tube sizes may vary by brand.

# Cryogenic labels

## Cryo tube labels (continued)




Figure 2




Figure 5a




Figure 24




Figure 25

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>										
1.2 mL	Fig. 2	THT-257-7425-2	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-125-499-3	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	3,000	R6000 / IP-R6000
	Fig. 25	THT-152-492-3	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-499-3	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6000 / IP-R6000
	Fig. 25	THT-152-7425-2	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	R4302 / IP-R4302
	Fig. 24	THT-249-7425-2	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	2,000	R4302 / IP-R4302
1.2 mL	Fig. 25	THT-152-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 2	THT-59-492-10	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	2 rolls of 5,000	R6400 / IP-R6400
	Fig. 2	THT-59-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R4302 / IP-R4302
	Fig. 24	THT-250-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
Fig. 24	THT-250-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402	
Fig. 24	THT-251-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R4302 / IP-R4302	
Fig. 2	THT-154-490-3	B-490	White	1.250 (31.8)	0.375 (9.5)	-	1	3,000	R4302 / IP-R4302	
Fig. 2	THT-256-7425-2	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R4302 / IP-R4302	
1.2 mL top only	Fig. 5a	THT-144-492-3	B-492	White	0.500 (12.7) dia.	-	-	3	3,000	R6402 / IP-R6402
	Fig. 5a	THT-144-499-3	B-499	White	0.500 (12.7) dia.	-	-	3	3,000	R6000 / IP-R6000
2 mL	Fig. 2	THT-180-492-3	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 25	THT-88-492-5	B-492	White	1.000 (25.4)	0.750 (19.1)	-	2	5,000	R6402 / IP-R6402
	Fig. 25	THT-88-7425-2	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R4302 / IP-R4302
5 mL	Fig. 2	THT-179-492-3	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 2	THT-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
15 mL	Fig. 2	THT-156-490-3	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	3,000	R4302 / IP-R4302
	Fig. 25	THT-37-7425-2	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	2,000	R4307 / IP-R4307
	Fig. 2	THT-155-492-3	B-492	White	1.625 (41.3)	0.600 (15.2)	-	1	3,000	R6402 / IP-R6402
Fig. 2	THT-157-490-3	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	3,000	R4300 / IP-R4300	

## Self-laminating cryo tube labels

Cryo tube labels are designed to remain legible and stick to the tubes during processing, even when immersed in liquid or vapor-phase nitrogen and ultra-low temperature freezer storage.

- B-461 – Ultra-thin polyester with clear overlaminates tail that protects print and allows liquid levels to be visible




Figure 14




Figure 14b




Figure 14c




Figure 15

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Print-on area C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Label Printer cartridges</b>										
1.2 mL	Fig. 15	M-72-461	B-461	Black on white	1.750 (44.5)	0.500 (12.7)	0.750 (19.0)	1	180	In cartridge
	Fig. 15	M-126-461	B-461	Black on white	1.800 (45.7)	0.600 (15.2)	1.000 (25.4)	1	180	In cartridge
	Fig. 15	M-74-461	B-461	Black on white	2.200 (55.9)	0.500 (12.7)	0.750 (19.0)	1	140	In cartridge
	Fig. 15	M-86-461	B-461	Black on white	2.625 (66.7)	0.600 (15.2)	1.000 (25.4)	1	120	In cartridge
5 mL	Fig. 15	M-125-461	B-461	Black on white	1.750 (44.5)	1.000 (25.4)	1.000 (25.4)	1	180	In cartridge
	Fig. 15	M-75-461	B-461	Black on white	2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	1	120	In cartridge
<b>BradyPrinter M611 label rolls</b>										
1.2 mL	Fig. 14	M61-201-461	B-461	White	0.600 (15.2)	1.800 (45.7)	1.000 (25.4)	1	100	M61-R4310
	Fig. 14	PTL-86-461	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	100	M61-R4310
	Fig. 15	PTL-108-461	B-461	White	1.500 (38.1)	0.187 (4.75)	0.700 (17.8)	1	750	M61-R4310
	Fig. 15	PTL-73-461	B-461	White	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	PTL-72-461	B-461	White	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	1	500	M61-R4310
	Fig. 14	PTL-74-461	B-461	White	0.500 (12.7)	2.200 (55.9)	0.500 (12.7)	1	100	M61-R4310
	Fig. 14	PTL-79-461	B-461	White	0.750 (19.1)	3.750 (95.3)	0.750 (19.1)	1	100	M61-R4310
5 mL	Fig. 14	M61-203-461	B-461	White	1.000 (25.4)	1.750 (44.5)	1.000 (25.4)	1	100	M61-R4310
	Fig. 14	PTL-75-461-YL	B-461	Yellow	1.000 (25.4)	2.625 (66.7)	1.000 (25.4)	1	100	M61-R4310
	Fig. 14	M61-157-461	B-461	White	1.500 (38.1)	2.500 (63.5)	1.500 (38.1)	1	100	M61-R4310
	Fig. 14	PTL-75-461	B-461	White	1.000 (25.4)	2.625 (66.7)	1.000 (25.4)	1	100	M61-R4310
15 mL	Fig. 14	PTL-77-461	B-461	White	1.500 (38.1)	3.500 (88.9)	1.250 (31.8)	1	250	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>										
1.2 mL	Fig. 15	B33-123-461	B-461	White	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	1	1,500	B30-R4300
	Fig. 15	B33-122-461	B-461	White	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	1	1,500	B30-R4300
	Fig. 14b	B33-127-461	B-461	White	2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	3	1,500	B30-R4300
5 mL	Fig. 14c	B33-276-461	B-461	White	2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	2	1,500	B30-R4300
15 mL	Fig. 14c	B33-139-461	B-461	White	1.000 (25.4)	5.250 (133.4)	1.500 (38.1)	2	650	B30-R4300
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>										
1.2 mL	Fig. 15	THT-122-461-1.5-SC	B-461	White	0.500 (12.7)	1.800 (45.7)	0.750 (19.1)	1	1,500	R4313
	Fig. 15	THT-127-461-1.5-SC	B-461	White	0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	1	1,500	R4313
	Fig. 15	THT-153-461-1.5-SC	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	1,500	R4313
	Fig. 15	THT-123-461-1.5-SC	B-461	White	0.750 (19.1)	1.800 (45.7)	0.750 (19.1)	1	1,500	R4313
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>										
1.2 mL	Fig. 15	THT-123-461-3	B-461	White	0.375 (9.5)	1.800 (45.7)	0.750 (19.1)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-122-461-3	B-461	White	0.500 (12.7)	1.800 (45.7)	0.750 (19.1)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-127-461-3	B-461	White	0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	1	3,000	R4300 / IP-R4300
	Fig. 15	THT-153-461-3	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	3,000	R4300 / IP-R4300
5 mL	Fig. 15	THT-183-461-1	B-461	White	1.000 (25.4)	1.750 (44.5)	1.000 (25.4)	1	1,000	R4302 / IP-R4302
	Fig. 15	THT-131-461-3	B-461	White	1.000 (25.4)	2.625 (66.7)	1.000 (25.4)	1	3,000	R4300 / IP-R4300

\*Tube sizes may vary by brand.

# Sample collection and processing labels

## Blood tube labels

Brady's labels keep text and barcodes legible without falling off in the lab while also not sticking to gloves when you're applying the label.

- B-424 – Paper label with good contrast and smear resistance
- B-813 – Direct thermal paper labels with good adhesion to corrugated surfaces, glass and many plastics
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers




Figure 2



Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 2	B33-17-424	B-424	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 2	B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>								
Fig. 2	J20-137-7425J	B-7425J	White	2.000 (50.8)	1.000 (25.4)	1	1,500	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>								
Fig. 2	THT-17-424-1.5-SC	B-424	White	2.000 (50.8)	1.000 (25.4)	1	1,500	R4313
Fig. 2	THT-137-7425-2-SC	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R6413
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 2	THT-17-424-3	B-424	White	2.000 (50.8)	1.000 (25.4)	1	3,000	R4300 / IP-R4300
Fig. 2	DT-17-813-3	B-813	White	2.000 (50.8)	1.000 (25.4)	1	3,000	(direct thermal)
Fig. 2	THT-137-7425-2	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R4302 / IP-R4302

## Specimen cup labels

Brady labels easily adhere to collection cups providing clear identification of samples.

- B-424 – Paper label with good contrast and smear resistance
- B-813 – Direct thermal paper labels with good adhesion to corrugated surfaces, glass and many plastics
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers




Figure 2



Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 2	B33-17-424	B-424	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 2	B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 2	B33-18-424	B-424	White	3.000 (76.2)	1.000 (25.4)	1	1,500	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>								
Fig. 2	J20-137-7425J	B-7425J	White	2.000 (50.8)	1.000 (25.4)	1	1,500	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>								
Fig. 2	THT-137-7425-2-SC	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R6413
Fig. 2	THT-18-424-1.5-SC	B-424	White	3.000 (76.2)	1.000 (25.4)	1	1,500	R4313
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 2	DT-17-813-3	B-813	White	2.000 (50.8)	1.000 (25.4)	1	3,000	(direct thermal)
Fig. 2	THT-137-7425-2	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-18-424-3	B-424	White	3.000 (76.2)	1.000 (25.4)	1	3,000	R4307 / IP-R4307
Fig. 2	DT-18-813-3	B-813	White	3.000 (76.2)	1.000 (25.4)	1	3,000	(direct thermal)



# Sample collection and processing labels

## Tamper-resistant seals

Protect samples with irreversible, visible evidence of tampering. These labels tear if the container has been opened or tampered with in any way.

- B-351 – White vinyl designed to fracture easily to prevent one-piece removal. Use caution when removing from liner as material is fragile




Figure 1




Figure 2




Figure 25



Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 1	THT-5-351-10	B-351	White	1.000 (25.4)	0.500 (12.7)	3	10,000	R6207 / IP-R6207
Fig. 25	THT-37-351-10	B-351	White	1.500 (38.1)	0.500 (12.7)	2	10,000	R6200 / IP-R6200
Fig. 2	THT-53-351-3	B-351	White	2.000 (50.8)	0.500 (12.7)	1	3,000	R6200 / IP-R6200
Fig. 2	THT-17-351-3	B-351	White	2.000 (50.8)	1.000 (25.4)	1	3,000	R6200 / IP-R6200
Fig. 2	THT-18-351-3	B-351	White	3.000 (76.2)	1.000 (25.4)	1	3,000	R6200 / IP-R6200
Fig. 2	THT-19-351-1	B-351	White	3.000 (76.2)	2.000 (50.8)	1	1,000	R6200 / IP-R6200

## Sample bag labels

Brady's general identification labels easily adhere to plastic bags used in the lab. These labels offer high performance and durability to withstand freezers, coolers and ice packs.

- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers




Figure 2




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 2	B33-258-7425	B-7425	White	1.500 (38.1)	1.750 (44.5)	1	900	B30-R4300
Fig. 2	B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>								
Fig. 2	J20-179-7425J	B-7425J	White	1.000 (25.4)	1.000 (25.4)	1	1,500	J20-CMY
Fig. 2	J20-258-7425J	B-7425J	White	1.500 (38.1)	1.750 (44.5)	1	900	J20-CMY
Fig. 2	J20-137-7425J	B-7425J	White	2.000 (50.8)	1.000 (25.4)	1	1,500	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>								
Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	1	2,000	R6413
Fig. 2	THT-136-499-1.5-SC	B-499	White	1.500 (38.1)	0.750 (19.1)	1	1,500	R4913
Fig. 2	THT-258-7425-2-SC	B-7425	White	1.750 (44.5)	1.500 (38.1)	1	2,000	R6413
Fig. 2	THT-137-499-1.5-SC	B-499	White	2.000 (50.8)	1.000 (25.4)	1	1,500	R4913
Fig. 2	THT-137-7425-2-SC	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R6413
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-136-499-3	B-499	White	1.500 (38.1)	0.750 (19.1)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-258-7425-2	B-7425	White	1.750 (44.5)	1.500 (38.1)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-137-499-3	B-499	White	2.000 (50.8)	1.000 (25.4)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-137-7425-2	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R4302 / IP-R4302

# Sample collection and processing labels

## Well and microplate labels

Brady's well and microplate labels can withstand varying temperature processes and have a thin profile, short height and long width to fit the necessary information on the plate.

- B-488 – White polyester with moderate chemical resistance and short-term exposure to xylene, DMSO and ethanol
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers





Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Label Printer cartridges</b>								
Fig. 2	M-81-488	B-488	Black on white	1.900 (48.3)	0.250 (6.4)	1	160	In cartridge
<b>BradyPrinter M611 label rolls</b>								
Fig. 82	M61-2-7425	B-7425	White	0.250 (6.4)	2.000 (50.8)	1	100	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 25	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1,500	B30-R6000
Fig. 2	B33-151-490	B-490	White	2.000 (50.8)	0.250 (6.4)	1	2,500	B30-R4300
Fig. 2	B33-151-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1,500	B30-R6000
Fig. 2	B33-151-7425	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	B30-R4300
Fig. 2	B33-53-7425	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>								
Fig. 2	J20-151-7425J	B-7425J	White	2.000 (50.8)	0.250 (6.4)	1	2,000	J20-CMY
Fig. 2	J20-53-7425J	B-7425J	White	2.000 (50.8)	0.500 (12.7)	1	2,000	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>								
Fig. 2	THT-151-499-1.5-SC	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1,500	R4913
Fig. 2	THT-151-7425-2-SC	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	R6413
Fig. 2	THT-53-7425-2-SC	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	R6413
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 2	THT-15-488-2.5	B-488	White	2.000 (50.8)	0.250 (6.4)	1	2,500	R4302 / IP-R4302
Fig. 2	THT-151-499-3	B-499	White	2.000 (50.8)	0.250 (6.4)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-151-7425-2	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-53-7425-2	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	R4302 / IP-R4302

# Sample collection and processing labels

## Centrifuge and conical tube labels

Designed with ultra-thin material that prevents vials from jamming in centrifuges or racks. These labels withstand harsh temperatures and chemicals without falling off, fading or smearing.

- B-461 – All-white, ultra-thin polyester label. Also available in a self-laminating format
- B-427 – Durable all-white vinyl label is good for wrapping and conformability. Must be wrapped upon itself when used in liquid nitrogen
- B-432 – Clear polyester withstands exposure to solvents and exhibits good adhesion to metal and other surfaces
- B-490 – White polyester ideal for flat frozen surfaces. Adheres to frozen tubes and vials when wrapped around itself by at least 0.125 inch
- B-492 – Ultra-thin white polyester with superior chemical and abrasion resistance for labeling frosted, frozen or room-temperature tubes and vials. Must have small overlap if applied to already frozen containers
- B-494 – Glossy polyester with a printed color bar that allows for quick visual differentiation between samples. Withstands liquid nitrogen, a variety of chemicals and more. Label dimensions listed below include the color bar area. Vial tops are solid color
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>										
15 mL	Fig. 33b	M21-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>										
15 mL	Fig. 83	M-95-492	B-492	Black on white	0.600 (15.2)	1.625 (41.3)	0.375 (9.5) dia.	1	200	In cartridge
	Fig. 2	M-156-492	B-492	Black on white	1.000 (25.4)	0.900 (22.9)	-	1	180	In cartridge
	Fig. 2	M-49-494-BL	B-494	Black on blue / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-GN	B-494	Black on green / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-OR	B-494	Black on orange / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-PK	B-494	Black on pink / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-RD	B-494	Black on red / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-YL	B-494	Black on yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 82	M-78-432-CL-BK	B-432	Black on clear	1.000 (25.4)	1.900 (48.3)	-	1	100	In cartridge
	Fig. 82	M-78-492	B-492	Black on white	1.000 (25.4)	1.900 (48.3)	-	1	100	In cartridge
	Fig. 82	M-128-499	B-499	Black on white	1.000 (25.4)	1.900 (48.3)	-	1	100	In cartridge
	Fig. 33	MC-1000-499	B-499	Black on white	1.000 (25.4)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-1000-461	B-461	Black on white	1.000 (25.4)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-1250-461	B-461	Black on white	1.250 (31.8)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
50 mL	Fig. 82	M-113-490	B-490	Black on white	1.500 (38.1)	2.200 (55.9)	-	1	140	In cartridge
	Fig. 82	M-114-490	B-490	Black on white	1.500 (38.1)	3.750 (95.3)	-	1	80	In cartridge

Centrifuge and conical tube labels continue on next page.

\*Tube sizes may vary by brand.

# Sample collection and processing labels

## Centrifuge and conical tube labels (continued)




Figure 2




Figure 3




Figure 5a




Figure 33




Figure 82

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter M611 label rolls</b>										
15 mL	Fig. 82	M61-156-492	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 82	M61-203-490	B-490	White	1.000 (25.4)	1.750 (44.5)	-	1	250	M61-R4310
	Fig. 82	M61-203-492	B-492	White	1.000 (25.4)	1.750 (44.5)	-	1	250	M61-R6410
	Fig. 82	M61-204-492	B-492	White	1.000 (25.4)	1.900 (48.3)	-	1	250	M61-R6410
	Fig. 33	M61C-1000-499	B-499	White	1.000 (25.4)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-1000-461	B-461	All White	1.000 (25.4)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 33	M61C-1250-461	B-461	All White	1.250 (31.7)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
Fig. 2	PTL-78-490	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	250	M61-R4310	
50 mL	Fig. 82	PTL-113-490	B-490	White	1.500 (38.1)	2.200 (55.9)	-	1	100	M61-R4310
	Fig. 82	PTL-114-490	B-490	White	1.500 (38.1)	3.875 (98.4)	-	1	100	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>										
15 mL	Fig. 2	B33-179-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	1,900	B30-R6400
	Fig. 2	B33-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R4300
	Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	-	1	1,500	B30-R6000
	Fig. 2	B33-136-7425	B-7425	White	1.500 (38.1)	0.750 (19.1)	-	1	1,500	B30-R4300
	Fig. 2	B33-258-7425	B-7425	White	1.500 (38.1)	1.750 (44.5)	-	1	900	B30-R4300
	Fig. 2	B33-155-490	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	1,500	B30-R4300
	Fig. 2	B33-156-490	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	B30-R4300
	Fig. 2	B33-156-492	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	B30-R6400
	50 mL	Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	-	1	1,100
Fig. 2		B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	1,500	B30-R4300
Fig. 2		B33-157-490	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	1,000	B30-R4300
Fig. 2		B33-158-490	B-490	White	3.750 (95.3)	1.500 (38.1)	-	1	1,000	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>										
15 mL	Fig. 2	J20-179-7425J	B-7425J	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	J20-CMY
	Fig. 3	J20C-1125-7425J	B-7425J	White	1.125 (28.6)	100 ft. (30.5 m)	-	1	1 roll (cont.)	J20-CMY
	Fig. 2	J20-136-7425J	B-7425J	White	1.500 (38.1)	0.750 (19.1)	-	1	1,500	J20-CMY
	Fig. 2	J20-258-7425J	B-7425J	White	1.500 (38.1)	1.750 (44.5)	-	1	900	J20-CMY
	Fig. 3	J20C-2250-7425J	B-7425J	White	2.250 (57.2)	100 ft. (30.5 m)	-	1	1 roll (cont.)	J20-CMY
50 mL	Fig. 2	J20-137-7425J	B-7425J	White	2.000 (50.8)	1.000 (25.4)	-	1	1,500	J20-CMY
	Fig. 2	J20-18-7425J	B-7425J	White	3.000 (76.2)	1.000 (25.4)	-	1	1,000	J20-CMY

Centrifuge and conical tube labels continue on next page.

# Sample collection and processing labels

## Centrifuge and conical tube labels (continued)

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>										
15 mL	Fig. 2	THT-179-492-2.5-SC	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	2,500	R6413
	Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R6413
	Fig. 2	THT-136-7425-2-SC	B-7425	White	1.500 (38.1)	0.750 (19.1)	-	1	2,000	R6413
	Fig. 2	THT-155-490-1.5-SC	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	1,500	R4313
	Fig. 2	THT-258-7425-2-SC	B-7425	White	1.750 (44.5)	1.500 (38.1)	-	1	2,000	R6413
	Fig. 2	THT-156-490-1.5-SC	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	R4313
15 mL top	Fig. 2	THT-156-492-1.5-SC	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	R6413
	Fig. 5a	THT-143-492-1.5-SC	B-492	White	0.375 (9.5) dia.	-	-	4	1,500	R6413
50 mL	Fig. 2	THT-137-7425-2-SC	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	2,000	R6413
	Fig. 2	THT-157-490-1.5-SC	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	1,500	R4313
	Fig. 2	THT-158-490-1.5-SC	B-490	White	3.750 (95.3)	1.500 (38.1)	-	1	1,500	R4313
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>										
15 mL	Fig. 2	THT-135-427-3-AW	B-427	All White	0.750 (19.1)	1.500 (38.1)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-179-492-3	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 2	THT-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-136-7425-2	B-7425	White	1.500 (38.1)	0.750 (19.1)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-155-490-3	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-258-7425-2	B-7425	White	1.750 (44.5)	1.500 (38.1)	-	1	2,000	R4302 / IP-R4302
50 mL	Fig. 2	THT-156-490-3	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-156-492-3	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 2	THT-137-7425-2	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-137-427-3-AW	B-427	All White	2.000 (50.8)	1.000 (25.4)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-157-490-3	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	3,000	R4300 / IP-R4300
Fig. 2	THT-158-490-3	B-490	White	3.750 (95.3)	1.500 (38.1)	-	1	3,000	R4307 / IP-R4307	

## Self-laminating centrifuge and conical tube labels

- B-461 – Ultra-thin polyester with clear overlaminat tail that protects print and allows liquid levels to be visible




Figure 14




Figure 14c




Figure 15



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Print-on area C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Label Printer cartridges</b>										
15 mL	Fig. 15	M-129-461	B-461	Black on white	2.250 (57.2)	1.500 (38.1)	1.250 (31.7)	1	140	In cartridge
	Fig. 15	M-119-461	B-461	Black on white	3.750 (95.3)	1.500 (38.1)	1.250 (31.7)	1	80	In cartridge
<b>BradyPrinter M611 label rolls</b>										
15 mL	Fig. 14	PTL-77-461	B-461	White	3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	1	250	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>										
15 mL	Fig. 14c	B33-276-461	B-461	White	2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	2	1,500	B30-R4300
	Fig. 15	B33-134-461	B-461	White	3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	1	1,000	B30-R4300
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>										
15 mL	Fig. 14c	THT-139-461-2	B-461	White	1.000 (25.4)	5.250 (133.4)	1.500 (38.1)	2	2,000	R4300 / IP-R4300
	Fig. 15	THT-134-461-3	B-461	White	1.500 (38.1)	3.500 (88.9)	1.250 (31.8)	1	3,000	R4307 / IP-R4307


\*Tube sizes may vary by brand.

# Sample collection and processing labels

## Microcentrifuge and PCR tube labels

Designed to fit the small sizes of microcentrifuge and PCR tubes, these labels withstand harsh temperatures and chemicals without falling off, fading or smearing. Once in the microcentrifuge, vial top labels allow you to quickly extract specific vials.

- B-430 – Clear high-performance polyester label
- B-461 – All-white, ultra-thin polyester label. Also available in a self-laminating format
- B-490 – White polyester is ideal for flat frozen surfaces. Adheres to frozen tubes and vials when wrapped around itself by at least 0.125 inch
- B-492 – Ultra-thin white polyester with superior chemical and abrasion resistance for labeling frosted, frozen or room-temperature tubes and vials. Must have small overlap if applied to already frozen containers
- B-494 – Glossy polyester with a printed color bar that allows for quick visual differentiation between samples. Withstands liquid nitrogen, a variety of chemicals and more. Label dimensions listed below include the color bar area. Vial tops are solid color
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen



Sample collection labels

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>										
2 mL	Fig. 33b	M21-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-750-430	B-430	Black on clear	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-750-7425	B-7425	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-750-461	B-461	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
0.5 mL	Fig. 33b	M21-250-430	B-430	Black on clear	0.250 (6.4)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-499	B-499	Black on white	0.375 (9.5)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-430	B-430	Black on clear	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-7425	B-7425	Black on white	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-461	B-461	Black on white	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-499	B-499	Black on white	0.500 (12.7)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-430	B-430	Black on clear	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-7425	B-7425	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-461	B-461	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge	
<b>BMP®51 Label Printer cartridges</b>										
0.5 mL	Fig. 82	M-130-499	B-499	Black on white	0.375 (9.5)	0.825 (21.0)	-	1	220	In cartridge
	Fig. 33	MC-375-499	B-499	Black on white	0.375 (9.5)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-375-461	B-461	Black on white	0.375 (9.5)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-500-499	B-499	Black on white	0.500 (12.7)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-500-492	B-492	Black on white	0.500 (12.7)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-500-461	B-461	Black on white	0.500 (12.7)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge

Microcentrifuge and PCR tube labels continue on next page.

\*Tube sizes may vary by brand.

# Sample collection and processing labels

## Microcentrifuge and PCR tube labels (continued)


Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.5 mL	Fig. 82	M-131-492	B-492	Black on white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-BL	B-494	Black on blue / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-GN	B-494	Black on green / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-OR	B-494	Black on orange / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-PK	B-494	Black on pink / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-RD	B-494	Black on red / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-YL	B-494	Black on yellow / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-499	B-499	Black on white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-124-492	B-492	Black on white	0.500 (12.7)	1.650 (41.9)	-	1	180	In cartridge
	Fig. 24	M-118-492	B-492	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	240	In cartridge
	Fig. 24	M-118-494-BL	B-494	Black on blue / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-GN	B-494	Black on green / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-OR	B-494	Black on orange / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-PK	B-494	Black on pink / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-YL	B-494	Black on red / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-RD	B-494	Black on yellow / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	250	In cartridge
	Fig. 24	M-118-499	B-499	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	240	In cartridge
	Fig. 24	M-118-7425	B-7425	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-BL	B-494	Black on blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-GN	B-494	Black on green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-OR	B-494	Black on orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-PK	B-494	Black on pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-RD	B-494	Black on red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-YL	B-494	Black on yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-492	B-492	Black on white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-499	B-499	Black on white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-117-492	B-492	Black on white	1.000 (25.4)	0.500 (12.7)	0.438 (11.1) dia.	2	240	In cartridge
	Fig. 24	M-117-499	B-499	Black on white	1.000 (25.4)	0.500 (12.7)	0.438 (11.1) dia.	2	240	In cartridge
Fig. 2	M-112-490	B-490	Black on white	1.250 (31.8)	0.375 (9.5)	-	1	360	In cartridge	
Fig. 2	M-112-492	B-492	Black on white	1.250 (31.8)	0.375 (9.5)	-	1	360	In cartridge	
2 mL	Fig. 33	MC-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 2	M-156-492	B-492	Black on white	1.000 (25.4)	0.900 (22.9)	-	1	180	In cartridge
	Fig. 2	M-49-494-BL	B-494	Black on blue / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-GN	B-494	Black on green / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-OR	B-494	Black on orange / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-PK	B-494	Black on pink / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-RD	B-494	Black on red / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-YL	B-494	Black on yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 33	MC-1000-499	B-499	Black on white	1.000 (25.4)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Any top	Fig. 8	M-82-499	B-499	Black on white	0.375 (9.5) dia.	-	-	1	240
Fig. 8		M-82-492	B-492	Black on white	0.375 (9.5) dia.	-	-	1	240	In cartridge
Fig. 8		M-82-499-OR-BK	B-499	Black on orange	0.375 (9.5) dia.	-	-	1	240	In cartridge
Fig. 8		M-82-499-RD-BK	B-499	Black on red	0.375 (9.5) dia.	-	-	1	240	In cartridge
Fig. 8		M-82-499-YL-BK	B-499	Black on yellow	0.375 (9.5) dia.	-	-	1	240	In cartridge
Fig. 8		M-83-499	B-499	Black on white	0.500 (12.7) dia.	-	-	1	240	In cartridge
Fig. 8		M-83-492	B-492	Black on white	0.500 (12.7) dia.	-	-	1	240	In cartridge
Fig. 8		M-83-499-OR-BK	B-499	Black on orange	0.500 (12.7) dia.	-	-	1	240	In cartridge
Fig. 8		M-83-499-RD-BK	B-499	Black on red	0.500 (12.7) dia.	-	-	1	240	In cartridge
Fig. 8		M-83-499-YL-BK	B-499	Black on yellow	0.500 (12.7) dia.	-	-	1	240	In cartridge
<b>BradyPrinter M611 label rolls</b>										
0.5 mL	Fig. 33	M61C-375-499	B-499	White	0.375 (9.5)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-375-461	B-461	White	0.375 (9.5)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 33	M61C-500-499	B-499	White	0.500 (12.7)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-500-492	B-492	White	0.500 (12.7)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R6410
	Fig. 33	M61C-500-461	B-461	White	0.500 (12.7)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 2	M61-130-499	B-499	White	0.825 (21.0)	0.375 (9.5)	-	1	500	M61-R6210

Microcentrifuge and PCR tube labels continue on next page.

\*Tube sizes may vary by brand.

# Sample collection and processing labels

## Microcentrifuge and PCR tube labels (continued)



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon	
1.5 mL	Fig. 82	M61-47-499	B-499	White	0.500 (12.7)	1.000 (25.4)	-	1	500	M61-R6210	
	Fig. 82	M61-124-492	B-492	White	0.500 (12.7)	1.650 (41.9)	-	1	500	M61-R6410	
	Fig. 24	M61-117-492	B-492	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	500	M61-R6410	
	Fig. 24	PTL-117-499	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	500	M61-R6210	
	Fig. 24	M61-98-492	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410	
	Fig. 24	M61-98-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410	
	Fig. 24	M61-98-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410	
	Fig. 24	M61-98-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410	
	Fig. 24	M61-98-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410	
	Fig. 24	M61-98-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410	
	Fig. 24	M61-98-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410	
	Fig. 24	PTL-98-499	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6210	
	Fig. 24	M61-98-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R4310	
	Fig. 2	M61-17-492	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	250	M61-R6410	
	Fig. 2	M61-17-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410	
	Fig. 2	M61-17-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410	
	Fig. 2	M61-17-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410	
	Fig. 2	M61-17-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410	
	Fig. 2	M61-17-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410	
	Fig. 2	M61-17-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410	
	Fig. 2	M61-17-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R4310	
	Fig. 24	M61-120-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	250	M61-R6410	
	Fig. 24	M61-120-499	B-499	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	250	M61-R6210	
	Fig. 2	M61-199-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	250	M61-R4310	
Fig. 2	PTL-112-490	B-490	White	1.250 (31.8)	0.375 (9.5)	-	1	500	M61-R4310		
2 mL	Fig. 33	M61C-750-499	B-499	White	0.750 (19.1)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210	
	Fig. 82	M61-156-492	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 2	M61-18-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	1	250	M61-R4310	
	Fig. 2	M61-19-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 2	M61-19-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 2	M61-19-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 2	M61-19-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 2	M61-19-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 2	M61-19-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 2	M61-19-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410	
	Fig. 33	M61C-1000-499	B-499	White	1.000 (25.4)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210	
	Any top	Fig. 8	M61-82-492	B-492	White	0.375 (9.5) dia.	-	-	1	500	M61-R6410
		Fig. 8	PTL-82-499	B-499	White	0.375 (9.5) dia.	-	-	1	500	M61-R6210
Fig. 8		PTL-82-499-YL	B-499	Yellow	0.375 (9.5) dia.	-	-	1	500	M61-R6210	
Fig. 8		M61-82-499-OR	B-499	Orange	0.375 (9.5) dia.	-	-	1	500	M61-R6210	
Fig. 8		M61-82-499-RD	B-499	Red	0.375 (9.5) dia.	-	-	1	500	M61-R6210	
Fig. 8		M61-83-492	B-492	White	0.500 (12.7) dia.	-	-	1	500	M61-R6410	
Fig. 8		PTL-83-499	B-499	White	0.500 (12.7) dia.	-	-	1	500	M61-R6210	
Fig. 8		PTL-83-499-YL	B-499	Yellow	0.500 (12.7) dia.	-	-	1	500	M61-R6210	
Fig. 8		M61-83-499-OR	B-499	Orange	0.500 (12.7) dia.	-	-	1	500	M61-R6210	
Fig. 8	M61-83-499-RD	B-499	Red	0.500 (12.7) dia.	-	-	1	500	M61-R6210		
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>											
0.5 mL	Fig. 1	B33-68-490	B-490	White	0.500 (12.7)	0.750 (19.1)	-	4	2,500	B30-R4300	
	Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	-	4	1,500	B30-R6000	
	Fig. 2	B33-257-7425	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	1,500	B30-R4300	
	Fig. 2	B33-125-490	B-490	White	0.900 (22.9)	0.500 (12.7)	-	1	1,650	B30-R4300	
	Fig. 2	B33-125-499	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	1,500	B30-R6000	
	Fig. 24	B33-126-490	B-490	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	2,500	B30-R4300	
Fig. 24	B33-126-499	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	2	1,500	B30-R4300		

Microcentrifuge and PCR tube labels continue on next page.

\*Tube sizes may vary by brand.



# Sample collection and processing labels

## Microcentrifuge and PCR tube labels (continued)

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.5 mL	Fig. 25	B33-152-492	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	2,500	B30-R6400
	Fig. 25	B33-152-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6000
	Fig. 25	B33-152-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	B30-R4300
	Fig. 24	B33-163-492	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 2	B33-163-499	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	B30-R6000
	Fig. 24	B33-249-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	B30-R4300
	Fig. 2	B33-59-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	B30-R4300
	Fig. 24	B33-181-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
Fig. 24	B33-182-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	B30-R6400	
Fig. 24	B33-251-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	B30-R4300	
Fig. 2	B33-154-490	B-490	White	1.250 (31.8)	0.375 (9.5)	-	1	1,500	B30-R4300	
Fig. 2	B33-256-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	1,500	B30-R4300	
2 mL	Fig. 25	B33-88-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	B30-R4300
	Fig. 2	B33-179-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	1,900	B30-R6400
	Fig. 2	B33-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R4300	
Any top	Fig. 5a	B33-143-492	B-492	White	0.375 (9.5)	-	-	4	1,500	B30-R6400
	Fig. 5a	B33-143-499	B-499	White	0.375 (9.5)	-	-	4	1,500	B30-R6000
	Fig. 5a	B33-144-490	B-490	White	0.500 (12.7) dia.	-	-	3	2,500	B30-R4300
	Fig. 5a	B33-144-492	B-492	White	0.500 (12.7) dia.	-	-	3	1,500	B30-R6400
	Fig. 5a	B33-144-499	B-499	White	0.500 (12.7) dia.	-	-	3	1,500	B30-R6000
<b>BradyJet J2000 Printer label rolls</b>										
0.5 mL	Fig. 2	J20-257-7425J	B-7425J	White	0.825 (21.0)	0.250 (6.4)	-	1	1,500	J20-CMY
	Fig. 25	J20-152-7425J	B-7425J	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	J20-CMY
1.5 mL	Fig. 24	J20-249-7425J	B-7425J	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	1,500	J20-CMY
	Fig. 2	J20-59-7425J	B-7425J	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	J20-CMY
	Fig. 24	J20-251-7425J	B-7425J	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	2	1,500	J20-CMY
	Fig. 2	J20-256-7425J	B-7425J	White	1.300 (33.0)	0.600 (15.2)	-	1	1,500	J20-CMY
2 mL	Fig. 25	J20-88-7425J	B-7425J	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	J20-CMY
	Fig. 2	J20-179-7425J	B-7425J	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	J20-CMY
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>										
0.5 mL	Fig. 2	THT-257-7425-2-SC	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	2,000	R6413
	Fig. 2	THT-125-499-1.5-SC	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	1,500	R4913
1.5 mL	Fig. 25	THT-152-492-2.5-SC	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	2,500	R6413
	Fig. 25	THT-152-499-1.5-SC	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	1,500	R4913
	Fig. 25	THT-152-7425-2-SC	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	R6413
	Fig. 24	THT-249-492-1.5-SC	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	R6413
	Fig. 24	THT-249-499-1.5-SC	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	R4913
	Fig. 24	THT-249-7425-2-SC	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	2,000	R6413
	Fig. 2	THT-59-492-2.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	2,500	R6413
	Fig. 2	THT-59-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R6413
	Fig. 24	THT-250-492-1.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	R6413
	Fig. 24	THT-251-492-1.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	R6413
Fig. 24	THT-251-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R6413	
Fig. 2	THT-256-7425-2-SC	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R6413	

\*Tube sizes may vary by brand.

Microcentrifuge and PCR tube labels continue on next page.

# Sample collection and processing labels

## Microcentrifuge and PCR tube labels (continued)




Figure 2




Figure 5a




Figure 24




Figure 25

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
2 mL	Fig. 25	THT-88-7425-2-SC	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R6413
	Fig. 2	THT-179-492-2.5-SC	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	2,500	R6413
	Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R6413
Any top	Fig. 5a	THT-143-492-1.5-SC	B-492	White	0.375 (9.5) dia.	-	-	4	1,500	R6413
	Fig. 5a	THT-144-492-1.5-SC	B-492	White	0.500 (12.7) dia.	-	-	3	1,500	R6413
	Fig. 5a	THT-144-499-1.5-SC	B-499	White	0.500 (12.7) dia.	-	-	3	1,500	R4913
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>										
0.5 mL	Fig. 2	THT-257-7425-2	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-125-499-3	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	3,000	R6000 / IP-R6000
	Fig. 24	THT-126-499-3	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	3,000	R6000 / IP-R6000
1.5 mL	Fig. 25	THT-152-492-3	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-499-3	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6000 / IP-R6000
	Fig. 25	THT-152-7425-2	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	R4302 / IP-R4302
	Fig. 24	THT-163-492-3	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-163-499-3	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	3,000	R6000 / IP-R6000
	Fig. 24	THT-249-7425-2	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-59-492-10	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	2 rolls of 5,000	R6400 / IP-R6400
	Fig. 2	THT-59-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R4302 / IP-R4302
	Fig. 24	THT-181-492-3	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6400 / IP-R6400
	Fig. 24	THT-250-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
Fig. 24	THT-250-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402	
Fig. 24	THT-250-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402	
Fig. 24	THT-250-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402	
Fig. 24	THT-250-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402	
Fig. 24	THT-182-492-3	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	3,000	R6400 / IP-R6400	
Fig. 24	THT-251-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R4302 / IP-R4302	
Fig. 2	THT-256-7425-2	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R4302 / IP-R4302	
2 mL	Fig. 2	THT-180-492-3	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 25	THT-88-7425-2	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R4302 / IP-R4302
	Fig. 2	THT-179-492-3	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 2	THT-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
Any top	Fig. 5a	THT-143-492-3	B-492	White	0.375 (9.5) dia.	-	-	3	3,000	R6402 / IP-R6402
	Fig. 5a	THT-143-499-3	B-499	White	0.375 (9.5) dia.	-	-	4	3,000	R6000 / IP-R6000
	Fig. 5a	THT-144-492-3	B-492	White	0.500 (12.7) dia.	-	-	3	3,000	R6402 / IP-R6402
Fig. 5a	THT-144-499-3	B-499	White	0.500 (12.7) dia.	-	-	3	3,000	R6000 / IP-R6000	

# Sample collection and processing labels

## Self-laminating microcentrifuge and PCR tube labels

- B-461 – Ultra-thin polyester with clear overlamine tail that protects print and allows liquid levels to be visible




Figure 14




Figure 14b




Figure 15

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Print-on area C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Label Printer cartridges</b>										
0.5 mL	Fig. 15	M-123-461	B-461	Black on white	1.125 (28.6)	0.375 (9.5)	0.750 (19.0)	1	360	In cartridge
	Fig. 15	M-122-461	B-461	Black on white	1.125 (28.6)	0.500 (12.7)	0.750 (19.0)	1	360	In cartridge
	Fig. 15	M-124-461	B-461	Black on white	1.650 (41.9)	0.500 (12.7)	0.750 (19.0)	1	180	In cartridge
	Fig. 15	M-72-461	B-461	Black on white	1.750 (44.5)	0.500 (12.7)	0.750 (19.0)	1	180	In cartridge
1.5 mL	Fig. 15	M-126-461	B-461	Black on white	1.800 (45.7)	0.600 (15.2)	1.000 (25.4)	1	180	In cartridge
	Fig. 15	M-86-461	B-461	Black on white	2.625 (66.7)	0.600 (15.2)	1.000 (25.4)	1	120	In cartridge
2 mL	Fig. 15	M-74-461	B-461	Black on white	2.200 (55.9)	0.500 (12.7)	0.750 (19.0)	1	140	In cartridge
<b>BradyPrinter M611 label rolls</b>										
0.5 mL	Fig. 14	M61-202-461	B-461	White	0.500 (12.7)	1.650 (41.9)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	M61-123-461	B-461	White	1.125 (28.6)	0.375 (9.5)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	M61-122-461	B-461	White	1.125 (28.6)	0.500 (12.7)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	PTL-76-461	B-461	White	1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	1	250	M61-R4310
	Fig. 15	PTL-73-461	B-461	White	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	PTL-72-461	B-461	White	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	1	500	M61-R4310
1.5 mL	Fig. 14	M61-201-461	B-461	White	0.600 (15.2)	1.800 (45.7)	1.000 (25.4)	1	100	M61-R4310
	Fig. 15	PTL-108-461	B-461	White	1.500 (38.1)	0.187 (4.75)	0.700 (17.8)	1	750	M61-R4310
2 mL	Fig. 14	M61-203-461	B-461	White	1.000 (25.4)	1.750 (44.5)	1.000 (25.4)	1	100	M61-R4310
	Fig. 14	PTL-74-461	B-461	White	2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	1	100	M61-R4310
Fig. 14	PTL-79-461	B-461	White	3.750 (95.3)	0.750 (19.1)	1.000 (25.4)	1	100	M61-R4310	
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>										
0.5 mL	Fig. 15	B33-123-461	B-461	White	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	1	1,500	B30-R4300
	Fig. 15	B33-122-461	B-461	White	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	1	1,500	B30-R4300
	Fig. 14b	B33-127-461	B-461	White	2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	3	1,500	B30-R4300
1.5 mL	Fig. 14b	B33-133-461	B-461	White	1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	3	1,500	B30-R4300
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>										
0.5 mL	Fig. 15	THT-122-461-1.5-SC	B-461	White	0.500 (12.7)	1.800 (45.7)	0.750 (19.1)	1	1,500	R4313
	Fig. 15	THT-127-461-1.5-SC	B-461	White	0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	1	1,500	R4313
	Fig. 15	THT-123-461-1.5-SC	B-461	White	0.750 (19.1)	1.800 (45.7)	0.750 (19.1)	1	1,500	R4313
1.5 mL	Fig. 15	THT-133-461-1.5-SC	B-461	White	0.600 (15.2)	1.625 (41.3)	1.000 (25.4)	1	1,500	R4313
	Fig. 15	THT-153-461-1.5-SC	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	1,500	R4313
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>										
0.5 mL	Fig. 15	THT-123-461-3	B-461	White	0.375 (9.5)	1.800 (45.7)	0.750 (19.1)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-122-461-3	B-461	White	0.500 (12.7)	1.800 (45.7)	0.750 (19.1)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-127-461-3	B-461	White	0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	1	3,000	R4300 / IP-R4300
1.5 mL	Fig. 15	THT-133-461-3	B-461	White	0.600 (15.2)	1.625 (41.3)	1.000 (25.4)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-153-461-3	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	3,000	R4300 / IP-R4300

\*Tube sizes may vary by brand.

# General labels

## Bottle, flask and dish labels

Label options range from cost-effective paper to more durable materials with varying adhesive strengths, as well as nylon cloth that survives in harsh environments.

- B-424 – Paper label with good contrast and smear resistance
- B-430 – Clear high-performance polyester label
- B-432 – Clear polyester withstands exposure to solvents and exhibits good adhesion to metal and other surfaces
- B-449 – Removable white polypropylene for temporary labeling applications requiring clean removal. Also ideal for write-on applications
- B-488 – White polyester with moderate chemical resistance and short-term exposure to xylene, DMSO and ethanol
- B-490 – White polyester ideal for flat frozen surfaces. Adheres to frozen tubes and vials when wrapped around itself by at least 0.125 inch
- B-494 – Glossy polyester with a printed color bar that allows for quick visual differentiation between samples. Withstands liquid nitrogen, a variety of chemicals and more. Label dimensions listed below include the color bar area. Vial tops are solid color
- B-498 – Removable white vinyl cloth label for re-identification in general lab applications – can be applied directly on top of previous label
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-533 – Removable glossy white polyester for temporary labeling applications requiring clean removal
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen










Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>								
Fig. 33b	M21-250-430	B-430	Black on clear	0.250 (6.4)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-250-430-WT-CL	B-430	White on clear	0.250 (6.4)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-430	B-430	Black on clear	0.375 (9.5)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-430-WT-CL	B-430	White on clear	0.375 (9.5)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-430	B-430	Black on clear	0.500 (12.7)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-430-WT-CL	B-430	White on clear	0.500 (12.7)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-499	B-499	Black on clear	0.750 (19.1)	16 ft. (4.8 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-430	B-430	Black on clear	0.750 (19.1)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-430-WT-CL	B-430	White on clear	0.750 (19.1)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge

Bottle, flask and dish labels continue on next page.

## Bottle, flask and dish labels (continued)

Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®51 Label Printer cartridges</b>								
Fig. 82	M-130-499	B-499	Black on white	0.375 (9.5)	0.825 (21.0)	1	220	In cartridge
Fig. 82	M-131-498	B-498	Black on white	0.500 (12.7)	1.000 (25.4)	1	180	In cartridge
Fig. 82	M-131-499	B-499	Black on white	0.500 (12.7)	1.000 (25.4)	1	180	In cartridge
Fig. 2	M-17-432-CL-BK	B-432	Black on clear	1.000 (25.4)	0.500 (12.7)	1	280	In cartridge
Fig. 2	M-163-498	B-498	Black on white	1.000 (25.4)	0.500 (12.7)	1	180	In cartridge
Fig. 2	M-49-494-BL	B-494	Black on blue / white	1.000 (25.4)	1.000 (25.4)	1	260	In cartridge
Fig. 2	M-49-494-GN	B-494	Black on green / white	1.000 (25.4)	1.000 (25.4)	1	260	In cartridge
Fig. 2	M-49-494-OR	B-494	Black on orange / white	1.000 (25.4)	1.000 (25.4)	1	260	In cartridge
Fig. 2	M-49-494-PK	B-494	Black on pink / white	1.000 (25.4)	1.000 (25.4)	1	260	In cartridge
Fig. 2	M-49-494-RD	B-494	Black on red / white	1.000 (25.4)	1.000 (25.4)	1	260	In cartridge
Fig. 2	M-49-494-YL	B-494	Black on yellow / white	1.000 (25.4)	1.000 (25.4)	1	260	In cartridge
Fig. 2	M-103-498	B-498	Black on white	1.000 (25.4)	1.250 (31.8)	1	160	In cartridge
Fig. 82	M-128-498	B-498	Black on white	1.000 (25.4)	1.900 (48.3)	1	100	In cartridge
Fig. 2	M-132-499	B-499	Black on white	1.500 (38.1)	1.250 (31.8)	1	160	In cartridge
<b>BradyPrinter M611 label rolls</b>								
Fig. 2	M61-130-499	B-499	White	0.825 (21.0)	0.375 (9.5)	1	500	M61-R6210
Fig. 2	M61-18-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	1	250	M61-R4310
Fig. 2	M61-19-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	1	250	M61-R6410
Fig. 2	M61-19-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	1	250	M61-R6410
Fig. 2	M61-19-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	1	250	M61-R6410
Fig. 2	M61-19-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	1	250	M61-R6410
Fig. 2	M61-19-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	1	250	M61-R6410
Fig. 2	M61-19-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	1	250	M61-R6410
Fig. 82	M61-103-498	B-498	White	1.000 (25.4)	1.250 (31.8)	1	250	M61-R6210
Fig. 2	M61-132-499	B-499	White	1.500 (38.1)	1.250 (31.8)	1	250	M61-R6210
Fig. 2	M61-121-7425	B-7425	White	1.900 (48.3)	1.500 (38.1)	1	100	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 1	B33-68-490	B-490	White	0.500 (12.7)	0.750 (19.1)	4	2,500	B30-R4300
Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	4	1,500	B30-R6000
Fig. 1	B33-1-498	B-498	White	0.750 (19.1)	0.250 (6.4)	4	5,000	B30-R6200
Fig. 25	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1,500	B30-R6000
Fig. 1	B33-5-498	B-498	White	1.000 (25.4)	0.500 (12.7)	3	5,000	B30-R6200
Fig. 25	B33-88-498	B-498	White	1.000 (25.4)	0.750 (19.1)	2	2,500	B30-R6200
Fig. 2	B33-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R6400
Fig. 2	B33-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R6400
Fig. 2	B33-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R6400
Fig. 2	B33-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R6400
Fig. 2	B33-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R6400
Fig. 2	B33-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R6400
Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 1	B33-89-498	B-498	White	1.000 (25.4)	1.437 (36.5)	3	2,300	B30-R6200
Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	1	1,500	B30-R6000
Fig. 2	B33-258-7425	B-7425	White	1.500 (38.1)	1.750 (44.5)	1	900	B30-R4300
Fig. 2	B33-17-424	B-424	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 2	B33-17-430	B-430	Clear	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R6000
Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	1	1,100	B30-R6000
Fig. 2	B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 2	B33-18-424	B-424	White	3.000 (76.2)	1.000 (25.4)	1	1,500	B30-R4300
Fig. 2	B33-18-430	B-430	Clear	3.000 (76.2)	1.000 (25.4)	1	1,500	B30-R6000
Fig. 2	B33-19-424	B-424	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R4300
<b>BradyJet J2000 Printer label rolls</b>								
Fig. 2	J20-179-7425J	B-7425J	White	1.000 (25.4)	1.000 (25.4)	1	1,500	J20-CMY
Fig. 3	J20C-1125-7425J	B-7425J	White	1.125 (28.6)	100 ft. (30.5 m)	1	1 roll (cont.)	J20-CMY
Fig. 2	J20-258-7425J	B-7425J	White	1.500 (38.1)	1.750 (44.5)	1	900	J20-CMY
Fig. 2	J20-137-7425J	B-7425J	White	2.000 (50.8)	1.000 (25.4)	1	1,500	J20-CMY
Fig. 2	J20-260-7425J	B-7425J	White	2.170 (55.1)	3.350 (85.1)	1	340	J20-CMY
Fig. 3	J20C-2250-7425J	B-7425J	White	2.250 (57.2)	100 ft. (30.5 m)	1	1 roll (cont.)	J20-CMY
Fig. 2	J20-261-7425J	B-7425J	White	2.950 (74.9)	4.330 (110.0)	1	270	J20-CMY
Fig. 2	J20-18-7425J	B-7425J	White	3.000 (76.2)	1.000 (25.4)	1	1,000	J20-CMY
Fig. 2	J20-262-7425J	B-7425J	White	4.130 (104.9)	6.100 (154.9)	1	200	J20-CMY

Bottle, flask and dish labels continue on next page.

# General labels

## Bottle, flask and dish labels (continued)




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BBP®12 Printer and other industry printers using 1-inch small core label rolls</b>								
Fig. 25	THT-140-488-1.5-SC	B-488	White	0.900 (22.9)	0.750 (19.1)	2	1,500	R4313
Fig. 2	THT-59-498-2.5-SC	B-498	White	1.000 (25.4)	0.500 (12.7)	1	2,500	R6213
Fig. 2	THT-59-533-2.5-SC	B-533	White	1.000 (25.4)	0.500 (12.7)	1	2,500	R6013
Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	1	2,000	R6413
Fig. 2	THT-199-498-3-SC	B-498	White	1.050 (26.7)	0.250 (6.4)	1	3,000	R6213
Fig. 25	THT-6-449-1.5-SC	B-449	White	1.500 (38.1)	0.750 (19.1)	2	1,500	R4313
Fig. 2	THT-136-499-1.5-SC	B-499	White	1.500 (38.1)	0.750 (19.1)	1	1,500	R4913
Fig. 2	THT-258-7425-2-SC	B-7425	White	1.750 (44.5)	1.500 (38.1)	1	2,000	R6413
Fig. 2	THT-17-424-1.5-SC	B-424	White	2.000 (50.8)	1.000 (25.4)	1	1,500	R4313
Fig. 2	THT-17-498-1.5-SC	B-498	White	2.000 (50.8)	1.000 (25.4)	1	1,500	R6213
Fig. 2	THT-137-499-1.5-SC	B-499	White	2.000 (50.8)	1.000 (25.4)	1	1,500	R4913
Fig. 2	THT-17-533-1.5-SC	B-533	White	2.000 (50.8)	1.000 (25.4)	1	1,500	R6013
Fig. 2	THT-137-7425-2-SC	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R6413
Fig. 2	THT-18-424-1.5-SC	B-424	White	3.000 (76.2)	1.000 (25.4)	1	1,500	R4313
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 25	THT-140-488-3	B-488	White	0.900 (22.9)	0.750 (19.1)	2	3,000	R4302 / IP-R4302
Fig. 1	THT-5-488-10	B-488	White	1.000 (25.4)	0.500 (12.7)	3	10,000	R4307 / IP-R4307
Fig. 2	THT-59-498-10	B-498	White	1.000 (25.4)	0.500 (12.7)	1	2 rolls of 5,000	R6200 / IP-R6200
Fig. 2	THT-59-533-10	B-533	White	1.000 (25.4)	0.500 (12.7)	1	2 rolls of 5,000	R6000 / IP-R6000
Fig. 2	THT-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	1	3,000	R6402 / IP-R6402
Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-199-498-3	B-498	White	1.050 (26.7)	0.250 (6.4)	1	3,000	R6200 / IP-R6200
Fig. 25	THT-6-449-3	B-449	White	1.500 (38.1)	0.750 (19.1)	2	3,000	R4307 / IP-R4307
Fig. 2	THT-136-499-3	B-499	White	1.500 (38.1)	0.750 (19.1)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-258-7425-2	B-7425	White	1.750 (44.5)	1.500 (38.1)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-15-488-2.5	B-488	White	2.000 (50.8)	0.250 (6.4)	1	2,500	R4302 / IP-R4302
Fig. 2	THT-17-424-3	B-424	White	2.000 (50.8)	1.000 (25.4)	1	3,000	R4300 / IP-R4300
Fig. 2	THT-17-430-3	B-430	Clear	2.000 (50.8)	1.000 (25.4)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-17-498-3	B-498	White	2.000 (50.8)	1.000 (25.4)	1	3,000	R6200 / IP-R6200
Fig. 2	THT-137-499-3	B-499	White	2.000 (50.8)	1.000 (25.4)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-17-533-3	B-533	White	2.000 (50.8)	1.000 (25.4)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-137-7425-2	B-7425	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-18-424-3	B-424	White	3.000 (76.2)	1.000 (25.4)	1	3,000	R4307 / IP-R4307
Fig. 2	THT-18-430-3	B-430	Clear	3.000 (76.2)	1.000 (25.4)	1	3,000	R6002 / IP-R6002
Fig. 2	THT-19-430-1	B-430	Clear	3.000 (76.2)	2.000 (50.8)	1	1,000	R6002 / IP-R6002
Fig. 3	THT-21-430	B-430	Clear	3.000 (76.2)	300 ft. (91.4 m)	1	1 roll (cont.)	R6002 / IP-R6002

## Water-dissolvable glassware labels

Ideal for temporary applications where easy removal, re-identification or waste reduction are valued. Use in a variety of applications, including vial, tube or glassware labeling, temporary asset tracking and general labeling.

- B-403 – Water-dissolvable paper completely dissolves in warm water within 30 seconds, leaving no adhesive residue




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>								
Fig. 33b	M21-750-403	B-403	Black on white	0.750 (19.1)	21 ft. (6.4 m)	1	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>								
Fig. 33	MC-750-403	B-403	Black on white	0.750 (19.0)	25 ft. (7.6 m)	1	1 roll (cont.)	In cartridge
Fig. 33	MC-1500-403	B-403	Black on white	1.500 (38.1)	25 ft. (7.6 m)	1	1 roll (cont.)	In cartridge
<b>BradyPrinter M611 label rolls</b>								
Fig. 33	M61C-750-403	B-403	White	0.750 (19.0)	50 ft. (15.2 m)	1	1 roll (cont.)	M61-R4310
Fig. 33	M61C-1500-403	B-403	White	1.500 (38.1)	50 ft. (15.2 m)	1	1 roll (cont.)	M61-R4310
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 3	B30C-1125-403-WT	B-403	White	1.125 (28.6)	100 ft. (30.5 m)	1	1 roll (cont.)	B30-R4300
Fig. 3	B30C-2250-403-WT	B-403	White	2.250 (57.2)	100 ft. (30.5 m)	1	1 roll (cont.)	B30-R4300
Fig. 3	B30C-3000-403-WT	B-403	White	3.000 (76.2)	100 ft. (30.5 m)	1	1 roll (cont.)	B30-R4300
Fig. 3	B30C-4000-403-WT	B-403	White	4.000 (101.6)	100 ft. (30.5 m)	1	1 roll (cont.)	B30-R4300
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 3	THT-500-403	B-403	White	0.500 (12.7)	100 ft. (30.5 m)	1	1 roll (cont.)	R4306 / IP-R4306
Fig. 3	THT-750-403	B-403	White	0.750 (19.1)	100 ft. (30.5 m)	1	1 roll (cont.)	R4306 / IP-R4306
Fig. 3	THT-1000-403	B-403	White	1.000 (25.4)	100 ft. (30.5 m)	1	1 roll (cont.)	R4306 / IP-R4306
Fig. 3	THT-1125-403-WT	B-403	White	1.125 (28.6)	300 ft. (91.4 m)	1	1 roll (cont.)	R4306 / IP-R4306
Fig. 3	THT-1500-403	B-403	White	1.500 (38.1)	100 ft. (30.5 m)	1	1 roll (cont.)	R4302 / IP-R4302
Fig. 3	THT-2000-403	B-403	White	2.000 (50.8)	100 ft. (30.5 m)	1	1 roll (cont.)	R4302 / IP-R4302
Fig. 3	THT-2250-403-WT	B-403	White	2.250 (57.2)	300 ft. (91.4 m)	1	1 roll (cont.)	R4302 / IP-R4302
Fig. 3	THT-3000-403-WT	B-403	White	3.000 (76.2)	300 ft. (91.4 m)	1	1 roll (cont.)	R4300 / IP-R4300
Fig. 3	THT-4000-403-WT	B-403	White	4.000 (101.6)	300 ft. (91.4 m)	1	1 roll (cont.)	R4307 / IP-R4307

## Sterilization-indicating labels

Material indicates steam sterilization through a pre-printed header that appears when autoclaved at 250.7° F (121.5° C) for 10 minutes.

- B-7425-AC – Economical white polypropylene label with moderate chemical resistance. These labels must be applied to containers prior to being frozen – freezing may inhibit sterilization indication. Label dimensions listed below include the sterilized header area




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>								
Fig. 81	* B33-235-7425-AC	B-7425-AC	White	1.500 (38.1)	1.000 (25.4)	1	1,250	B30-R4300
Fig. 81	* B33-137-7425-AC	B-7425-AC	White	2.000 (50.8)	1.000 (25.4)	1	1,500	B30-R4300
<b>BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls</b>								
Fig. 81	* THT-235-7425-2-AC	B-7425-AC	White	1.000 (25.4)	1.500 (38.1)	1	2,000	R4306 / IP-R4306
Fig. 81	* THT-137-7425-2-AC	B-7425-AC	White	2.000 (50.8)	1.000 (25.4)	1	2,000	R4302 / IP-R4302

⚠ **WARNING:** Reproductive Harm [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# General labels

## Lean lab / visual workflow labels

Lean lab and visual workflow labels identify equipment, drawers and cabinets with workflow, instructions and reminders. Bright colors make messages highly visual and clear.

- B-595 – Vinyl labels with aggressive adhesive for general lab labeling
- B-439 – Permanent vinyl designed for use in ambient conditions and limited solvent exposure
- B-2595 – Inkjet-receptive vinyl that is highly conformable for use on rough or curved surfaces
- B-2569 – Inkjet-receptive polyester ideal for smooth surfaces and general lab labeling
- B-7425J – Economical, inkjet-receptive polypropylene with moderate chemical resistance




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per roll	Recommended ribbon
<b>BMP®21-LAB Label Printer cartridges</b>							
Fig. 33b	M21-250-595-WT	B-595	Black on white	0.250 (6.4)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-595-WT	B-595	Black on white	0.375 (9.5)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-595-WT	B-595	Black on white	0.500 (12.7)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-595-WT	B-595	Black on white	0.750 (19.1)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-250-595-YL	B-595	Black on yellow	0.250 (6.4)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-595-YL	B-595	Black on yellow	0.375 (9.5)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-595-YL	B-595	Black on yellow	0.500 (12.7)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-595-YL	B-595	Black on yellow	0.750 (19.1)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-595-RD	B-595	White on red	0.375 (9.5)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-595-RD	B-595	White on red	0.500 (12.7)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-595-RD	B-595	White on red	0.750 (19.1)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-595-BL	B-595	White on blue	0.375 (9.5)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-595-BL	B-595	White on blue	0.500 (12.7)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-595-BL	B-595	White on blue	0.750 (19.1)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-375-595-GN	B-595	White on green	0.375 (9.5)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-500-595-GN	B-595	White on green	0.500 (12.7)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
Fig. 33b	M21-750-595-GN	B-595	White on green	0.750 (19.1)	21 ft. (6.4 m)	1 roll (cont.)	In cartridge
<b>BMP®51 Label Printer cartridges</b>							
Fig. 33	MC-250-595-WT-BK	B-595	Black on white	0.250 (6.35)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-375-595-WT-BK	B-595	Black on white	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-500-595-WT-BK	B-595	Black on white	0.500 (12.70)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-750-595-WT-BK	B-595	Black on white	0.750 (19.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC1-1000-595-WT-BK	B-595	Black on white	1.000 (25.40)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-1500-595-WT-BK	B-595	Black on white	1.500 (38.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-250-595-YL-BK	B-595	Black on yellow	0.250 (6.35)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-375-595-YL-BK	B-595	Black on yellow	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-500-595-YL-BK	B-595	Black on yellow	0.500 (12.70)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-750-595-YL-BK	B-595	Black on yellow	0.750 (19.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC1-1000-595-YL-BK	B-595	Black on yellow	1.000 (25.40)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-1500-595-YL-BK	B-595	Black on yellow	1.500 (38.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-375-595-RD-WT	B-595	White on red	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-500-595-RD-WT	B-595	White on red	0.500 (12.70)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-750-595-RD-WT	B-595	White on red	0.750 (19.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC1-1000-595-RD-WT	B-595	White on red	1.000 (25.40)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-1500-595-RD-WT	B-595	White on red	1.500 (38.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge



## Lean lab / visual workflow labels (continued)

Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per roll	Recommended ribbon
Fig. 33	MC-500-595-BL-WT	B-595	White on blue	0.500 (12.70)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-750-595-BL-WT	B-595	White on blue	0.750 (19.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC1-1000-595-BL-WT	B-595	White on blue	1.000 (25.40)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-1500-595-BL-WT	B-595	White on blue	1.500 (38.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-500-595-GN-WT	B-595	White on green	0.500 (12.70)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-750-595-GN-WT	B-595	White on green	0.750 (19.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC1-1000-595-GN-WT	B-595	White on green	1.000 (25.40)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
Fig. 33	MC-1500-595-GN-WT	B-595	White on green	1.500 (38.10)	25 ft. (7.6 m)	1 roll (cont.)	In cartridge
<b>BradyPrinter M611 label rolls</b>							
Fig. 33	M61C-375-439	B-439	White	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M61-R6010
Fig. 33	M61C-500-595-WT	B-595	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010
Fig. 33	M61C-1000-595-WT	B-595	White	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010
Fig. 33	M61C-2000-595-WT	B-595	White	2.000 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010
Fig. 33	M61C-375-439-YL	B-439	Yellow	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M61-R6010
Fig. 33	M61C-500-595-YL	B-595	Yellow	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010
Fig. 33	M61C-1000-595-YL	B-595	Yellow	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010
Fig. 33	M61C-2000-595-YL	B-595	Yellow	2.000 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010
Fig. 33	M61C-500-595-RD	B-595	Red	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-1000-595-RD	B-595	Red	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-2000-595-RD	B-595	Red	2.000 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-500-595-BL	B-595	Blue	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-1000-595-BL	B-595	Blue	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-2000-595-BL	B-595	Blue	2.000 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-500-595-GN	B-595	Green	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-1000-595-GN	B-595	Green	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
Fig. 33	M61C-2000-595-GN	B-595	Green	2.000 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M61-R10010-WT
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>							
Fig. 3	B30C-500-595-WT	B-595	White	0.500 (12.7)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-1125-595-WT	B-595	White	1.125 (28.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-2250-595-WT	B-595	White	2.250 (57.2)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-3000-595-WT	B-595	White	3.000 (76.2)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-4000-595-WT	B-595	White	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-500-595-YL	B-595	Yellow	0.500 (12.7)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-1125-595-YL	B-595	Yellow	1.125 (28.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-2250-595-YL	B-595	Yellow	2.250 (57.2)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-3000-595-YL	B-595	Yellow	3.000 (76.2)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-4000-595-YL	B-595	Yellow	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000
Fig. 3	B30C-500-595-RD	B-595	Red	0.500 (12.7)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
Fig. 3	B30C-1125-595-RD	B-595	Red	1.125 (28.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
Fig. 3	B30C-2250-595-RD	B-595	Red	2.250 (57.2)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
Fig. 3	B30C-4000-595-RD	B-595	Red	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
Fig. 3	B30C-500-595-GN	B-595	Green	0.500 (12.7)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
Fig. 3	B30C-1125-595-GN	B-595	Green	1.125 (28.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
Fig. 3	B30C-2250-595-GN	B-595	Green	2.250 (57.2)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
Fig. 3	B30C-4000-595-GN	B-595	Green	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	B30-R10000-WT
<b>BradyJet J2000 Printer label rolls</b>							
Fig. 3	J20C-1125-2569	B-2569	White	1.125 (28.57)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-1125-2595	B-2595	White	1.125 (28.57)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-1125-7425J	B-7425J	White	1.125 (28.6)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 2	J20-260-2569	B-2569	White	2.170 (55.11)	3.350 (85.09)	340	J20-CMY
Fig. 2	J20-260-2595	B-2595	White	2.170 (55.11)	3.350 (85.09)	340	J20-CMY
Fig. 2	J20-260-7425J	B-7425J	White	2.170 (55.1)	3.350 (85.1)	340	J20-CMY
Fig. 3	J20C-2250-2569	B-2569	White	2.250 (57.15)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-2250-2595	B-2595	White	2.250 (57.15)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-2250-7425J	B-7425J	White	2.250 (57.15)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 2	J20-261-2569	B-2569	White	2.950 (74.93)	4.330 (109.98)	270	J20-CMY
Fig. 2	J20-261-2595	B-2595	White	2.950 (74.93)	4.330 (109.98)	270	J20-CMY
Fig. 2	J20-261-7425J	B-7425J	White	2.950 (74.93)	4.330 (109.98)	270	J20-CMY
Fig. 3	J20C-4000-2569	B-2569	White	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-4000-2595	B-2595	White	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 2	J20-262-2569	B-2569	White	4.130 (104.90)	6.100 (154.94)	200	J20-CMY
Fig. 2	J20-262-2595	B-2595	White	4.130 (104.90)	6.100 (154.94)	200	J20-CMY
Fig. 2	J20-262-7425J	B-7425J	White	4.130 (104.90)	6.100 (154.94)	200	J20-CMY

# General labels

## Globally Harmonized System (GHS) Labels

Brady carries blank and pre-printed labels to clearly communicate hazards and help keep you compliant with OSHA's Hazard Communication Standards.

- B-569 – Ultra-smooth polyester with permanent adhesive withstands mild chemicals, oil and water
- B-7569 – Vinyl labels with aggressive adhesive withstand exposure to moisture, chemicals and handling
- B-2595 – Inkjet-receptive vinyl that is highly conformable for use on rough or curved surfaces
- B-7425J – Inkjet-receptive polypropylene with moderate chemical resistance




Figure 2




Figure 3



Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per roll	Recommended ribbon
<b>BradyPrinter i3300 and BBP®33 Printer label rolls</b>							
	B30-260-7569-CLP1	B-7569	Red / white	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
	B30-261-7569-CLP1	B-7569	Red / white	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
	B30-262-7569-CLP1	B-7569	Red / white	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
	B30-260-7569-CLP2	B-7569	Red / white	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
	B30-261-7569-CLP2	B-7569	Red / white	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
	B30-262-7569-CLP2	B-7569	Red / white	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
	B30-260-7569-CLP3A	B-7569	Red / white	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
	B30-261-7569-CLP3A	B-7569	Red / white	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
	B30-262-7569-CLP3A	B-7569	Red / white	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
	B30-260-7569-CLP3B	B-7569	Red / white	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
	B30-261-7569-CLP3B	B-7569	Red / white	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
	B30-262-7569-CLP3B	B-7569	Red / white	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
	B30-260-7569-CLP4A	B-7569	Red / white	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
	B30-261-7569-CLP4A	B-7569	Red / white	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
	B30-262-7569-CLP4A	B-7569	Red / white	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
	B30-260-569-CLP4B	B-569	Red / white	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
	B30-260-7569-CLP4B	B-7569	Red / white	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
	B30-261-569-CLP4B	B-569	Red / white	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
	B30-261-7569-CLP4B	B-7569	Red / white	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
	B30-262-569-CLP4B	B-569	Red / white	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
	B30-262-7569-CLP4B	B-7569	Red / white	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
	B30-18-7569-CLP4C	B-7569	Red / white	1.000 (25.4)	3.000 (76.2)	1,000	B30-R10000
<b>BradyJet J2000 Printer label rolls</b>							
Fig. 3	J20C-1125-7425J	B-7425J	White	1.125 (28.57)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-1125-2595	B-2595	White	1.125 (28.57)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 2	J20-260-7425J	B-7425J	White	2.170 (55.11)	3.350 (85.09)	340	J20-CMY
Fig. 2	J20-260-2595	B-2595	White	2.170 (55.11)	3.350 (85.09)	340	J20-CMY
Fig. 3	J20C-2250-7425J	B-7425J	White	2.250 (57.15)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-2250-2595	B-2595	White	2.250 (57.15)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 2	J20-261-7425J	B-7425J	White	2.950 (74.93)	4.330 (109.98)	270	J20-CMY
Fig. 2	J20-261-2595	B-2595	White	2.950 (74.93)	4.330 (109.98)	270	J20-CMY
Fig. 2	J20-18-7425J	B-7425J	White	3.000 (76.20)	1.000 (25.40)	1,000	J20-CMY
Fig. 2	J20-18-2595	B-2595	White	3.000 (76.20)	1.000 (25.40)	1,000	J20-CMY
Fig. 3	J20C-4000-7425J	B-7425J	White	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 3	J20C-4000-2595	B-2595	White	4.000 (101.6)	100 ft. (30.5 m)	1 roll (cont.)	J20-CMY
Fig. 2	J20-262-7425J	B-7425J	White	4.130 (104.90)	6.100 (154.94)	200	J20-CMY
Fig. 2	J20-262-2595	B-2595	White	4.130 (104.90)	6.100 (154.94)	200	J20-CMY

## Die-cut GHS Pictogram Labels

Use these Die-cut GHS Pictogram Labels to alert employees to the potential dangers of the chemicals in your facility.



### Explosion hazard

*Explosives, self-reactives, organic peroxides*

Catalog #	Size	Material	Qty.
118815	0.625 in.	B-7569 Vinyl	39 / card
118869	0.625 in.	B-235 Paper	39 / card
118816	1 in.	B-7569 Vinyl	16 / card
118870	1 in.	B-235 Paper	16 / card
118817	2 in.	B-7569 Vinyl	4 / card
118871	2 in.	B-235 Paper	4 / card



### Flame

*Flammable gases, liquids and solids, pyrophorics, self-reactives, self-heating*

Catalog #	Size	Material	Qty.
118821	0.625 in.	B-7569 Vinyl	39 / card
118875	0.625 in.	B-235 Paper	39 / card
118822	1 in.	B-7569 Vinyl	16 / card
118876	1 in.	B-235 Paper	16 / card
118823	2 in.	B-7569 Vinyl	4 / card
118877	2 in.	B-235 Paper	4 / card



### Flame over circle

*Oxidizers, organic peroxides*

Catalog #	Size	Material	Qty.
118827	0.625 in.	B-7569 Vinyl	39 / card
118881	0.625 in.	B-235 Paper	39 / card
118828	1 in.	B-7569 Vinyl	16 / card
118882	1 in.	B-235 Paper	16 / card
118829	2 in.	B-7569 Vinyl	4 / card
118883	2 in.	B-235 Paper	4 / card



### Gas cylinder

*Compressed gases, liquefied gases, dissolved gases*

Catalog #	Size	Material	Qty.
118833	0.625 in.	B-7569 Vinyl	39 / card
118887	0.625 in.	B-235 Paper	39 / card
118834	1 in.	B-7569 Vinyl	16 / card
118888	1 in.	B-235 Paper	16 / card
118835	2 in.	B-7569 Vinyl	4 / card
118889	2 in.	B-235 Paper	4 / card



### Corrosion

*Corrosives to metal, skin corrosion, eye damage*

Catalog #	Size	Material	Qty.
118839	0.625 in.	B-7569 Vinyl	39 / card
118893	0.625 in.	B-235 Paper	39 / card
118840	1 in.	B-7569 Vinyl	16 / card
118894	1 in.	B-235 Paper	16 / card
118841	2 in.	B-7569 Vinyl	4 / card
118895	2 in.	B-235 Paper	4 / card



### Skull and crossbones

*Acute toxicity (severe, fatal)*

Catalog #	Size	Material	Qty.
118845	0.625 in.	B-7569 Vinyl	39 / card
118899	0.625 in.	B-235 Paper	39 / card
118846	1 in.	B-7569 Vinyl	16 / card
118900	1 in.	B-235 Paper	16 / card
118847	2 in.	B-7569 Vinyl	4 / card
118901	2 in.	B-235 Paper	4 / card



### Health hazard

*Carcinogens, respiratory sensitizers, reproductive toxicity, target organ toxicity, germ cell mutagens*

Catalog #	Size	Material	Qty.
118851	0.625 in.	B-7569 Vinyl	39 / card
118905	0.625 in.	B-235 Paper	39 / card
118852	1 in.	B-7569 Vinyl	16 / card
118906	1 in.	B-235 Paper	16 / card
118853	2 in.	B-7569 Vinyl	4 / card
118907	2 in.	B-235 Paper	4 / card



### Exclamation mark

*Irritant, dermal sensitizer, acute toxicity (harmful)*

Catalog #	Size	Material	Qty.
118857	0.625 in.	B-7569 Vinyl	39 / card
118911	0.625 in.	B-235 Paper	39 / card
118858	1 in.	B-7569 Vinyl	16 / card
118912	1 in.	B-235 Paper	16 / card
118859	2 in.	B-7569 Vinyl	4 / card
118913	2 in.	B-235 Paper	4 / card



### Environment

*Aquatic toxicity*

Catalog #	Size	Material	Qty.
118863	0.625 in.	B-7569 Vinyl	39 / card
118917	0.625 in.	B-235 Paper	39 / card
118864	1 in.	B-7569 Vinyl	16 / card
118918	1 in.	B-235 Paper	16 / card
118865	2 in.	B-7569 Vinyl	4 / card
118919	2 in.	B-235 Paper	4 / card

# General labels

## Biohazard identification solutions

With the increasing need for emergency preparedness, your facility must be ready to effectively identify and warn of biohazard materials and processes in order to keep patients, employees and the public safe. The most essential step toward safety is the clear and instantly readable identification of all biohazard areas and waste products.

### Critical regulations for biohazard identification

OSHA 29 CFR 1910.1030 Bloodborne Pathogens	Labels are required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.
DOT 49 CFR 172.400(b) Labeling Requirements	Labeling is required for infectious substances that meet one or more hazard classifications.
UN2814 Infectious Substances	Ebola virus defined as Category A infectious substance.



### Non-Adhesive Biohazard Barricade Tape

- Non-adhesive barricade tape to warn of biohazard areas

Catalog #	Size	Material	Qty.
91447	3 in. x 200 ft.	Polyethylene	1



### Toughstripe® Floor Marking Tape

- Highly durable self-sticking floor marking tape to warn of biohazard areas

Catalog #	Size	Material	Qty.
132434	3 in. x 100 ft.	Polyester	1



### Toughstripe Floor Marking Sign

- Black areas of floor sign are coated with anti-skid treads that help to prevent slips, trips and falls

Catalog #	Size	Material	Qty.
104506	14 in. x 18 in.	Polyester	1



### Biohazard Tape and Labels

- Self-sticking vinyl is ideal for clearly identifying biohazard areas or containers

Catalog #	Size	Material	Qty.
88051	2 in. x 108 ft.	Vinyl	1 roll
LH625E	4 in. x 2.875 in.	Vinyl	25/pk



### Waste Disposal Bags

- 3-mil polyethylene bag for disposal of biohazard waste

Catalog #	Size (H x W x D)	Qty.
145586	16 in. x 14 in. x 36 in.	100
145587	30 in. x 14 in. x 39 in.	100



### Exposure Control Binder

- Highly visible binder for storing up to 300 pages of your exposure control plan

Catalog #	Size	Qty.
BH2023	1.5-in. ring binder	1



## Create custom laboratory signs at BradyID.com

We understand that sometimes you need a sign that is unique to your own lab. With Brady's wide variety of custom sign options, you can create a sign with the exact message you need in the material and size you want.

## Laboratory Safety Signs

Brady Safety Signs are used to identify equipment, rooms and materials that contain, or are contaminated with, hazardous agents.



62550	7 in. x 10 in.	FB
62812	10 in. x 14 in.	FB
21800	7 in. x 10 in.	PL
26675	10 in. x 14 in.	PL
83928	3.5 in. x 5 in.	SS
83753	7 in. x 10 in.	SS
46753	10 in. x 14 in.	AL



69768	10 in. x 14 in.	FB
25742	7 in. x 10 in.	PL
25743	10 in. x 14 in.	PL
89170	3.5 in. x 5 in.	SS
85553	7 in. x 10 in.	SS
85554	10 in. x 14 in.	SS



126649	7 in. x 10 in.	PL
126652	10 in. x 14 in.	PL
126650	7 in. x 10 in.	SS
126653	10 in. x 14 in.	SS
126648	7 in. x 10 in.	AL
126651	10 in. x 14 in.	AL



126625	10 in. x 7 in.	PL
126628	14 in. x 10 in.	PL
126626	10 in. x 7 in.	SS
126629	14 in. x 10 in.	SS
126624	10 in. x 7 in.	AL
126627	14 in. x 10 in.	AL



126643	10 in. x 7 in.	PL
126646	14 in. x 10 in.	PL
126644	10 in. x 7 in.	SS
126647	14 in. x 10 in.	SS
126642	10 in. x 7 in.	AL
126645	14 in. x 10 in.	AL



126637	10 in. x 7 in.	PL
126640	14 in. x 10 in.	PL
126638	10 in. x 7 in.	SS
126641	14 in. x 10 in.	SS
126636	10 in. x 7 in.	AL
126639	14 in. x 10 in.	AL



126631	10 in. x 7 in.	PL
126634	14 in. x 10 in.	PL
126632	10 in. x 7 in.	SS
126635	14 in. x 10 in.	SS
126630	10 in. x 7 in.	AL
126633	14 in. x 10 in.	AL



69813	14 in. x 10 in.	FB
89158	10 in. x 7 in.	SS
89159	14 in. x 10 in.	SS



126680	7 in. x 10 in.	SS
126683	10 in. x 14 in.	SS
126679	7 in. x 10 in.	PL
126682	10 in. x 14 in.	PL
126678	7 in. x 10 in.	AL
126681	10 in. x 14 in.	AL



126668	7 in. x 10 in.	SS
126671	10 in. x 14 in.	SS
126667	7 in. x 10 in.	PL
126670	10 in. x 14 in.	PL
126666	7 in. x 10 in.	AL
126669	10 in. x 14 in.	AL



126674	7 in. x 10 in.	SS
126677	10 in. x 14 in.	SS
126673	7 in. x 10 in.	PL
126676	10 in. x 14 in.	PL
126672	7 in. x 10 in.	AL
126675	10 in. x 14 in.	AL



122820	7 in. x 10 in.	FB
70240	10 in. x 14 in.	FB
84351	7 in. x 10 in.	SS
84352	10 in. x 14 in.	SS
22311	7 in. x 10 in.	PL
22312	10 in. x 14 in.	PL
122406	7 in. x 10 in.	AL
40876	10 in. x 14 in.	AL



126158	7 in. x 10 in.	SS
126161	10 in. x 14 in.	SS
126157	7 in. x 10 in.	PL
126160	10 in. x 14 in.	PL
126159	10 in. x 14 in.	AL



70258	10 in. x 14 in.	FB
122650	7 in. x 10 in.	SS
84368	10 in. x 14 in.	SS
22323	7 in. x 10 in.	PL
22324	10 in. x 14 in.	PL
40887	7 in. x 10 in.	AL
40888	10 in. x 14 in.	AL



69097	10 in. x 14 in.	FB
84054	7 in. x 10 in.	SS
84055	10 in. x 14 in.	SS
22082	10 in. x 14 in.	PL
40645	7 in. x 10 in.	AL
40646	10 in. x 14 in.	AL



75639	10 in. x 14 in.	FB
85167	7 in. x 10 in.	SS
85168	10 in. x 14 in.	SS
25654	7 in. x 10 in.	PL
25655	10 in. x 14 in.	PL
43231	7 in. x 10 in.	AL
43232	10 in. x 14 in.	AL



73436	14 in. x 20 in.	FB
85165	7 in. x 10 in.	SS
25652	7 in. x 10 in.	PL
25653	10 in. x 14 in.	PL
43230	10 in. x 14 in.	AL



70350	7 in. x 17 in.	FB
25898	10 in. x 14 in.	PL
43475	10 in. x 14 in.	AL



122826	7 in. x 10 in.	FB
84397	7 in. x 10 in.	SS
84398	10 in. x 14 in.	SS
122519	7 in. x 10 in.	PL
25441	10 in. x 14 in.	PL
43017	7 in. x 10 in.	AL
43018	10 in. x 14 in.	AL



70582	10 in. x 14 in.	FB
88627	7 in. x 10 in.	SS
88628	10 in. x 14 in.	SS
25222	7 in. x 10 in.	PL
25223	10 in. x 14 in.	PL
42799	7 in. x 10 in.	AL
42800	10 in. x 14 in.	AL



84463	7 in. x 10 in.	SS
22355	7 in. x 10 in.	PL
22356	10 in. x 14 in.	PL



84469	7 in. x 10 in.	SS
22362	10 in. x 14 in.	PL
40925	7 in. x 10 in.	AL



129158	7 in. x 10 in.	SS
129161	10 in. x 14 in.	SS
129157	7 in. x 10 in.	PL
129160	10 in. x 14 in.	PL
129156	7 in. x 10 in.	AL
129159	10 in. x 14 in.	AL



88543	7 in. x 10 in.	SS
88544	10 in. x 14 in.	SS
25194	7 in. x 10 in.	PL
25195	10 in. x 14 in.	PL
42771	7 in. x 10 in.	AL
42772	10 in. x 14 in.	AL



47056	7 in. x 10 in.	FB
47094	10 in. x 14 in.	FB
84973	7 in. x 10 in.	SS
22579	7 in. x 10 in.	PL
22580	10 in. x 14 in.	PL
41143	7 in. x 10 in.	AL



126052	10 in. x 14 in.	PL
--------	-----------------	----



74455	10 in. x 14 in.	FB
87782	3.5 in. x 5 in.	SS
85097	7 in. x 10 in.	SS
85098	10 in. x 14 in.	SS
25610	7 in. x 10 in.	PL
25611	10 in. x 14 in.	PL
43187	7 in. x 10 in.	AL
43188	10 in. x 14 in.	AL



30673	7 in. x 10 in.	SS
30670	10 in. x 14 in.	AL



30674	7 in. x 10 in.	SS
30671	10 in. x 14 in.	AL



90933	5 in. x 14 in.	BGPL
-------	----------------	------

# Absorbents

## Brady SPC absorbents

Be prepared for spills and accidental leaks with absorbent products designed for laboratory work areas. Brady SPC spill control products offer immediate absorption of biohazards and chemicals, therefore limiting your exposure to hazardous conditions while helping you meet OSHA and EPA CFR 1910.40, 112.261 regulations.



### High-Visibility Safety Absorbents

- Highly absorbent for all-purpose laboratory applications
- Signage and an absorbent in one unique product

Catalog #	Type	Size	Qty.
<b>With safety print</b>			
CH100	Heavy-wt. pad*	15 in. x 19 in.	100
CH200	Light-wt. pad*	15 in. x 19 in.	200
MXP-C20	Light-wt. pad*	15 in. x 19 in.	5
CH303	Medium-wt. roll*	30 in. x 300 ft.	1
CH30DP	Heavy-wt. roll*	30 in. x 150 ft.	1
CH15DP	Heavy-wt. roll*	15 in. x 150 ft.	1
<b>Without safety print</b>			
CH1212	Medium-wt. pad	12 in. x 12 in.	200
CH1212-50	Medium-wt. pad	12 in. x 12 in.	50

\*Perforated



### MRO Plus® Absorbents

- All-purpose absorbent for water-, petroleum- and chemical-based fluids
- Perforated to help you reduce waste by using only what you need

Catalog #	Type	Size	Qty.
MRO100	Heavy-wt. pad*	15 in. x 19 in.	100
MRO300	Medium-wt. pad*	15 in. x 19 in.	100
MRO15P	Heavy-wt. roll*	15 in. x 150 ft.	1
MRO350DP	Medium-wt. roll*	30 in. x 150 ft.	1

\*Perforated



### Universal Plus Absorbents

- Dimpled and perforated green universal absorbent is chemically inert and ideal for aggressive fluids
- 3-ply construction makes it stronger, more durable and reduces lint

Catalog #	Type	Size	Qty.
SPCUN1719	Medium-wt. pad*	15 in. x 19 in.	100
SPCUN1113	Medium-wt. pad	12 in. x 12 in.	200
SPCUN1113-50	Medium-wt. pad	12 in. x 12 in.	50
SRPH200	Heavy-wt. pad	7.5 in. x 10 in.	200
SRPH100	Heavy-wt. pad	7.5 in. x 10 in.	100
SPCUN3800	Medium-wt. roll*	30 in. x 150 ft.	1
SPCUN1019	Medium-wt. roll*	15 in. x 150 ft.	2

\*Perforated



### Adhesive Absorbent Mats

- Adheres to any surface, reducing the likelihood of slips, trips and falls
- Removes without leaving any residue

Catalog #	Type	Size	Qty.
AD15100	Heavy-wt. roll	15 in. x 100 ft.	1
AD30100	Heavy-wt. roll	30 in. x 100 ft.	1



### Spill Response Plus Universal Plus Absorbents

- Small size makes it ideal for use anywhere in your lab
- Chemically inert making it ideal for aggressive fluids

Catalog #	Type	Size	Qty.
SRPH100	Heavy-wt. pad	7.5 in. x 10 in.	100
SRPH200	Heavy-wt. pad	7.5 in. x 10 in.	200
SRPH75P	Heavy-wt. roll*	7.5 in. x 50 in.	1

\*Perforated



### HAZWIK® SOCs and Pillows

- SOCs easily mold around spills, while pillows are ideal for extra protection during packaging and transport

Catalog #	Type	Size	Qty.
HAZ124	SOC	3 in. x 12 ft.	4
HAZ412	SOC	3 in. x 4 ft.	12
HAZ1818	Pillow	18 in. x 18 in.	16
HAZ1818-2	Pillow	18 in. x 18 in.	8
HAZ99	Pillow	9 in. x 9 in.	32



## Economy Spill Kit

- Absorbs up to 5 gallons per kit
- Dimensions: 20 in. L x 16 in. W x 4 in. H
- Contents:
  - 10 pads (15 in. x 19 in.)
  - 2 SOC's (3 in. x 4 ft.)
  - 1 pair nitrile gloves
  - 1 instruction sheet
  - 1 disposal bag

Catalog #	Type	Qty.
SKH-PP †	Chemical	1



## 2-Gallon Spill Response Plus Spill Kit

- Absorbs up to 4.5 gallons per kit
- Dimensions: 9.75 in. dia. x 10.5 in. H
- Contents:
  - 20 pads (7.5 in. x 10 in.)
  - 1 disposal bag
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKH-SRP	Chemical	1



## Attack Pac Spill Kit

- Absorbs up to 7 gallons per kit
- Dimensions: 20 in. L x 16 in. W x 4 in. H
- Contents:
  - 15 pads (15 in. x 19 in.)
  - 3 SOC's (3 in. x 4 ft.)
  - 1 disposal bag
  - 1 pair goggles
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKH-ATK	Chemical	4



## 6.5-Gallon Spill Bucket

- Absorbs up to 10 gallons per kit
- Dimensions: 14 in. dia. x 18 in. H
- Contents:
  - 10 pads (15 in. x 19 in.)
  - 3 SOC's (3 in. x 4 ft.)
  - 2 disposal bags
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKH-BKT	Chemical	1



## Emergency Response Kit

- Absorbs up to 15 gallons per kit
- Dimensions: 25.5 in. L x 17 in. W x 21.5 in. H
- Contents:
  - 32 pads (15 in. x 19 in.)
  - 5 SOC's (3 in. x 12 ft.)
  - 1 pillow (17 in. x 19 in.)
  - 2 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKH-CFB	Chemical	1



## 20-Gallon Lab Pack

- Absorbs up to 17 gallons per kit
- Dimensions: 21 in. dia. x 18 in. H
- Contents:
  - 12 pads (15 in. x 19 in.)
  - 3 SOC's (3 in. x 12 ft.)
  - 2 pillows (18 in. x 18 in.)
  - 3 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emergency Response Guidebook

Catalog #	Type	Qty.
SKH-20	Chemical	1



## Slikstopper Drain Seal

- Flexible and chemical-resistant PVC tightly seals drains
- Clean up with soap and water for reuse

Catalog #	Description	Size	Qty.
PVC24	Slikstopper	24 in. x 24 in.	1
PVC18	Slikstopper	18 in. x 18 in.	1



## Spill Control Cart

- Secure storage with locking handle (2 keys included), one fixed interior shelf and 3-inch backstop on top surface

Catalog #	Size	Qty.
SC-Cart	36 in. x 18 in. x 38.375 in.	1

Absorbents sold separately.



## Spill Control Cabinet

- 2 fully adjustable shelves included
- Durable construction and wall mountable
- Clear window allows for easy inventory

Catalog #	Size	Qty.
SC-Cabinet	19.875 in. x 14.25 in. x 32.75 in.	1

Absorbents sold separately.

† **WARNING:** Cancer and Reproductive Harm [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# Labels by size index



## BMP®21-LAB Printer labels by size

Label width (A)	Label height (B)	Material	Catalog #	Pg
0.250 (6.4)	21 ft. (6.4 m)	B-430	M21-250-430	28
0.250 (6.4)	21 ft. (6.4 m)	B-430	M21-250-430-WT-CL	52
0.250 (6.4)	21 ft. (6.4 m)	B-595	M21-250-595-WT	56
0.250 (6.4)	21 ft. (6.4 m)	B-595	M21-250-595-YL	56
0.375 (9.5)	16 ft. (4.8 m)	B-499	M21-375-499	46
0.375 (9.5)	21 ft. (6.4 m)	B-430	M21-375-430	28
0.375 (9.5)	21 ft. (6.4 m)	B-430	M21-375-430-WT-CL	52
0.375 (9.5)	21 ft. (6.4 m)	B-488	M21-375-488	30
0.375 (9.5)	21 ft. (6.4 m)	B-595	M21-375-595-WT	56
0.375 (9.5)	21 ft. (6.4 m)	B-595	M21-375-595-YL	56
0.375 (9.5)	21 ft. (6.4 m)	B-595	M21-375-595-BL	56
0.375 (9.5)	21 ft. (6.4 m)	B-595	M21-375-595-GN	56
0.375 (9.5)	21 ft. (6.4 m)	B-595	M21-375-595-RD	56
0.375 (9.5)	21 ft. (6.4 m)	B-7425	M21-375-7425	28
0.375 (9.5)	21 ft. (6.4 m)	B-461	M21-375-461	34
0.500 (12.7)	16 ft. (4.8 m)	B-499	M21-500-499	32
0.500 (12.7)	21 ft. (6.4 m)	B-430	M21-500-430	26
0.500 (12.7)	21 ft. (6.4 m)	B-430	M21-500-430-WT-CL	52
0.500 (12.7)	21 ft. (6.4 m)	B-488	M21-500-488	30
0.500 (12.7)	21 ft. (6.4 m)	B-595	M21-500-595-WT	56

Label width (A)	Label height (B)	Material	Catalog #	Pg
0.500 (12.7)	21 ft. (6.4 m)	B-595	M21-500-595-YL	56
0.500 (12.7)	21 ft. (6.4 m)	B-595	M21-500-595-BL	56
0.500 (12.7)	21 ft. (6.4 m)	B-595	M21-500-595-GN	56
0.500 (12.7)	21 ft. (6.4 m)	B-595	M21-500-595-RD	56
0.500 (12.7)	21 ft. (6.4 m)	B-7425	M21-500-7425	26
0.500 (12.7)	21 ft. (6.4 m)	B-461	M21-500-461	34
0.750 (19.1)	16 ft. (4.8 m)	B-499	M21-750-499	32
0.750 (19.1)	21 ft. (6.4 m)	B-403	M21-750-403	55
0.750 (19.1)	21 ft. (6.4 m)	B-430	M21-750-430	26
0.750 (19.1)	21 ft. (6.4 m)	B-430	M21-750-430-WT-CL	52
0.750 (19.1)	21 ft. (6.4 m)	B-488	M21-750-488	30
0.750 (19.1)	21 ft. (6.4 m)	B-595	M21-750-595-WT	56
0.750 (19.1)	21 ft. (6.4 m)	B-595	M21-750-595-YL	56
0.750 (19.1)	21 ft. (6.4 m)	B-595	M21-750-595-BL	56
0.750 (19.1)	21 ft. (6.4 m)	B-595	M21-750-595-GN	56
0.750 (19.1)	21 ft. (6.4 m)	B-595	M21-750-595-RD	56
0.750 (19.1)	21 ft. (6.4 m)	B-7425	M21-750-7425	26
0.750 (19.1)	21 ft. (6.4 m)	B-461	M21-750-461	34





# Labels by size index



## BradyPrinter M611 labels by size

Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
0.250 (6.4)	2.000 (50.8)	-	B-7425	M61-2-7425	28
0.375 (9.5)	0.375 (9.5)	-	B-492	M61-82-492	36
0.375 (9.5)	0.375 (9.5)	-	B-499	M61-82-499-OR	36
0.375 (9.5)	0.375 (9.5)	-	B-499	M61-82-499-RD	36
0.375 (9.5) dia.	-	-	B-499	PTL-82-499	36
0.375 (9.5) dia.	-	-	B-499	PTL-82-499-YL	36
0.375 (9.5)	30 ft. (9.1 m)	-	B-499	M61C-375-499	35
0.375 (9.5)	50 ft. (15.2 m)	-	B-439	M61C-375-439	57
0.375 (9.5)	50 ft. (15.2 m)	-	B-439	M61C-375-439-YL	57
0.375 (9.5)	50 ft. (15.2 m)	-	B-461	M61C-375-461	35
0.500 (12.7)	0.500 (12.7)	-	B-492	M61-83-492	36
0.500 (12.7)	0.500 (12.7)	-	B-499	M61-83-499-OR	36
0.500 (12.7)	0.500 (12.7)	-	B-499	M61-83-499-RD	36
0.500 (12.7)	1.000 (25.4)	-	B-499	M61-47-499	35
0.500 (12.7)	1.650 (41.9)	-	B-490	M61-124-490	32
0.500 (12.7)	1.650 (41.9)	-	B-492	M61-124-492	35
0.500 (12.7) dia.	-	-	B-499	PTL-83-499	36
0.500 (12.7) dia.	-	-	B-499	PTL-83-499-YL	36
0.500 (12.7)	30 ft. (9.1 m)	-	B-499	M61C-500-499	35
0.500 (12.7)	50 ft. (15.2 m)	-	B-492	M61C-500-492	47
0.500 (12.7)	50 ft. (15.2 m)	-	B-595	M61C-500-595-BL	57
0.500 (12.7)	50 ft. (15.2 m)	-	B-595	M61C-500-595-GN	57
0.500 (12.7)	50 ft. (15.2 m)	-	B-595	M61C-500-595-RD	57
0.500 (12.7)	50 ft. (15.2 m)	-	B-595	M61C-500-595-WT	57
0.500 (12.7)	50 ft. (15.2 m)	-	B-595	M61C-500-595-YL	57
0.500 (12.7)	50 ft. (15.2 m)	-	B-461	M61C-500-461	35
0.600 (15.2)	1.625 (41.3)	0.375 (9.5) dia.	B-492	M61-205-492	36
0.750 (19.1)	0.750 (19.1)	-	B-481	M61-194-481	30
0.750 (19.1)	0.900 (22.9)	-	B-488	PTL-80-488	30
0.750 (19.1)	30 ft. (9.1 m)	-	B-499	M61C-750-499	35
0.750 (19.0)	50 ft. (15.2 m)	-	B-403	M61C-750-403	55
0.825 (21.0)	0.375 (9.5)	-	B-492	M61-130-492	35
0.825 (21.0)	0.375 (9.5)	-	B-499	M61-130-499	35
0.900 (22.9)	0.375 (9.5)	-	B-481	M61-195-481	30
0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	B-492	M61-117-492	35
0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	B-499	PTL-117-499	35
0.900 (22.9)	0.900 (22.9)	-	B-481	M61-97-481	30
0.900 (22.9)	0.900 (22.9)	-	B-488	PTL-97-488	30
0.900 (22.9)	1.000 (25.4)	-	B-492	M61-156-492	36
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-492	M61-98-492	35
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-494	M61-98-494-BL	35
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-494	M61-98-494-GN	35
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-494	M61-98-494-OR	35
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-494	M61-98-494-PK	35
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-494	M61-98-494-RD	35
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-494	M61-98-494-YL	35
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-499	PTL-98-499	36

Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-7425	M61-98-7425	35
1.000 (25.4)	0.500 (12.7)	-	B-492	M61-17-492	36
1.000 (25.4)	0.500 (12.7)	-	B-494	M61-17-494-BL	36
1.000 (25.4)	0.500 (12.7)	-	B-494	M61-17-494-GN	36
1.000 (25.4)	0.500 (12.7)	-	B-494	M61-17-494-OR	36
1.000 (25.4)	0.500 (12.7)	-	B-494	M61-17-494-PK	36
1.000 (25.4)	0.500 (12.7)	-	B-494	M61-17-494-RD	36
1.000 (25.4)	0.500 (12.7)	-	B-494	M61-17-494-YL	36
1.000 (25.4)	0.500 (12.7)	-	B-7425	M61-17-7425	36
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-492	M61-120-492	36
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-499	M61-120-499	36
1.000 (25.4)	0.750 (19.1)	-	B-7425	M61-18-7425	26
1.000 (25.4)	1.000 (25.4)	-	B-492	M61-19-492	36
1.000 (25.4)	1.000 (25.4)	-	B-494	M61-19-494-BL	26
1.000 (25.4)	1.000 (25.4)	-	B-494	M61-19-494-GN	26
1.000 (25.4)	1.000 (25.4)	-	B-494	M61-19-494-OR	26
1.000 (25.4)	1.000 (25.4)	-	B-494	M61-19-494-PK	26
1.000 (25.4)	1.000 (25.4)	-	B-494	M61-19-494-RD	26
1.000 (25.4)	1.000 (25.4)	-	B-494	M61-19-494-YL	26
1.000 (25.4)	1.250 (31.8)	-	B-498	M61-103-498	53
1.000 (25.4)	1.750 (44.5)	-	B-490	M61-203-490	36
1.000 (25.4)	1.750 (44.5)	-	B-492	M61-203-492	36
1.000 (25.4)	1.900 (48.3)	-	B-492	M61-204-492	44
1.000 (25.4)	30 ft. (9.1 m)	-	B-499	M61C-1000-499	44
1.000 (25.4)	50 ft. (15.2 m)	-	B-595	M61C-1000-595-BL	57
1.000 (25.4)	50 ft. (15.2 m)	-	B-595	M61C-1000-595-GN	57
1.000 (25.4)	50 ft. (15.2 m)	-	B-595	M61C-1000-595-RD	57
1.000 (25.4)	50 ft. (15.2 m)	-	B-595	M61C-1000-595-WT	57
1.000 (25.4)	50 ft. (15.2 m)	-	B-595	M61C-1000-595-YL	57
1.000 (25.4)	50 ft. (15.2 m)	-	B-461	M61C-1000-461	36
1.250 (31.8)	0.375 (9.5)	-	B-490	PTL-112-490	48
1.250 (31.7)	50 ft. (15.2 m)	-	B-461	M61C-1250-461	44
1.300 (33.0)	0.600 (15.2)	-	B-7425	M61-199-7425	36
1.500 (38.1)	1.000 (25.4)	-	B-7425	M61-31-7425	36
1.500 (38.1)	1.250 (31.8)	-	B-499	M61-132-499	32
1.500 (38.1)	2.200 (55.9)	-	B-490	PTL-113-490	36
1.500 (38.1)	3.875 (98.4)	-	B-490	PTL-114-490	44
1.500 (38.1)	50 ft. (15.2 m)	-	B-403	M61C-1500-403	55
1.625 (41.3)	0.600 (15.2)	-	B-490	PTL-76-490	32
1.800 (45.7)	0.600 (15.2)	-	B-490	M61-126-490	36
1.900 (48.3)	1.000 (25.4)	-	B-490	PTL-78-490	44
1.900 (48.3)	1.500 (38.1)	-	B-7425	M61-121-7425	32
2.000 (50.8)	50 ft. (15.2 m)	-	B-595	M61C-2000-595-BL	57
2.000 (50.8)	50 ft. (15.2 m)	-	B-595	M61C-2000-595-GN	57
2.000 (50.8)	50 ft. (15.2 m)	-	B-595	M61C-2000-595-RD	57
2.000 (50.8)	50 ft. (15.2 m)	-	B-595	M61C-2000-595-WT	57
2.000 (50.8)	50 ft. (15.2 m)	-	B-595	M61C-2000-595-YL	57

## BradyPrinter M611 self-laminating labels by size

Label width (A)	Label height (B)	Print-on area (C)	Material	Catalog #	Pg
0.500 (12.7)	1.650 (41.9)	0.750 (19.1)	B-461	M61-202-461	51
0.600 (15.2)	1.800 (45.7)	1.000 (25.4)	B-461	M61-201-461	39
0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	B-461	PTL-96-461	39
1.000 (25.4)	1.750 (44.5)	1.000 (25.4)	B-461	M61-203-461	39
1.000 (25.4)	2.625 (66.7)	1.000 (25.4)	B-461	PTL-75-461-YL	39
1.125 (28.6)	0.375 (9.5)	0.750 (19.1)	B-461	M61-123-461	51
1.125 (28.6)	0.500 (12.7)	0.750 (19.1)	B-461	M61-122-461	51
1.500 (38.1)	0.187 (4.75)	0.700 (17.8)	B-461	PTL-108-461	39

Label width (A)	Label height (B)	Print-on area (C)	Material	Catalog #	Pg
1.500 (38.1)	2.500 (63.5)	1.500 (38.1)	B-461	M61-157-461	39
1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	B-461	PTL-76-461	51
1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	B-461	PTL-73-461	39
1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	B-461	PTL-72-461	39
2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	B-461	PTL-74-461	39
2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	B-461	PTL-75-461	39
3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	B-461	PTL-77-461	39
3.750 (95.3)	0.750 (19.1)	1.000 (25.4)	B-461	PTL-79-461	39

# Labels by size index



## BradyPrinter i3300 and BBP®33 Printer labels by size

Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
0.375 (9.5)	-	-	B-492	B33-143-492	49
0.375 (9.5)	-	-	B-499	B33-143-499	49
0.500 (12.7)	0.750 (19.1)	-	B-490	B33-68-490	48
0.500 (12.7)	0.750 (19.1)	-	B-499	B33-68-499	36
0.500 (12.7) dia.	-	-	B-490	B33-144-490	37
0.500 (12.7) dia.	-	-	B-492	B33-144-492	37
0.500 (12.7) dia.	-	-	B-499	B33-144-499	37
0.500 (12.7)	100 ft. (30.5 m)	-	B-595	B30C-500-595-GN	57
0.500 (12.7)	100 ft. (30.5 m)	-	B-595	B30C-500-595-RD	57
0.500 (12.7)	100 ft. (30.5 m)	-	B-595	B30C-500-595-WT	57
0.500 (12.7)	100 ft. (30.5 m)	-	B-595	B30C-500-595-YL	57
0.750 (19.1)	0.250 (6.4)	-	B-498	B33-1-498	53
0.825 (21.0)	0.250 (6.4)	-	B-7425	B33-257-7425	36
0.900 (22.9)	0.375 (9.5)	-	B-481	B33-195-481	30
0.900 (22.9)	0.500 (12.7)	-	B-490	B33-125-490	48
0.900 (22.9)	0.500 (12.7)	-	B-499	B33-125-499	36
0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	B-490	B33-126-490	48
0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	B-499	B33-126-499	36
0.900 (22.9)	0.750 (19.1)	-	B-481	B33-194-481	30
0.900 (22.9)	0.900 (22.9)	-	B-481	B33-141-481	30
0.900 (22.9)	1.000 (25.4)	-	B-492	B33-180-492	37
1.000 (25.4)	0.375 (9.5)	-	B-492	B33-152-492	36
1.000 (25.4)	0.375 (9.5)	-	B-494	B33-152-494-BL	36
1.000 (25.4)	0.375 (9.5)	-	B-494	B33-152-494-GN	36
1.000 (25.4)	0.375 (9.5)	-	B-494	B33-152-494-OR	36
1.000 (25.4)	0.375 (9.5)	-	B-494	B33-152-494-PK	36
1.000 (25.4)	0.375 (9.5)	-	B-494	B33-152-494-RD	36
1.000 (25.4)	0.375 (9.5)	-	B-494	B33-152-494-YL	36
1.000 (25.4)	0.375 (9.5)	-	B-499	B33-152-499	28
1.000 (25.4)	0.375 (9.5)	-	B-7425	B33-152-7425	36
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-492	B33-163-492	49
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-499	B33-163-499	49
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-7425	B33-249-7425	36
1.000 (25.4)	0.500 (12.7)	-	B-492	B33-59-492	36
1.000 (25.4)	0.500 (12.7)	-	B-498	B33-5-498	53
1.000 (25.4)	0.500 (12.7)	-	B-7425	B33-59-7425	28
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-492	B33-181-492	37
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-494	B33-250-494-BL	37
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-494	B33-250-494-GN	37
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-494	B33-250-494-OR	37
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-494	B33-250-494-PK	37
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-494	B33-250-494-RD	37
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-494	B33-250-494-YL	37
1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	B-492	B33-182-492	37
1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	B-7425	B33-251-7425	27
1.000 (25.4)	0.750 (19.1)	-	B-498	B33-88-498	53
1.000 (25.4)	0.750 (19.1)	-	B-7425	B33-88-7425	27
1.000 (25.4)	1.000 (25.4)	-	B-492	B33-179-492	37
1.000 (25.4)	1.000 (25.4)	-	B-494	B33-179-494-BL	27
1.000 (25.4)	1.000 (25.4)	-	B-494	B33-179-494-GN	27
1.000 (25.4)	1.000 (25.4)	-	B-494	B33-179-494-OR	27

Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
1.000 (25.4)	1.000 (25.4)	-	B-494	B33-179-494-PK	27
1.000 (25.4)	1.000 (25.4)	-	B-494	B33-179-494-RD	27
1.000 (25.4)	1.000 (25.4)	-	B-494	B33-179-494-YL	27
1.000 (25.4)	1.000 (25.4)	-	B-7425	B33-179-7425	27
1.000 (25.4)	1.437 (36.5)	-	B-498	B33-89-498	53
1.125 (28.6)	100 ft. (30.5 m)	-	B-403	B30C-1125-403-WT	55
1.125 (28.6)	100 ft. (30.5 m)	-	B-595	B30C-1125-595-GN	57
1.125 (28.6)	100 ft. (30.5 m)	-	B-595	B30C-1125-595-RD	57
1.125 (28.6)	100 ft. (30.5 m)	-	B-595	B30C-1125-595-WT	57
1.125 (28.6)	100 ft. (30.5 m)	-	B-595	B30C-1125-595-YL	57
1.250 (31.8)	0.375 (9.5)	-	B-490	B33-154-490	49
1.300 (33.0)	0.600 (15.2)	-	B-7425	B33-256-7425	27
1.500 (38.1)	0.500 (12.7)	-	B-7425	B33-257-7425	28
1.500 (38.1)	0.750 (19.1)	-	B-499	B33-136-499	32
1.500 (38.1)	0.750 (19.1)	-	B-7425	B33-136-7425	44
1.500 (38.1)	1.000 (25.4)	-	B-7425	B33-235-7425	27
1.500 (38.1)	1.000 (25.4)	-	B-7425-AC	B33-235-7425-AC	55
1.500 (38.1)	1.750 (44.5)	-	B-7425	B33-258-7425	41
1.625 (41.3)	0.600 (15.2)	-	B-490	B33-155-490	32
1.625 (41.3)	0.600 (15.2)	-	B-492	B33-155-492	37
1.625 (41.3)	0.600 (15.2)	0.375 (9.5) dia.	B-492	B33-190-492	32
1.900 (48.3)	1.000 (25.4)	-	B-490	B33-156-490	37
1.900 (48.3)	1.000 (25.4)	-	B-492	B33-156-492	44
2.000 (50.8)	0.250 (6.4)	-	B-490	B33-151-490	28
2.000 (50.8)	0.250 (6.4)	-	B-499	B33-151-499	28
2.000 (50.8)	0.250 (6.4)	-	B-7425	B33-151-7425	28
2.000 (50.8)	0.500 (12.7)	-	B-7425	B33-53-7425	28
2.000 (50.8)	1.000 (25.4)	-	B-424	B33-17-424	40
2.000 (50.8)	1.000 (25.4)	-	B-430	B33-17-430	27
2.000 (50.8)	1.000 (25.4)	-	B-499	B33-137-499	32
2.000 (50.8)	1.000 (25.4)	-	B-7425	B33-137-7425	27
2.000 (50.8)	1.000 (25.4)	-	B-7425-AC	B33-137-7425-AC	55
2.200 (55.9)	1.500 (38.1)	-	B-490	B33-157-490	37
2.250 (57.2)	100 ft. (30.5 m)	-	B-403	B30C-2250-403-WT	55
2.250 (57.2)	100 ft. (30.5 m)	-	B-595	B30C-2250-595-GN	57
2.250 (57.2)	100 ft. (30.5 m)	-	B-595	B30C-2250-595-RD	57
2.250 (57.2)	100 ft. (30.5 m)	-	B-595	B30C-2250-595-WT	57
2.250 (57.2)	100 ft. (30.5 m)	-	B-595	B30C-2250-595-YL	57
3.000 (76.2)	1.000 (25.4)	-	B-424	B33-18-424	40
3.000 (76.2)	1.000 (25.4)	-	B-430	B33-18-430	53
3.000 (76.2)	2.000 (50.8)	-	B-424	B33-19-424	53
3.000 (76.2)	100 ft. (30.5 m)	-	B-403	B30C-3000-403-WT	55
3.000 (76.2)	100 ft. (30.5 m)	-	B-595	B30C-3000-595-WT	57
3.000 (76.2)	100 ft. (30.5 m)	-	B-595	B30C-3000-595-YL	57
3.750 (95.3)	1.500 (38.1)	-	B-490	B33-158-490	44
4.000 (101.6)	100 ft. (30.5 m)	-	B-403	B30C-4000-403-WT	55
4.000 (101.6)	100 ft. (30.5 m)	-	B-595	B30C-4000-595-GN	57
4.000 (101.6)	100 ft. (30.5 m)	-	B-595	B30C-4000-595-RD	57
4.000 (101.6)	100 ft. (30.5 m)	-	B-595	B30C-4000-595-WT	57
4.000 (101.6)	100 ft. (30.5 m)	-	B-595	B30C-4000-595-YL	57

## BradyPrinter i3300 and BBP®33 Printer self-laminating labels by size

Label width (A)	Label height (B)	Print-on area (C)	Material	Catalog #	Pg
1.000 (25.4)	5.250 (133.4)	1.500 (38.1)	B-461	B33-139-461	39
1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	B-461	B33-133-461	51
1.750 (44.5)	1.000 (25.4)	0.375 (9.5)	B-427	B33-120-427	33
1.750 (44.5)	1.500 (38.1)	0.500 (12.7)	B-427	B33-121-427	33
1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	B-461	B33-123-461	39

Label width (A)	Label height (B)	Print-on area (C)	Material	Catalog #	Pg
1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	B-461	B33-122-461	39
2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	B-461	B33-127-461	39
2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	B-461	B33-276-461	39
3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	B-461	B33-134-461	45

# Labels by size index

## BradyJet J2000 Printer labels by size



Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
1.000 (25.4)	0.500 (12.7)	-	B-7425J	J20-59-7425J	29
1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	B-7425J	J20-251-7425J	27
1.000 (25.4)	0.750 (19.1)	-	B-7425J	J20-88-7425J	27
1.000 (25.4)	1.000 (25.4)	-	B-7425J	J20-179-7425J	27
1.125 (28.57)	100 ft. (30.5 m)	-	B-2569	J20C-1125-2569	57
1.125 (28.57)	100 ft. (30.5 m)	-	B-2595	J20C-1125-2595	57
1.125 (28.6)	100 ft. (30.5 m)	-	B-7425J	J20C-1125-7425J	32
1.300 (33.0)	0.600 (15.2)	-	B-7425J	J20-256-7425J	27
1.500 (38.1)	0.500 (12.7)	-	B-7425J	J20-37-7425J	29
1.500 (38.1)	0.750 (19.1)	-	B-7425J	J20-136-7425J	44
1.500 (38.1)	1.000 (25.4)	-	B-7425J	J20-235-7425J	27
1.500 (38.1)	1.750 (44.5)	-	B-7425J	J20-258-7425J	41
2.000 (50.8)	0.250 (6.4)	-	B-7425J	J20-151-7425J	29
2.000 (50.8)	0.500 (12.7)	-	B-7425J	J20-53-7425J	29
2.000 (50.8)	1.000 (25.4)	-	B-7425J	J20-137-7425J	27
2.170 (55.11)	3.350 (85.09)	-	B-2569	J20-260-2569	57

Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
2.170 (55.11)	3.350 (85.09)	-	B-2595	J20-260-2595	57
2.170 (55.1)	3.350 (85.1)	-	B-7425J	J20-260-7425J	53
2.250 (57.15)	100 ft. (30.5 m)	-	B-2569	J20C-2250-2569	57
2.250 (57.15)	100 ft. (30.5 m)	-	B-2595	J20C-2250-2595	57
2.250 (57.2)	100 ft. (30.5 m)	-	B-7425J	J20C-2250-7425J	32
2.950 (74.93)	4.330 (109.98)	-	B-2569	J20-261-2569	57
2.950 (74.93)	4.330 (109.98)	-	B-2595	J20-261-2595	57
2.950 (74.9)	4.330 (110.0)	-	B-7425J	J20-261-7425J	53
3.000 (76.20)	1.000 (25.4)	-	B-2595	J20-18-2595	58
3.000 (76.2)	1.000 (25.4)	-	B-7425J	J20-18-7425J	44
4.000 (101.6)	100 ft. (30.5 m)	-	B-2569	J20C-4000-2569	57
4.000 (101.6)	100 ft. (30.5 m)	-	B-2595	J20C-4000-2595	57
4.000 (101.6)	100 ft. (30.5 m)	-	B-7425J	J20C-4000-7425J	58
4.130 (104.90)	6.100 (154.94)	-	B-2569	J20-262-2569	57
4.130 (104.90)	6.100 (154.94)	-	B-2595	J20-262-2595	57
4.130 (104.9)	6.100 (154.9)	-	B-7425J	J20-262-7425J	53

## BBP®12 Printer 1.5-in. core labels by size



Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
0.375 (9.5) dia.	-	-	B-492	THT-143-492-1.5-SC	45
0.500 (12.7) dia.	-	-	B-492	THT-144-492-1.5-SC	37
0.500 (12.7) dia.	-	-	B-499	THT-144-499-1.5-SC	37
0.825 (21.0)	0.250 (6.4)	-	B-7425	THT-257-7425-2-SC	37
0.900 (22.9)	0.500 (12.7)	-	B-499	THT-125-499-1.5-SC	37
0.900 (22.9)	0.750 (19.1)	-	B-481	THT-194-481-2.5-SC	30
0.900 (22.9)	0.750 (19.1)	-	B-488	THT-140-488-1.5-SC	27
0.900 (22.9)	0.900 (22.9)	-	B-481	THT-141-481-1.5-SC	30
0.900 (22.9)	0.900 (22.9)	-	B-481	THT-164-481-2.5-SC	30
0.900 (22.9)	0.900 (22.9)	-	B-481	THT-207-481-2.5-SC	30
0.900 (22.9)	0.900 (22.9)	-	B-488	THT-164-488-1.5-SC	30
1.000 (25.4)	0.375 (9.5)	-	B-492	THT-152-492-2.5-SC	37
1.000 (25.4)	0.375 (9.5)	-	B-499	THT-152-499-1.5-SC	37
1.000 (25.4)	0.375 (9.5)	-	B-7425	THT-152-7425-2-SC	37
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-492	THT-249-492-1.5-SC	37
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-7425	THT-249-7425-2-SC	37
1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	B-499	THT-249-499-1.5-SC	37
1.000 (25.4)	0.500 (12.7)	-	B-492	THT-59-492-2.5-SC	37
1.000 (25.4)	0.500 (12.7)	-	B-498	THT-59-498-2.5-SC	54
1.000 (25.4)	0.500 (12.7)	-	B-533	THT-59-533-2.5-SC	54
1.000 (25.4)	0.500 (12.7)	-	B-7425	THT-59-7425-2-SC	29
1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	B-492	THT-250-492-1.5-SC	37
1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	B-492	THT-251-492-1.5-SC	37
1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	B-7425	THT-251-7425-2-SC	27
1.000 (25.4)	0.750 (19.1)	-	B-492	THT-88-492-2.5-SC	37
1.000 (25.4)	0.750 (19.1)	-	B-7425	THT-88-7425-2-SC	27

Label width (A)	Label height (B)	Secondary label (C)	Material	Catalog #	Pg
1.000 (25.4)	1.000 (25.4)	-	B-492	THT-179-492-2.5-SC	37
1.000 (25.4)	1.000 (25.4)	-	B-7425	THT-179-7425-2-SC	27
1.050 (26.7)	0.250 (6.4)	-	B-498	THT-199-498-3-SC	54
1.250 (31.8)	0.375 (9.5)	-	B-490	THT-154-490-1.5-SC	37
1.300 (33.0)	0.600 (15.2)	-	B-7425	THT-256-7425-2-SC	27
1.500 (38.1)	0.500 (12.7)	-	B-7425	THT-37-7425-2-SC	29
1.500 (38.1)	0.750 (19.1)	-	B-449	THT-6-449-1.5-SC	54
1.500 (38.1)	0.750 (19.1)	-	B-499	THT-136-499-1.5-SC	41
1.500 (38.1)	0.750 (19.1)	-	B-7425	THT-136-7425-2-SC	45
1.500 (38.1)	1.000 (25.4)	-	B-7425	THT-235-7425-2-SC	27
1.625 (41.3)	0.600 (15.2)	-	B-490	THT-155-490-1.5-SC	33
1.750 (44.5)	1.500 (38.1)	-	B-7425	THT-258-7425-2-SC	41
1.900 (48.3)	1.000 (25.4)	-	B-490	THT-156-490-1.5-SC	33
1.900 (48.3)	1.000 (25.4)	-	B-492	THT-156-492-1.5-SC	33
2.000 (50.8)	0.250 (6.4)	-	B-499	THT-151-499-1.5-SC	42
2.000 (50.8)	0.250 (6.4)	-	B-7425	THT-151-7425-2-SC	29
2.000 (50.8)	0.500 (12.7)	-	B-7425	THT-53-7425-2-SC	29
2.000 (50.8)	1.000 (25.4)	-	B-424	THT-17-424-1.5-SC	40
2.000 (50.8)	1.000 (25.4)	-	B-498	THT-17-498-1.5-SC	54
2.000 (50.8)	1.000 (25.4)	-	B-499	THT-137-499-1.5-SC	33
2.000 (50.8)	1.000 (25.4)	-	B-533	THT-17-533-1.5-SC	54
2.000 (50.8)	1.000 (25.4)	-	B-7425	THT-137-7425-2-SC	27
2.200 (55.9)	1.500 (38.1)	-	B-490	THT-157-490-1.5-SC	37
2.500 (63.5)	0.200 (5.1)	-	B-481	THT-142-481-2.5-SC	30
3.000 (76.2)	1.000 (25.4)	-	B-424	THT-18-424-1.5-SC	40
3.750 (95.3)	1.500 (38.1)	-	B-490	THT-158-490-1.5-SC	45

## BBP®12 Printer self-laminating labels by size

Label width (A)	Label height (B)	Print-on area (C)	Material	Catalog #	Pg
0.500 (12.7)	1.800 (45.7)	0.750 (19.1)	B-461	THT-122-461-1.5-SC	39
0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	B-461	THT-127-461-1.5-SC	39
0.600 (15.2)	1.625 (41.3)	1.000 (25.4)	B-461	THT-133-461-1.5-SC	51

Label width (A)	Label height (B)	Print-on area (C)	Material	Catalog #	Pg
0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	B-461	THT-153-461-1.5-SC	39
0.750 (19.1)	1.800 (45.7)	0.750 (19.1)	B-461	THT-123-461-1.5-SC	39



# Index

Catalog #	Pg	Catalog #	Pg	Catalog #	Pg	Catalog #	Pg	Catalog #	Pg
21800	.61	85098	.61	122826	.61	149044	.17	B33-17-430	.28
22082	.61	85165	.61	126052	.61	149045	.17	B33-17-430	.53
22311	.61	85167	.61	126157	.61	149048	.17	B33-18-424	.40
22312	.61	85168	.61	126158	.61	149050	.17	B33-18-424	.53
22323	.61	85553	.61	126159	.61	149051	.17	B33-18-430	.53
22324	.61	85554	.61	126160	.61	149053	.17	B33-19-424	.53
22355	.61	87782	.61	126161	.61	149054	.17	B33-37-7425	.28
22356	.61	88051	.60	126624	.61	149055	.17	B33-37-7425	.32
22362	.61	88543	.61	126625	.61	149056	.17	B33-37-7425	.37
22579	.61	88544	.61	126626	.61	149069	.17	B33-53-7425	.28
22580	.61	88627	.61	126627	.61	149208	.17	B33-53-7425	.42
25194	.61	88628	.61	126628	.61	149452	.16	B33-59-492	.36
25195	.61	89158	.61	126629	.61	149453	.16	B33-59-7425	.28
25222	.61	89159	.61	126630	.61	149455	.16	B33-59-7425	.32
25223	.61	89170	.61	126631	.61	149456	.16	B33-59-7425	.36
25441	.61	90933	.61	126632	.61	149552	.14	B33-59-7425	.49
25610	.61	91447	.60	126633	.61	150507	.20	B33-68-490	.48
25611	.61	104506	.60	126634	.61	150508	.20	B33-68-490	.53
25652	.61	118815	.59	126635	.61	150639	.14	B33-68-499	.36
25653	.61	118816	.59	126636	.61	150642	.14	B33-68-499	.48
25654	.61	118817	.59	126637	.61	150645	.14	B33-68-499	.53
25655	.61	118821	.59	126638	.61	AD15100	.62	B33-88-498	.53
25742	.61	118822	.59	126639	.61	AD30100	.62	B33-88-7425	.27
25743	.61	118823	.59	126640	.61	B30-18-7569-CLP4C	.58	B33-88-7425	.37
25898	.61	118827	.59	126641	.61	B30-260-7569-CLP1	.58	B33-88-7425	.49
26575	.61	118828	.59	126642	.61	B30-260-7569-CLP2	.58	B33-89-498	.53
30670	.61	118829	.59	126643	.61	B30-260-7569-CLP3A	.58	B33-120-427	.33
30671	.61	118833	.59	126644	.61	B30-260-7569-CLP3B	.58	B33-121-427	.33
30673	.61	118834	.59	126645	.61	B30-260-7569-CLP4A	.58	B33-122-461	.39
30674	.61	118835	.59	126646	.61	B30-260-7569-CLP4B	.58	B33-122-461	.51
40645	.61	118839	.59	126647	.61	B30-261-7569-CLP1	.58	B33-123-461	.39
40646	.61	118840	.59	126648	.61	B30-261-7569-CLP2	.58	B33-123-461	.51
40876	.61	118841	.59	126649	.61	B30-261-7569-CLP3A	.58	B33-125-490	.48
40887	.61	118845	.59	126650	.61	B30-261-7569-CLP3B	.58	B33-125-499	.36
40888	.61	118846	.59	126651	.61	B30-261-7569-CLP4A	.58	B33-125-499	.48
40925	.61	118847	.59	126652	.61	B30-261-7569-CLP4B	.58	B33-126-490	.48
41143	.61	118851	.59	126653	.61	B30-262-7569-CLP1	.58	B33-126-499	.36
42771	.61	118852	.59	126666	.61	B30-262-7569-CLP2	.58	B33-126-499	.48
42772	.61	118853	.59	126667	.61	B30-262-7569-CLP3A	.58	B33-127-461	.39
42799	.61	118857	.59	126668	.61	B30-262-7569-CLP3B	.58	B33-127-461	.51
42800	.61	118858	.59	126669	.61	B30-262-7569-CLP4A	.58	B33-133-461	.51
43017	.61	118859	.59	126670	.61	B30-262-7569-CLP4B	.58	B33-134-461	.45
43018	.61	118863	.59	126671	.61	B30-R4300	.14	B33-136-499	.32
43187	.61	118864	.59	126672	.61	B30-R6000	.14	B33-136-499	.44
43188	.61	118865	.59	126673	.61	B30-R6200	.14	B33-136-499	.53
43230	.61	118869	.59	126674	.61	B30-R6400	.14	B33-136-7425	.44
43231	.61	118870	.59	126675	.61	B30-R10000	.14	B33-137-499	.32
43232	.61	118871	.59	126676	.61	B30C-500-595-GN	.57	B33-137-499	.44
43475	.61	118875	.59	126677	.61	B30C-500-595-RD	.57	B33-137-499	.53
46753	.61	118876	.59	126678	.61	B30C-500-595-WT	.57	B33-137-7425	.27
47056	.61	118877	.59	126679	.61	B30C-500-595-YL	.57	B33-137-7425	.40
47094	.61	118881	.59	126680	.61	B30C-1125-403-WT	.55	B33-137-7425	.61
62550	.61	118882	.59	126681	.61	B30C-1125-595-GN	.57	B33-137-7425	.41
62812	.61	118883	.59	126682	.61	B30C-1125-595-RD	.57	B33-137-7425	.44
69097	.61	118887	.59	126683	.61	B30C-1125-595-WT	.57	B33-137-7425	.53
69768	.61	118888	.59	129156	.61	B30C-1125-595-YL	.57	B33-137-7425-AC	.55
69813	.61	118889	.59	129157	.61	B30C-2250-403-WT	.55	B33-139-461	.39
70240	.61	118893	.59	129158	.61	B30C-2250-595-GN	.57	B33-141-481	.30
70258	.61	118894	.59	129159	.61	B30C-2250-595-RD	.57	B33-143-492	.49
70350	.61	118895	.59	129160	.61	B30C-2250-595-WT	.57	B33-143-499	.49
70582	.61	118899	.59	129161	.61	B30C-2250-595-YL	.57	B33-144-490	.37
73436	.61	118900	.59	132434	.60	B30C-3000-403-WT	.55	B33-144-490	.49
74455	.61	118901	.59	133080	.20	B30C-3000-595-WT	.57	B33-144-499	.37
75639	.61	118905	.59	133081	.20	B30C-3000-595-YL	.57	B33-144-492	.37
83753	.61	118906	.59	133082	.20	B30C-4000-403-WT	.55	B33-144-492	.49
83928	.61	118907	.59	133083	.20	B30C-4000-595-GN	.57	B33-144-499	.49
84054	.61	118911	.59	133084	.20	B30C-4000-595-RD	.57	B33-151-490	.28
84055	.61	118912	.59	133085	.20	B30C-4000-595-WT	.57	B33-151-490	.42
84351	.61	118913	.59	133086	.20	B30C-4000-595-YL	.57	B33-151-499	.28
84352	.61	118917	.59	133087	.20	B31-CCT	.14	B33-151-499	.42
84368	.61	118918	.59	133088	.20	B31-WIPER	.14	B33-151-7425	.28
84397	.61	118919	.59	142267	.11	B33-1-498	.53	B33-151-7425	.42
84398	.61	120994	.14	142268	.11	B33-5-498	.53	B33-152-492	.36
84463	.61	122406	.61	143561	.20	B33-17-424	.40	B33-152-492	.49
84469	.61	122519	.61	145586	.60	B33-17-424	.40	B33-152-494-BL	.36
84973	.61	122650	.61	145587	.60	B33-17-424	.53	B33-152-494-BL	.49
85097	.61	122820	.61	149043	.17	B33-17-430	.27	B33-152-494-GN	.36

Catalog #	Pg	Catalog #	Pg	Catalog #	Pg	Catalog #	Pg	Catalog #	Pg
B33-152-494-GN	49	B33-235-7425-AC	55	IP-R4300	16	J20-CMY	15	M-82-499-OR-BK	47
B33-152-494-OR	36	B33-249-7425	36	IP-R4302	16	J20-CUTTER	15	M-82-499-RD-BK	35
B33-152-494-OR	49	B33-249-7425	49	IP-R4306	16	J20-PAD	15	M-82-499-RD-BK	47
B33-152-494-PK	36	B33-250-494-BL	37	IP-R4307	16	J20C-1125-2569	57	M-82-499-YL-BK	35
B33-152-494-PK	49	B33-250-494-BL	49	IP-R6000	16	J20C-1125-2595	57	M-82-499-YL-BK	47
B33-152-494-RD	36	B33-250-494-GN	37	IP-R6002	16	J20C-1125-2595	58	M-83-492	35
B33-152-494-RD	49	B33-250-494-GN	49	IP-R6200	16	J20C-1125-7425J	32	M-83-492	47
B33-152-494-YL	36	B33-250-494-OR	37	IP-R6207	16	J20C-1125-7425J	44	M-83-499	47
B33-152-494-YL	49	B33-250-494-OR	49	IP-R6400	16	J20C-1125-7425J	53	M-83-499-OR-BK	47
B33-152-499	28	B33-250-494-PK	37	IP-R6402	16	J20C-1125-7425J	57	M-83-499-RD-BK	47
B33-152-499	42	B33-250-494-PK	49	J20-18-2595	58	J20C-1125-7425J	58	M-83-499-YL-BK	47
B33-152-499	49	B33-250-494-RD	37	J20-18-7425J	44	J20C-2250-2569	57	M-86-461	39
B33-152-499	53	B33-250-494-RD	49	J20-18-7425J	53	J20C-2250-2595	57	M-86-461	51
B33-152-7425	36	B33-250-494-YL	37	J20-18-7425J	58	J20C-2250-2595	58	M-95-492	32
B33-152-7425	49	B33-250-494-YL	49	J20-37-7425J	29	J20C-2250-7425J	32	M-95-492	43
B33-154-490	49	B33-251-7425	27	J20-37-7425J	32	J20C-2250-7425J	44	M-97-481	30
B33-155-490	32	B33-251-7425	37	J20-37-7425J	37	J20C-2250-7425J	53	M-97-488	30
B33-155-490	44	B33-251-7425	49	J20-53-7425J	29	J20C-2250-7425J	57	M-103-498	53
B33-155-492	37	B33-256-7425	27	J20-53-7425J	42	J20C-2250-7425J	58	M-112-490	47
B33-156-490	37	B33-256-7425	37	J20-59-7425J	29	J20C-4000-2569	57	M-112-492	35
B33-156-490	44	B33-256-7425	49	J20-59-7425J	32	J20C-4000-2595	57	M-112-492	47
B33-156-492	44	B33-257-7425	36	J20-59-7425J	37	J20C-4000-2595	58	M-113-490	35
B33-157-490	37	B33-257-7425	48	J20-59-7425J	49	J20C-4000-7425J	58	M-113-490	43
B33-157-490	44	B33-258-7425	41	J20-88-7425J	27	J2000	15	M-114-490	43
B33-158-490	44	B33-258-7425	44	J20-88-7425J	37	J2000-BWLAB	15	M-117-492	35
B33-163-492	49	B33-258-7425	53	J20-88-7425J	49	LH625E	61	M-117-492	47
B33-163-499	49	B33-276-461	39	J20-136-7425J	44	M-11-498	31	M-117-499	35
B33-179-492	37	B33-276-461	45	J20-137-7425J	27	M-17-432-CL-BK	26	M-117-499	47
B33-179-492	44	BBP11-U	13	J20-137-7425J	40	M-17-432-CL-BK	28	M-118-492	35
B33-179-492	49	BBP12-NA-PWID	13	J20-137-7425J	41	M-17-432-CL-BK	53	M-118-492	47
B33-179-494-BL	27	BBP12-US	13	J20-137-7425J	41	M-31-7425	35	M-118-494-BL	35
B33-179-494-BL	37	BH2023	60	J20-137-7425J	44	M-49-494-BL	26	M-118-494-BL	47
B33-179-494-BL	44	BMP-UBP	11	J20-137-7425J	53	M-49-494-BL	35	M-118-494-GN	35
B33-179-494-BL	49	BMP-UBP-AC	11	J20-151-7425J	29	M-49-494-BL	43	M-118-494-GN	47
B33-179-494-BL	53	BMP21-LAB	10	J20-151-7425J	42	M-49-494-BL	47	M-118-494-OR	35
B33-179-494-GN	27	BMP21-LAB-BATT	10	J20-152-7425J	37	M-49-494-BL	53	M-118-494-OR	47
B33-179-494-GN	37	BMP21-LAB-KIT1	10	J20-152-7425J	49	M-49-494-GN	26	M-118-494-PK	35
B33-179-494-GN	44	BMP21-MAGNET	10	J20-179-7425J	27	M-49-494-GN	35	M-118-494-PK	47
B33-179-494-GN	49	BMP21-PLUS-BATT	10	J20-179-7425J	37	M-49-494-GN	43	M-118-494-RD	35
B33-179-494-GN	53	BMP21-PLUS-HC	10	J20-179-7425J	41	M-49-494-GN	47	M-118-494-RD	47
B33-179-494-OR	27	BMP51	11	J20-179-7425J	44	M-49-494-GN	53	M-118-494-YL	35
B33-179-494-OR	37	BMP51-KIT-AC	11	J20-179-7425J	49	M-49-494-OR	26	M-118-494-YL	47
B33-179-494-OR	44	BMP51-KIT-LS	11	J20-179-7425J	53	M-49-494-OR	35	M-118-499	35
B33-179-494-OR	49	BMP-HC-2	12	J20-235-7425J	27	M-49-494-OR	43	M-118-499	47
B33-179-494-OR	53	BMP-MAGNET-2	12	J20-235-7425J	32	M-49-494-OR	47	M-118-7425	35
B33-179-494-PK	27	BMP-SC-1	11	J20-249-7425J	27	M-49-494-OR	53	M-118-7425	47
B33-179-494-PK	37	BMP-SC-2	12	J20-249-7425J	49	M-49-494-PK	26	M-119-461	45
B33-179-494-PK	44	BMP-STRAP-1	12	J20-251-7425J	27	M-49-494-PK	35	M-120-492	35
B33-179-494-PK	49	BSM100	62	J20-251-7425J	37	M-49-494-PK	43	M-120-492	47
B33-179-494-PK	53	BSM300	62	J20-251-7425J	49	M-49-494-PK	47	M-120-494-BL	35
B33-179-494-RD	27	BSM3650	62	J20-256-7425J	27	M-49-494-PK	53	M-120-494-BL	47
B33-179-494-RD	37	BWRK-GHS-DWN	19	J20-256-7425J	37	M-49-494-RD	26	M-120-494-GN	35
B33-179-494-RD	44	BWS-LABS-EM	18	J20-256-7425J	49	M-49-494-RD	35	M-120-494-GN	47
B33-179-494-RD	49	BWS-PPS-CD	19	J20-257-7425J	37	M-49-494-RD	43	M-120-494-OR	35
B33-179-494-RD	53	BWS-PPS-CD-VOL	19	J20-257-7425J	49	M-49-494-RD	47	M-120-494-OR	47
B33-179-494-YL	27	BWS-PPS-EM	19	J20-258-7425J	41	M-49-494-RD	53	M-120-494-PK	35
B33-179-494-YL	37	BWS-PPS-EM-VOL	19	J20-258-7425J	44	M-49-494-YL	26	M-120-494-PK	47
B33-179-494-YL	44	BWS-SPS-CD	19	J20-258-7425J	53	M-49-494-YL	35	M-120-494-RD	35
B33-179-494-YL	49	BWS-SPS-EM	19	J20-260-2569	57	M-49-494-YL	43	M-120-494-RD	47
B33-179-494-YL	53	CH15DP	62	J20-260-2595	57	M-49-494-YL	47	M-120-494-YL	35
B33-179-7425	27	CH100	62	J20-260-2595	58	M-49-494-YL	53	M-120-494-YL	47
B33-179-7425	37	CH1212	62	J20-260-7425J	53	M-72-461	39	M-120-499	35
B33-179-7425	41	CH1212-50	62	J20-260-7425J	57	M-72-461	51	M-120-499	47
B33-179-7425	44	CH30DP	62	J20-260-7425J	58	M-74-461	39	M-122-461	51
B33-179-7425	49	CH200	62	J20-261-2569	57	M-74-461	51	M-123-461	51
B33-179-7425	53	CH303	62	J20-261-2595	57	M-75-461	39	M-124-461	51
B33-180-492	37	DISPENSER	21	J20-261-2595	58	M-78-432-CL-BK	43	M-124-490	32
B33-181-492	37	DSP-403KIT	21	J20-261-7425J	53	M-78-492	43	M-124-492	34
B33-181-492	49	DT-17-813-3	40	J20-261-7425J	57	M-81-488	26	M-124-492	47
B33-182-492	37	DT-17-813-3	40	J20-261-7425J	58	M-81-488	28	M-125-461	39
B33-182-492	49	DT-18-813-3	40	J20-262-2569	57	M-81-488	42	M-125-490	35
B33-190-492	32	HAZ99	62	J20-262-2595	57	M-82-492	35	M-125-492	35
B33-195-481	30	HAZ124	62	J20-262-2595	58	M-82-492	47	M-126-461	39
B33-194-481	30	HAZ412	62	J20-262-7425J	53	M-82-499	35	M-126-461	51
B33-235-7425	27	HAZ1818	62	J20-262-7425J	57	M-82-499	47	M-126-490	35
B33-235-7425	32	HAZ1818-2	62	J20-262-7425J	58	M-82-499-OR-BK	35	M-128-498	53





Catalog #	Pg	Catalog #	Pg	Catalog #	Pg	Catalog #	Pg	Catalog #	Pg
SKH-20	63	THT-88-7425-2	38	THT-151-499-1.5-SC	42	THT-179-494-GN	50	THT-251-7425-2	38
SKH-ATK	63	THT-88-7425-2	50	THT-151-499-3	42	THT-179-494-GN	54	THT-251-7425-2	50
SKH-BKT	63	THT-88-7425-2-SC	27	THT-151-7425-2	29	THT-179-494-OR	27	THT-251-7425-2-SC	27
SKH-CFB	63	THT-88-7425-2-SC	37	THT-151-7425-2	42	THT-179-494-OR	38	THT-251-7425-2-SC	37
SKH-PP	63	THT-88-7425-2-SC	50	THT-151-7425-2-SC	29	THT-179-494-OR	45	THT-251-7425-2-SC	49
SKH-SRP	63	THT-116-427-5	33	THT-151-7425-2-SC	42	THT-179-494-OR	50	THT-252-498-3	31
SPCUN1019	62	THT-122-461-1.5-SC	39	THT-152-492-2.5-SC	37	THT-179-494-OR	54	THT-254-498-3	31
SPCUN1113	62	THT-122-461-1.5-SC	51	THT-152-492-2.5-SC	49	THT-179-494-PK	27	THT-256-7425-2	27
SPCUN1113-50	62	THT-122-461-3	39	THT-152-492-3	38	THT-179-494-PK	38	THT-256-7425-2	38
SPCUN1719	62	THT-122-461-3	51	THT-152-492-3	50	THT-179-494-PK	45	THT-256-7425-2	50
SPCUN3800	62	THT-123-461-1.5-SC	39	THT-152-494-BL	38	THT-179-494-PK	50	THT-256-7425-2-SC	27
SRPH75P	62	THT-123-461-1.5-SC	51	THT-152-494-BL	50	THT-179-494-PK	54	THT-256-7425-2-SC	37
SRPH100	62	THT-123-461-3	39	THT-152-494-GN	38	THT-179-494-RD	27	THT-256-7425-2-SC	49
SRPH200	62	THT-123-461-3	51	THT-152-494-GN	50	THT-179-494-RD	38	THT-257-7425-2	38
THT-5-351-10	41	THT-125-499-1.5-SC	37	THT-152-494-OR	38	THT-179-494-RD	45	THT-257-7425-2	50
THT-5-488-10	27	THT-125-499-1.5-SC	49	THT-152-494-OR	50	THT-179-494-RD	50	THT-257-7425-2-SC	37
THT-5-488-10	29	THT-125-499-3	33	THT-152-494-PK	38	THT-179-494-RD	54	THT-257-7425-2-SC	49
THT-5-488-10	54	THT-125-499-3	38	THT-152-494-PK	50	THT-179-494-YL	27	THT-258-7425-2	41
THT-6-449-1.5-SC	54	THT-125-499-3	50	THT-152-494-RD	38	THT-179-494-YL	38	THT-258-7425-2	45
THT-6-449-3	54	THT-126-499-3	50	THT-152-494-RD	50	THT-179-494-YL	45	THT-258-7425-2	54
THT-15-488-2.5	27	THT-127-461-1.5-SC	39	THT-152-494-YL	38	THT-179-494-YL	50	THT-258-7425-2-SC	41
THT-15-488-2.5	29	THT-127-461-1.5-SC	51	THT-152-494-YL	50	THT-179-494-YL	54	THT-258-7425-2-SC	45
THT-15-488-2.5	42	THT-127-461-3	39	THT-152-499-1.5-SC	37	THT-179-7425-2	27	THT-258-7425-2-SC	54
THT-15-488-2.5	54	THT-127-461-3	51	THT-152-499-1.5-SC	49	THT-179-7425-2	38	THT-500-403	55
THT-17-351-3	41	THT-131-461-3	39	THT-152-499-3	38	THT-179-7425-2	41	THT-750-403	55
THT-17-424-1.5-SC	40	THT-133-461-1.5-SC	51	THT-152-499-3	50	THT-179-7425-2	45	THT-1000-403	55
THT-17-424-1.5-SC	54	THT-133-461-3	51	THT-152-499-3	38	THT-179-7425-2	50	THT-1125-403-WT	55
THT-17-424-3	40	THT-134-461-3	45	THT-152-7425-2	50	THT-179-7425-2	54	THT-1500-403	55
THT-17-424-3	54	THT-135-427-3-AW	45	THT-152-7425-2-SC	37	THT-179-7425-2-SC	27	THT-2000-403	55
THT-17-430-3	27	THT-136-499-1.5-SC	41	THT-152-7425-2-SC	49	THT-179-7425-2-SC	37	THT-2250-403-WT	55
THT-17-430-3	29	THT-136-499-1.5-SC	54	THT-153-461-1.5-SC	39	THT-179-7425-2-SC	41	THT-3000-403-WT	55
THT-17-430-3	54	THT-136-499-3	41	THT-153-461-1.5-SC	51	THT-179-7425-2-SC	45	THT-4000-403-WT	55
THT-17-498-1.5-SC	54	THT-136-499-3	54	THT-153-461-3	39	THT-179-7425-2-SC	50		
THT-17-498-3	54	THT-136-7425-2	45	THT-153-461-3	51	THT-179-7425-2-SC	54		
THT-17-533-1.5-SC	54	THT-136-7425-2-SC	45	THT-154-490-1.5-SC	37	THT-180-492-3	38		
THT-17-533-3	54	THT-137-427-3-AW	45	THT-154-490-3	38	THT-180-492-3	50		
THT-18-351-3	41	THT-137-499-1.5-SC	33	THT-155-490-1.5-SC	33	THT-181-492-3	50		
THT-18-424-1.5-SC	40	THT-137-499-1.5-SC	41	THT-155-490-1.5-SC	45	THT-182-492-3	50		
THT-18-424-1.5-SC	54	THT-137-499-1.5-SC	54	THT-155-490-3	33	THT-183-461-1	39		
THT-18-424-3	40	THT-137-499-3	33	THT-155-490-3	45	THT-185-499-3	33		
THT-18-424-3	54	THT-137-499-3	41	THT-155-492-3	38	THT-190-492-3	33		
THT-18-430-3	54	THT-137-499-3	54	THT-156-490-1.5-SC	33	THT-194-481-2.5-SC	30		
THT-19-351-1	41	THT-137-7425-2	27	THT-156-490-1.5-SC	37	THT-194-481-3	30		
THT-19-430-1	54	THT-137-7425-2	40	THT-156-490-1.5-SC	45	THT-195-481-3	30		
THT-19-499-1	33	THT-137-7425-2	40	THT-156-490-3	33	THT-199-498-3	54		
THT-21-430	54	THT-137-7425-2	41	THT-156-490-3	38	THT-199-498-3-SC	54		
THT-37-351-10	41	THT-137-7425-2	45	THT-156-490-3	45	THT-207-481-2.5-SC	30		
THT-37-7425-2	29	THT-137-7425-2	54	THT-156-492-1.5-SC	33	THT-235-7425-2	27		
THT-37-7425-2	33	THT-137-7425-2-AC	55	THT-156-492-1.5-SC	45	THT-235-7425-2	33		
THT-37-7425-2	38	THT-137-7425-2-SC	27	THT-156-492-3	33	THT-235-7425-2-AC	55		
THT-37-7425-2-SC	29	THT-137-7425-2-SC	40	THT-156-492-3	45	THT-235-7425-2-SC	27		
THT-37-7425-2-SC	32	THT-137-7425-2-SC	40	THT-157-490-1.5-SC	37	THT-235-7425-2-SC	32		
THT-37-7425-2-SC	37	THT-137-7425-2-SC	41	THT-157-490-1.5-SC	45	THT-249-492-1.5-SC	37		
THT-53-351-3	41	THT-137-7425-2-SC	45	THT-157-490-3	38	THT-249-492-1.5-SC	49		
THT-53-7425-2	29	THT-137-7425-2-SC	54	THT-157-490-3	45	THT-249-499-1.5-SC	37		
THT-53-7425-2	42	THT-139-461-2	45	THT-158-490-1.5-SC	45	THT-249-499-1.5-SC	49		
THT-53-7425-2-SC	29	THT-140-488-1.5-SC	27	THT-158-490-3	45	THT-249-7425-2	38		
THT-53-7425-2-SC	42	THT-140-488-1.5-SC	54	THT-163-492-3	50	THT-249-7425-2	50		
THT-59-492-10	38	THT-140-488-3	27	THT-163-499-3	50	THT-249-7425-2-SC	37		
THT-59-492-10	50	THT-140-488-3	54	THT-164-481-2.5-SC	30	THT-249-7425-2-SC	49		
THT-59-492-2.5-SC	37	THT-141-481-1.5-SC	30	THT-164-481-3	30	THT-250-492-1.5-SC	37		
THT-59-492-2.5-SC	49	THT-141-481-3	30	THT-164-488-1	30	THT-250-492-1.5-SC	49		
THT-59-498-10	54	THT-141-488-3	30	THT-164-488-1-SC	30	THT-250-494-BL	38		
THT-59-498-2.5-SC	54	THT-142-481-2.5	30	THT-179-492-2.5-SC	37	THT-250-494-BL	50		
THT-59-533-10	54	THT-142-481-2.5-SC	30	THT-179-492-2.5-SC	45	THT-250-494-GN	38		
THT-59-533-2.5-SC	54	THT-143-492-1.5-SC	45	THT-179-492-2.5-SC	50	THT-250-494-GN	50		
THT-59-7425-2	29	THT-143-492-1.5-SC	50	THT-179-492-3	38	THT-250-494-OR	38		
THT-59-7425-2	33	THT-143-492-3	50	THT-179-492-3	45	THT-250-494-OR	50		
THT-59-7425-2	38	THT-144-492-1.5-SC	37	THT-179-492-3	50	THT-250-494-PK	38		
THT-59-7425-2	50	THT-144-492-1.5-SC	50	THT-179-494-BL	27	THT-250-494-PK	50		
THT-59-7425-2-SC	29	THT-144-492-3	38	THT-179-494-BL	38	THT-250-494-RD	38		
THT-59-7425-2-SC	32	THT-144-492-3	50	THT-179-494-BL	45	THT-250-494-RD	50		
THT-59-7425-2-SC	37	THT-143-499-3	50	THT-179-494-BL	50	THT-250-494-YL	38		
THT-59-7425-2-SC	49	THT-144-499-1.5-SC	37	THT-179-494-BL	54	THT-250-494-YL	50		
THT-88-492-2.5-SC	37	THT-144-499-1.5-SC	50	THT-179-494-GN	27	THT-251-492-1.5-SC	37		
THT-88-492-5	38	THT-144-499-3	38	THT-179-494-GN	38	THT-251-492-1.5-SC	49		
THT-88-7425-2	27	THT-144-499-3	50	THT-179-494-GN	45	THT-251-7425-2	27		

# Index

<b>A</b>		
Absorbents .....	62	
Autoclave-indicating labels .....	55	
<b>B</b>		
Barcode scanners .....	20	
BBP12 Printer .....	13	
BBP12 Ribbons .....	13	
Benchtop printers .....	13	
Biohazard tape .....	60	
Blood tube labels .....	40	
BMP21-LAB Printer.....	10	
BMP51 Printer.....	11	
Bottle, flask and dish labels .....	52	
Brady Workstation Software .....	18	
BradyJet J2000 Printer .....	15	
BradyPrinter i3300 Printer .....	14	
BradyPrinter i3300 Ribbons .....	14	
BradyPrinter i5100 Printer .....	16	
BradyPrinter i5100 Ribbons .....	16	
BradyPrinter i7100 Printer .....	17	
BradyPrinter i7100 Ribbons .....	17	
BradyPrinter M611 Printer .....	12	
BradyPrinter M611 Ribbons .....	12	
<b>C</b>		
Cell culture flask labels .....	26	
Centrifuge and conical tube labels .....	43	
Centrifuge and conical tube self-lam labels .....	45	
Cryo box and freezer rack labels .....	32	
Cryo cane labels .....	33	
Cryo tube labels .....	34	
Cryo tube self-laminating labels.....	39	
Cryopreservation labels .....	32	
<b>D</b>		
Dispenser .....	21	
<b>G</b>		
General lab labels .....	52	
GHS labels .....	58	
Glassware labels .....	52	
<b>H</b>		
Histology labels .....	30	

<b>L</b>		
Lab diagram guide.....	6	
Label dispenser.....	21	
Label material comparison guide.....	25	
Lean lab / visual workflow labels.....	56	
<b>M</b>		
Material comparison guide.....	25	
Microbiology labels.....	26	
Microcentrifuge labels.....	46	
Microcentrifuge self-laminating labels.....	51	
Microplate labels.....	42	
Microscope slide labels.....	30	
<b>P</b>		
PCR tube labels.....	46	
PCR tube self-laminating labels.....	51	
Petri dish labels.....	28	
Portable printers.....	10	
Printer comparison guide.....	8	
<b>S</b>		
Sample bag labels.....	41	
Sample collection and processing labels....	40	
Scanners.....	20	
Signs.....	61	
Slide labels.....	30	
Software.....	18	
Specimen cup labels.....	40	
Spill kits.....	63	
Straw and rod labels.....	33	
<b>T</b>		
Tamper-resistant seals.....	41	
Tissue cassette labels.....	31	
<b>V</b>		
Visual workflow labels.....	56	
<b>W</b>		
Water-dissolvable labels.....	55	
Well labels.....	42	

## We identify and protect premises, products and people.

For more information or to learn more about our innovative products, visit [BradyID.com](http://BradyID.com) or call 1-888-272-3946.



Y4178816 MS4178816

© 2020 Brady Worldwide Inc. ALL RIGHTS RESERVED.

USA  
Customer Service: 1-888-272-3946  
Inside Sales: 1-888-311-0775  
[BradyID.com](http://BradyID.com)

Canada  
Customer Service: 1-800-263-6179  
[BradyCanada.ca](http://BradyCanada.ca)

Mexico  
Customer Service: 1-800-262-7777  
Inside Sales: 1-800-262-7777 ext 177  
[BradyLatinAmerica.com](http://BradyLatinAmerica.com)

